



BERTAZZONI LISTA DE PRECIOS 2021
VÁLIDA A PARTIR DEL 1 DE ENERO





TERMINOS Y CONDICIONES

- Por ser nuestra línea de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dolares americanos o pesos mexicanos al tipo de cambio que Artexa México S.A. de C.V. este manejando el día de pago esto para evitar que paguen al tipo de cambio que maneje el banco o diario oficial. Los precios no incluyen IVA.
- El flete en todos los casos es por cobrar, con excepción de las ciudades de Monterrey, México, Guadalajara y sus zonas metropolitanas; siempre y cuando la orden de compra sea de un mínimo de **\$500.00 USD + IVA.**
- No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancía recibida, y en caso de ser necesaria, efectuar la reclamación con anotación en la guía y fotografías del daño. Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación.

PAGOS.

Para compras regulares de mercancía, el pago se realiza por anticipado a través de depósito bancario, es necesario contar con número de referencia para poder realizar el depósito el cual debe de ser consultado con su ejecutivo de cuenta.


<u>BANCOMER</u>	<u>SUCURSAL</u>	<u>CUENTA</u>	<u>CLABE ELECTRÓNICA</u>
BBVA MN	0813	0114193946	012580001141939466
BBVA (USD)	0813	0114193997	012580001141939974

- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.
- Para ordenes de producto especiales o material SKU será necesario un anticipo del 50%.

DEVOLUCIONES

- Toda la devolución debe tener una autorización previa por escrito por parte de Artexa México S.A. de C.V.
- Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.
- Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.
- Toda devolución causará un 20% de cargo.
- Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el producto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.
- Nos reservamos el derecho de aceptar o no una devolución.
- No se aceptan devoluciones después de 30 días de haber recibido el material.
- No se aceptan devoluciones de productos que no son SKU.





ESTUFAS 36" MASTER SERIES

BERTAZZONI	Código	Descripción	Color	Precio
	MAST365GASXE	36" Master Series range - Gas oven - 5 aluminum burners	Acero	\$4,273
	MAST365GASNEE	36" Master Series range - Gas oven - 5 aluminum burners	Negro	\$4,817
	MAST365GASBIE	36" Master Series range - Gas oven - 5 aluminum	Blanco	\$4,817
	Especificaciones			
	Worktop		Oven Cavity	
	Size	36 in	Oven configuration	single
	Cooking zones	5	Oven fuel	gas
	Gas zones	5 Burners	Oven type	fan assisted gas
	Worktop type	gas	Oven broiler type	gas
	Knobs	solid metal	Oven functions	bake / broiler / convection bake
	Burner type	aluminium	Oven volume	5.9 ft ³
	Grates	cast iron	Oven convection system	dual horizontal fans
	Continuous grating	yes	Inner oven door	triple
	Thermocouple safety device	yes	Removable inner glass	yes
	One-hand ignition	yes	Cooling fan	yes
	Backguard	yes	Oven levels	7
	Simmer ring	yes	Door hinge	soft-motion
	Cooking zones		Wire-shelves	4
	Dual wok	1300 BTU/h - 19 000 BTU/h (1)	Tray	1 enamelled
	Rapid	2500 BTU/h - 10 400 BTU/h (1)	Grill trivet for tray	yes
	Semi-rapid	1500 BTU/h - 5900 BTU/h (2)	Oven lights	double lateral
	Auxiliary	750 BTU/h - 3500 BTU/h (1)	Bottom	
			Legs	stainless steel
			Technical specifications	
			Electrical requirements	120V 60 Hz - 300W 2.5 A



ESTUFAS 36" PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Color	Precio
	PROF366GASXT	36" Professional Series range - Gas oven - 6 brass burners	Acero	\$4,911
	PROF366GASNET	36" Professional Series range - Gas oven - 6 brass burners	Negro	\$6,575
	PROF366GASBIT	36" Professional Series range - Gas oven - 6 brass burners	Blanco	\$6,575
	PROF366GASGIT	36" Professional Series range - Gas oven - 6 brass burners	Amarillo	\$6,575
	PROF366DFSART	36" Professional Series range - Gas oven - 6 brass burners	Naranja	\$6,575
	PROF366GASROT	36" Professional Series range - Gas oven - 6 brass burners	Rojo	\$6,575
	PROF366GASXTLP	36" Professional Series range - Gas oven - 6 brass burners - LP version	Versión LP	\$4,911
	Especificaciones			
	Worktop		Oven Cavity	
	Size	36 in	Oven broiler type	gas
	Cooking zones	6	Oven functions	bake / broiler / convection bake
	Gas zones	6 Burners	Oven volume	4.8 ft ³
	Worktop type	gas	Oven convection system	dual horizontal fans
	Knobs	metal coated	Inner oven door	triple
	Burner type	brass	Removable inner glass	yes
	Grates	cast iron	Cooling fan	yes
	Continuous grating	yes	Oven levels	7
	Thermocouple safety device	yes	Door hinge	soft-close
	One-hand ignition	yes	Sliding shelves	1 set of telescopic glides
	Backguard	yes	Wire-shelves	2
	Work adapter	yes	Tray	1 enamelled
	Simmer ring	yes	Grill trivet for tray	yes
	Cookinf zones		Oven lights	double lateral
	Dual wok	1300 BTU/h - 19 000 BTU/h (2)	Bottom	
	Rapid	2500 BTU/h - 10 400 BTU/h (1)	Legs	stainless steel
	Semi-rapid	1500 BTU/h - 5900 BTU/h (2)	Technical specifications	
	Auxiliary	750 BTU/h - 3500 BTU/h (1)	Electrical requirements	120V 60 Hz - 300W 2.5 A



ESTUFAS 48" MASTER SERIES

BERTAZZONI	Código	Descripción	Color	Precio
	MAST486GGASXE	48" Master Series range - Gas Oven - 6 aluminum	Acero	\$8,079
	MAST486GGASNEE	48" Master Series range - Gas Oven - 6 aluminum burners + griddle	Negro	\$8,732
	MAST486GGASBIE	48" Master Series range - Gas Oven - 6 aluminum	Blanco	\$8,732
	Especificaciones			
	Worktop		Oven Cavity	
	Size	48 in	Oven configuration	double
	Cooking zones	7	Oven fuel	gas
	Gas zones	6 Burners	Oven convection system	dual horizontal fans
	Griddle zones	electric	Main oven type	fan assisted gas
	Worktop type	electric / gas	Main oven broiler type	gas
	Knobs	solid metal	Main oven functions	bake / broiler / convection bake
	Burner type	aluminium	Main oven volume	4.8 ft ³
	Grates	cast iron	Auxiliary oven type	gas conventional
	Continuous grating	yes	Auxiliary oven functions	bake
	Thermocouple safety device	yes	Auxiliary oven volume	2.4 ft ³
	One-hand ignition	yes	Inner oven door	triple
	Backguard	yes	Removable inner glass	yes
	Simmer ring	yes	Cooling fan	yes
	Cooking zones		Oven levels	7
	Dual wok	1300 BTU/h - 19 000 BTU/h (2)	Door hinge	soft-motion
	Rapid	2500 BTU/h - 10 400 BTU/h (1)	Wire-shelves	4
	Semi-rapid	1500 BTU/h - 5900 BTU/h (2)	Tray	1 enamelled
	Auxiliary	750 BTU/h - 3500 BTU/h (1)	Grill trivet for tray	yes
	Griddle power	1100 W	Oven lights	double lateral
	Griddle drip tray	yes	Bottom	
	Griddle dual control	yes	Legs	stainless steel
	Technical specifications			
			Electrical requirements	120V 60 Hz - 1200W 10 A

ESTUFAS 48" PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Color	Precio
	PROF486GGASXT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Acero	\$8,609
	PROF486GGASNET	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Negro	\$9,903
	PROF486GGASBIT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Blanco	\$9,903
	PROF486GGASGIT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Amarillo	\$9,903
	PROF486GGASART	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Naranja	\$9,903
	PROF486GGASROT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Rojo	\$9,903
	PROF486GGASXTLP	48" Professional Series range - Gas Oven - 6 brass burners + griddle - LP version	Versión LP	\$8,609
	Especificaciones			
	Worktop		Oven Cavity	
	Size	48 in	Oven configuration	double
	Cooking zones	7	Oven fuel	gas
	Gas zones	6 Burners	Main oven type	fan assisted gas
	Griddle zones	electric	Main oven broiler type	gas
	Worktop type	electric / gas	Main oven functions	bake / broiler / convection bake
	Knobs	metal coated	Main oven volume	4.8 ft ³
	Burner type	brass	Auxiliary oven type	gas conventional
	Grates	cast iron	Auxiliary oven broiler type	gas
	Continuous grating	yes	Auxiliary oven functions	bake
	Thermocouple safety device	yes	Auxiliary oven volume	2.4 ft ³
	One-hand ignition	yes	Inner oven door	triple
	Backguard	yes	Removable inner glass	yes
	Work adapter	yes	Cooling fan	yes
	Simmer ring	yes	Oven levels	7
	Cooking zones		Door hinge	soft-close
	Dual wok	1300 BTU/h - 19 000 BTU/h (2)	Sliding shelves	2 sets of telescopic glides
	Rapid	2500 BTU/h - 10 400 BTU/h (1)	Wire-shelves	5
	Semi-rapid	1500 BTU/h - 5900 BTU/h (2)	Tray	1 enamelled
	Auxiliary	750 BTU/h - 3500 BTU/h (1)	Grill trivet for tray	yes
	Griddle power	1100 W	Oven lights	double lateral
	Griddle drip tray	yes	Bottom	
	Griddle dual control	yes	Legs	stainless steel
	Technical specifications			
			Electrical requirements	120V 60 Hz - 1200W 10 A

ESTUFAS SERIE HERITAGE 36"

BERTAZZONI	Código	Descripción	Color	Precio
	HERT366GASNET	Estufa profesional estilo Heritage Negro mate de 36"	Negro	\$6,579
	HERT366GASAVT	Estufa profesional estilo Heritage Crema mate de 36"	Crema	\$6,579
	HERT366GASXT	Estufa profesional estilo Heritage Acero de 36"	Acero	\$6,579
	Especificaciones			
	Worktop		Oven Cavity	
	Size	36 in	Oven configuration	single
	Cooking zones	6	Oven fuel	gas
	Gas zones	6 Burners	Oven type	fan assisted gas
	Worktop type	gas	Oven broiler type	gas
	Knobs	solid metal	Oven functions	bottom bake / broiler / de-frosting / dehydrate / gas convection / oven light
	Burner type	brass	Oven volume	4.4 ft ³
	Grates	cast iron	Oven convection system	single
	Continuous grating	yes	Inner oven door	triple
	Thermocouple safety device	yes	Removable inner glass	yes
	One-hand ignition	yes	Oven controls	knobs
	Backguard	yes	Cooling fan	yes
	Work adapter	yes	Oven levels	5
	Simmer ring	yes	Door hinge	soft-motion
	Cooking zones		Sliding shelves	1 set of telescopic glides
	Dual wok	750 BTU/h - 18 000.00 BTU/h	Wire-shelves	2
	Rapid	2500 BTU/h - 11 000.00 BTU/h (1)	Tray	1 enamelled
	Semi-rapid	1500 BTU/h - 6500 BTU/h (3)	Grill trivet for tray	yes
	Auxiliary	750 BTU/h - 3400 BTU/h (1)	Oven lights	double
	Technical specifications		Bottom	
	Electrical requirements		Storage compartment	flap
	120 Vac - 60 Hz - 1.50 A		Legs	stainless steel

CAMPANAS SERIE HERITAGE 36"

BERTAZZONI	Código	Descripción	Color	Precio
	KC36HERTAV	Campana pared profesional estilo Heritage 36"	Crema mate	\$918
	KC36HERTX	Campana pared profesional estilo Heritage 36"	Acero	\$918
	KC36HERTNE	Campana pared profesional estilo Heritage 36"	Negro	\$918
				
				




Especificaciones			
Worktop		Hood control	electronic with buttons
Size	36 in	Filters type	baffle stainless steel
Hood		Lights	2 halogen
Hood type	wall mount	Max extraction power	600 CFM
Motor	1	Sound Level	59 dB(A)
Speed	3	Technical specifications	
Hood finishing	stainless steel and matt color	Electrical requirements	120 V - 60 Hz - 3.30 A
Duct cover	included	Power rating	400 W

Motor para campana HERITAGE 36"			
K36HERTX	Motor 600 CFMS		\$1,667

ACCESORIOS OPCIONALES

Código	Descripción	Precio
DS1HERTGO	Decor Set 1- Range & Hood Kit : Gold Finish	\$1,595
DS1HERTPC	Decor Set 1- Range & Hood Kit : Polished Copper Finish	\$1,595
DS1HERTSB	Decor Set 1- Range & Hood Kit : Matt Satin Black Finish	\$1,595

ESTUFAS SERIE HERITAGE 48"

BERTAZZONI	Código	Descripción	Color	Precio
	HERT486GASNET	Estufa profesional estilo Heritage Negro mate de 48"	Negro	\$10,768
	HERT486GASAVT	Estufa profesional estilo Heritage Crema mate de 48"	Crema	\$10,768
	HERT486GASXT	Estufa profesional estilo Heritage Acero mate de 48"	Acero	\$10,768
	Especificaciones			
	Worktop		Oven Cavity	
	Size	48 in	Oven configuration	double
	Cooking zones	7	Oven fuel	gas
	Gas zones	6 Burners	Oven type	fan assisted gas
	Griddle zones	electric	Oven broiler type	gas
	Worktop type	electric / gas	Oven functions	bottom bake / broiler / de-frosting / dehydrate / gas convection / oven light
	Worktop design	stainless steel squared	Oven volume	3.6 ft ³
	Worktop controls	knobs	Auxiliary oven type	gas conventional
	Knobs	solid metal	Auxiliary oven broiler type	gas
	Burner type	brass	Auxiliary oven functions	bottom bake / oven light
	Grates	cast iron	Auxiliary oven volume	2.2 ft ³
	Continuous grating	yes	Oven controls	knobs
	Thermocouple safety device	yes	Inner oven door	triple
	One-hand ignition	yes	Removable inner glass	yes
	Backguard	yes	Cooling fan	yes
	Work adapter	yes	Oven levels	5
	Simmer ring	yes	Door hinge	soft-motion
	Cookinf zones		Sliding shelves	2 sets of telescopic glides
	Dual wok	750 BTU/h - 18 000.00 BTU/h	Wire-shelves	2
	Rapid	2500 BTU/h - 11 000.00 BTU/h (1)	Tray	1 enamelled
	Semi-rapid	1500 BTU/h - 6500 BTU/h (3)	Grill trivet for tray	yes
	Auxiliary	750 BTU/h - 3400 BTU/h (1)	Oven lights	double diagonal
	Technical specifications		Bottom	
	Electrical requirements	120 Vac - 60 Hz - 1.50 A	Storage compartment	flap
			Legs	stainless steel


CAMPANAS SERIE HERITAGE 48"


BERTAZZONI		Código	Descripción	Color	Precio
	KC48HERTNE		Campana pared profesional estilo Heritage 48"	Negro mate	\$1,135
	KC48HERTAV		Campana pared profesional estilo Heritage 48"	Crema mate	\$1,135
	KC48HERTX		Campana pared profesional estilo Heritage 48"	Acero	\$1,135
					
Especificaciones					
Worktop			Hood control	electronic with buttons	
Size	48 in		Filters type	baffle stainless steel	
Hood			Lights	2 halogen	
Hood type	wall mount		Max extraction power	600 CFM	
Motor	1		Sound Level	59 dB(A)	
Speed	3		Technical specifications		
Hood finishing	stainless steel and matt color		Electrical requirements	120 V - 60 Hz - 3.30 A	
Duct cover	included		Power rating	400 W	
Motor para campana HERITAGE 36"					
	K48HERTX		Motor 600 CFMS		\$1,812

PARRILLAS ENCIMERAS DE GAS BERTAZZONI

BERTAZZONI	Código	Descripción	Color	Precio
	P905Cprox	90cm Gas on steel Cooktop, 5 Brass Burners	Acero	\$998
	Especificaciones			
	Worktop		Cooking zones	
	Size	90 cm	Front right	1 auxiliary 0.48 kW - 1.00 kW
	Worktop surface	stainless steel	Back right	1 rapid 1.05 kW - 3.00 kW
	Layout	5 burners	Center	1 wok dual 0.48 kW - 5.00 kW
	Worktop controls	knobs	Front left	1 semi-rapid 0.60 kW - 1.75 kW
	Knobs	metal	Back left	1 semi-rapid 0.60 kW - 1.75 kW
	Pan supports	cast iron	Technical specifications	
	Burner type	brass	Electrical requirements	220/240, 50/60 Hz, 1A, 1W
	Work burner	5 kW dual		
	Flame failure device	-		
	One-hand ignition	-		
	Standard accessories	-		


PARRILLAS DE GAS


BERTAZZONI	Código	Descripción	Color	Precio
 TOP VIEW  FRONT VIEW  SIDE VIEW 	PROF486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Profesional Series	Acero	\$3,344
	Especificaciones			
	Worktop		Cooking zones	7
	Size	48 in	Griddle zones	electric
	Maintop	6 burners + stainless steel griddle with cover	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel squared
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
			Burner type	brass
	Technical specifications		Electrical requirements	120 V - 60 Hz - 10 A
	Grates	Cast iron	Power rating	1100 W

BERTAZZONI	Código	Descripción	Color	Precio
   	MAST486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Master Series	Acero	\$3,344
	Especificaciones			
	Worktop		Cooking zones	7
	Size	48 in	Griddle zones	electric
	Maintop	6 burners + stainless steel griddle with cover	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU	Worktop desing	stainless steel squared
		1 rapid burner 10400 BTU	Knobs	solid metal
		2 medium burners 5900 BTU	Burner type	brass
	1 simmer burner 3500 BTU	Technical specifications		
	Ignition system	Electric with thermocouple safety device	Electrical requirements	120 V - 60 Hz - 10 A
Grates	Cast iron	Power rating	1100 W	


BERTAZZONI	Código	Descripción	Color	Precio
 TOP VIEW FRONT VIEW SIDE VIEW	PROF366RTBXT	36" Rangetop 6 Brass Burners Profesional Series	Acero	\$2,190
	Especificaciones			
	Worktop		Cooking zones	6
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
Burner power Ignition system Grates		2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
			Knobs	solid metal
			Burner type	brass
			Technical specifications	
			Electrical requirements	120 V - 60 Hz - 1 A
			Power rating	1 W


BERTAZZONI	Código	Descripción	Color	Precio
 TOP VIEW FRONT VIEW SIDE VIEW	MAST366RTBXT	36" Rangetop 6 Brass Burners Master Series	Acero	\$2,190
	Especificaciones			
	Worktop		Cooking zones	6
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
Burner power Ignition system Grates		2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
			Knobs	solid metal
			Burner type	brass
			Technical specifications	
			Electrical requirements	120 V - 60 Hz - 1 A
			Power rating	0.01 W


BERTAZZONI	Código	Descripción	Color	Precio
 	MAST366QBXT	36" Built-in cooktop master series	Acero	\$1,562
	Especificaciones			
Worktop		Cooking zones	6	
Size		Griddle zones	electric	
Maintop		Worktop type	electric/gas	
Burner power		Worktop desing	stainless steel	
		Knobs	solid metal	
		Burner type	brass	
Ignition system		Technical specifications		
		Electrical requirements	120 V - 60 Hz - 1 A	
Grates		Power rating	1 W	




BERTAZZONI	Código	Descripción	Color	Precio
 	PROF366QBXT	36" Built-in cooktop profesional series	Acero	\$1,562
	Especificaciones			
Worktop		Cooking zones	6	
Size		Griddle zones	electric	
Maintop		Worktop type	electric/gas	
Burner power		Worktop desing	stainless steel	
		Knobs	solid metal	
		Burner type	brass	
Ignition system		Technical specifications		
		Electrical requirements	120 V - 60 Hz - 1 A	
Grates		Power rating	0.01 W	


HORNOS CONVECCIÓN 30"



BERTAZZONI	Código	Descripción	Color	Precio
 	PROF30FSEXT	30" Single Convection Oven Top Version Profesional Series	Acero	\$4,527
	Especificaciones			
Worktop		Cavity finishing	pyrolityc grey enamel	
Size	30 in	Oven handle	metal	
Oven configuration	single	Cooling fan	yes	
Oven fuel	electric	Oven levels	7	
Oven type	self-clean	Timer	touch digital programmer	
Oven broiler type	electric	Auto cooking modes	33 preset / with assistant	
Oven functions	bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Door hinge	soft-motion	
Overall volume	4.10 ft ³	Sliding shelves	1 full extension	
Oven convection system	dual diagonal with heating element	Wire-shelves	2 heavy gauge chromed	
Oven controls	knobs / touch LCD hi res display	Tray	1 enamelled	
Inner oven door	quadruple	Grill trivet for tray	yes	
Removable inner glass	yes	Oven lights	double	
		Technical specifications		
		Electrical requirements	120/240 Vac - 60 Hz - 30 A	
		Power rating	5400 W	



BERTAZZONI	Código	Descripción	Color	Precio
 	MAST30FSEXT	30" Single Convection Oven Top Version Master Series	Acero	\$4,527
	Especificaciones			
Worktop		Oven handle	metal	
Size	30 in	Cooling fan	yes	
Oven configuration	single	Oven levels	7	
Oven fuel	electric	Timer	touch digital programmer	
Oven type	self-clean	Door hinge	soft-close	
Oven broiler type	electric	Wire-shelves	2 heavy gauge chromed	
Oven functions	bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Tray	1 enamelled	
Overall volume	4.10 ft ³	Grill trivet for tray	yes	
Oven convection system	dual diagonal with heating element	Oven lights	single	
Oven controls	knobs / touch LED display	Technical specifications		
Inner oven door	quadruple	Electrical requirements	120/240 V - 60 Hz - 30 A	
Removable inner glass	yes	Power rating	5400 W	
Cavity finishing	pyrolityc grey enamel			



BERTAZZONI	Código	Descripción	Color	Precio																																																															
 	PROF30FSEXV	30" Single Convection Oven Value Version Profesional Series	Acero	\$3,373																																																															
	<table><thead><tr><th colspan="4">Especificaciones</th></tr></thead><tbody><tr><td colspan="2">Worktop</td><td>Oven handle</td><td>metal</td></tr><tr><td>Size</td><td>30 in</td><td>Cooling fan</td><td>yes</td></tr><tr><td>Oven configuration</td><td>single</td><td>Oven levels</td><td>7</td></tr><tr><td>Oven fuel</td><td>electric</td><td>Timer</td><td>touch digital programmer</td></tr><tr><td>Oven type</td><td>self-clean</td><td>Door hinge</td><td>soft-motion</td></tr><tr><td>Oven broiler type</td><td>electric</td><td>Wire-shelves</td><td>1 flat / 1 shaped</td></tr><tr><td>Oven functions</td><td>bake / broil / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / pizza / sabbath mode / warming</td><td>Tray</td><td>1 baking tray whit roasting trivet</td></tr><tr><td></td><td></td><td>Grill trivet for tray</td><td>yes</td></tr><tr><td></td><td></td><td>Oven lights</td><td>single</td></tr><tr><td colspan="2">Overall volume</td><td colspan="2">4.10 ft³</td></tr><tr><td>Oven convection system</td><td>dual diagonal with heating element</td><td>Electrical requirements</td><td>120/240 V - 60 Hz - 30 A</td></tr><tr><td>Oven controls</td><td>knobs / touch LED display</td><td>Power rating</td><td>5400 W</td></tr><tr><td>Inner oven door</td><td>quadruple</td><td></td><td></td></tr><tr><td>Removable inner glass</td><td>yes</td><td></td><td></td></tr><tr><td>Cavity finishing</td><td>pyrolytic grey enamel</td><td></td><td></td></tr></tbody></table>				Especificaciones				Worktop		Oven handle	metal	Size	30 in	Cooling fan	yes	Oven configuration	single	Oven levels	7	Oven fuel	electric	Timer	touch digital programmer	Oven type	self-clean	Door hinge	soft-motion	Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped	Oven functions	bake / broil / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / pizza / sabbath mode / warming	Tray	1 baking tray whit roasting trivet			Grill trivet for tray	yes			Oven lights	single	Overall volume		4.10 ft³		Oven convection system	dual diagonal with heating element	Electrical requirements	120/240 V - 60 Hz - 30 A	Oven controls	knobs / touch LED display	Power rating	5400 W	Inner oven door	quadruple			Removable inner glass	yes			Cavity finishing	pyrolytic grey enamel	
Especificaciones																																																																			
Worktop		Oven handle	metal																																																																
Size	30 in	Cooling fan	yes																																																																
Oven configuration	single	Oven levels	7																																																																
Oven fuel	electric	Timer	touch digital programmer																																																																
Oven type	self-clean	Door hinge	soft-motion																																																																
Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped																																																																
Oven functions	bake / broil / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / pizza / sabbath mode / warming	Tray	1 baking tray whit roasting trivet																																																																
		Grill trivet for tray	yes																																																																
		Oven lights	single																																																																
Overall volume		4.10 ft³																																																																	
Oven convection system	dual diagonal with heating element	Electrical requirements	120/240 V - 60 Hz - 30 A																																																																
Oven controls	knobs / touch LED display	Power rating	5400 W																																																																
Inner oven door	quadruple																																																																		
Removable inner glass	yes																																																																		
Cavity finishing	pyrolytic grey enamel																																																																		

BERTAZZONI	Código	Descripción	Color	Precio																																																														
   	MAST30FSEXV	30" Single Convection Oven Value Version Master Series	Acero	\$3,373																																																														
	Especificaciones <table><tr><td>Worktop</td><td>Oven handle</td><td>metal</td></tr><tr><td>Size</td><td>30 in</td><td>Cooling fan</td><td>yes</td></tr><tr><td>Oven configuration</td><td>single</td><td>Oven levels</td><td>7</td></tr><tr><td>Oven fuel</td><td>electric</td><td>Timer</td><td>touch digital programmer</td></tr><tr><td>Oven type</td><td>self-clean</td><td>Door hinge</td><td>soft-motion</td></tr><tr><td>Oven broiler type</td><td>electric</td><td>Wire-shelves</td><td>2 heavy gauge chromed</td></tr><tr><td>Oven functions</td><td>bake / broil / convection / convection bake / convection broil / pizza / defrost / dehydrate / fast preheat / keep warm / light / proof / self clean / timer</td><td>Tray</td><td>1 enamelled</td></tr><tr><td></td><td></td><td>Grill trivet for tray</td><td>yes</td></tr><tr><td></td><td></td><td>Oven lights</td><td>single</td></tr><tr><td colspan="4">Technical specifications</td></tr><tr><td>Overall volume</td><td>4.10 ft³</td><td>Electrical requirements</td><td>120/240 V - 60 Hz - 30 A</td></tr><tr><td>Oven convection system</td><td>dual diagonal with heating element</td><td>Power rating</td><td>5400 W</td></tr><tr><td>Oven controls</td><td>knobs / touch LED display</td><td></td><td></td></tr><tr><td>Inner oven door</td><td>quadruple</td><td></td><td></td></tr><tr><td>Removable inner glass</td><td>yes</td><td></td><td></td></tr><tr><td>Cavity finishing</td><td>pyrolytic grey enamel</td><td></td><td></td></tr></table>				Worktop	Oven handle	metal	Size	30 in	Cooling fan	yes	Oven configuration	single	Oven levels	7	Oven fuel	electric	Timer	touch digital programmer	Oven type	self-clean	Door hinge	soft-motion	Oven broiler type	electric	Wire-shelves	2 heavy gauge chromed	Oven functions	bake / broil / convection / convection bake / convection broil / pizza / defrost / dehydrate / fast preheat / keep warm / light / proof / self clean / timer	Tray	1 enamelled			Grill trivet for tray	yes			Oven lights	single	Technical specifications				Overall volume	4.10 ft ³	Electrical requirements	120/240 V - 60 Hz - 30 A	Oven convection system	dual diagonal with heating element	Power rating	5400 W	Oven controls	knobs / touch LED display			Inner oven door	quadruple			Removable inner glass	yes			Cavity finishing	pyrolytic grey enamel	
Worktop	Oven handle	metal																																																																
Size	30 in	Cooling fan	yes																																																															
Oven configuration	single	Oven levels	7																																																															
Oven fuel	electric	Timer	touch digital programmer																																																															
Oven type	self-clean	Door hinge	soft-motion																																																															
Oven broiler type	electric	Wire-shelves	2 heavy gauge chromed																																																															
Oven functions	bake / broil / convection / convection bake / convection broil / pizza / defrost / dehydrate / fast preheat / keep warm / light / proof / self clean / timer	Tray	1 enamelled																																																															
		Grill trivet for tray	yes																																																															
		Oven lights	single																																																															
Technical specifications																																																																		
Overall volume	4.10 ft ³	Electrical requirements	120/240 V - 60 Hz - 30 A																																																															
Oven convection system	dual diagonal with heating element	Power rating	5400 W																																																															
Oven controls	knobs / touch LED display																																																																	
Inner oven door	quadruple																																																																	
Removable inner glass	yes																																																																	
Cavity finishing	pyrolytic grey enamel																																																																	


BERTAZZONI	Código	Descripción	Color	Precio																																																							
 	PROF30SOEX	30" Convection Speed Oven Profesional Series	Acero	\$2,571																																																							
	<table><thead><tr><th colspan="4">Especificaciones</th></tr></thead><tbody><tr><td colspan="2">Worktop</td><td>Oven handle</td><td>metal</td></tr><tr><td>Size</td><td>30 in</td><td>Microwave power</td><td>200 / 400 / 600 / 800 / 1000</td></tr><tr><td>Oven configuration</td><td>single</td><td>Oven levels</td><td>2</td></tr><tr><td>Oven fuel</td><td>electric</td><td>Timer</td><td>yes</td></tr><tr><td>Oven type</td><td>self-clean</td><td>Door hinge</td><td>soft-motion</td></tr><tr><td>Oven broiler type</td><td>electric</td><td>Wire-shelves</td><td>1 flat / 1 shaped</td></tr><tr><td>Oven functions</td><td>broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer</td><td>Tray</td><td>1 glass</td></tr><tr><td>Overall volume</td><td>1.34 ft³</td><td>Grill trivet for tray</td><td>yes</td></tr><tr><td>Oven convection system</td><td>single whit ring heating element</td><td>Oven lights</td><td>single</td></tr><tr><td>Oven controls</td><td>touch LED display</td><td colspan="2">Technical specifications</td></tr><tr><td>Inner oven door</td><td>double</td><td>Electrical requirements</td><td>120/240 V - 60 Hz - 16 A</td></tr><tr><td>Removable inner glass</td><td>yes</td><td>Power rating</td><td>1500 W</td></tr><tr><td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr></tbody></table>				Especificaciones				Worktop		Oven handle	metal	Size	30 in	Microwave power	200 / 400 / 600 / 800 / 1000	Oven configuration	single	Oven levels	2	Oven fuel	electric	Timer	yes	Oven type	self-clean	Door hinge	soft-motion	Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped	Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Tray	1 glass	Overall volume	1.34 ft³	Grill trivet for tray	yes	Oven convection system	single whit ring heating element	Oven lights	single	Oven controls	touch LED display	Technical specifications		Inner oven door	double	Electrical requirements	120/240 V - 60 Hz - 16 A	Removable inner glass	yes	Power rating	1500 W	Cavity finishing	stainless steel	
Especificaciones																																																											
Worktop		Oven handle	metal																																																								
Size	30 in	Microwave power	200 / 400 / 600 / 800 / 1000																																																								
Oven configuration	single	Oven levels	2																																																								
Oven fuel	electric	Timer	yes																																																								
Oven type	self-clean	Door hinge	soft-motion																																																								
Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped																																																								
Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Tray	1 glass																																																								
Overall volume	1.34 ft³	Grill trivet for tray	yes																																																								
Oven convection system	single whit ring heating element	Oven lights	single																																																								
Oven controls	touch LED display	Technical specifications																																																									
Inner oven door	double	Electrical requirements	120/240 V - 60 Hz - 16 A																																																								
Removable inner glass	yes	Power rating	1500 W																																																								
Cavity finishing	stainless steel																																																										

BERTAZZONI	Código	Descripción	Color	Precio																																																																			
  	MAST30SOEX	30" Convection Speed Oven Master Series	Acero	\$2,571																																																																			
	<table><thead><tr><th colspan="4">Especificaciones</th></tr></thead><tbody><tr><td colspan="2">Worktop</td><td>Oven handle</td><td>metal</td></tr><tr><td>Size</td><td>30 in</td><td>Microwave power</td><td>200 / 400 / 600 / 800 / 1000</td></tr><tr><td>Oven configuration</td><td>single</td><td>Oven levels</td><td>2</td></tr><tr><td>Oven fuel</td><td>electric</td><td>Timer</td><td>yes</td></tr><tr><td>Oven type</td><td>self-clean</td><td>Door hinge</td><td>soft-motion</td></tr><tr><td>Oven broiler type</td><td>electric</td><td>Wire-shelves</td><td>1 flat / 1 shaped</td></tr><tr><td>Oven functions</td><td>broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer</td><td>Tray</td><td>1 glass</td></tr><tr><td></td><td></td><td>Grill trivet for tray</td><td>yes</td></tr><tr><td></td><td></td><td>Oven lights</td><td>single</td></tr><tr><td colspan="4">Technical specifications</td></tr><tr><td>Overall volume</td><td>1.34 ft³</td><td>Electrical requirements</td><td>120/240 V - 60 Hz - 30 A</td></tr><tr><td>Oven convection system</td><td>single whit ring heating element</td><td>Power rating</td><td>1500 W</td></tr><tr><td>Oven controls</td><td>touch LED display</td><td></td><td></td></tr><tr><td>Inner oven door</td><td>double</td><td></td><td></td></tr><tr><td>Removable inner glass</td><td>yes</td><td></td><td></td></tr><tr><td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr></tbody></table>				Especificaciones				Worktop		Oven handle	metal	Size	30 in	Microwave power	200 / 400 / 600 / 800 / 1000	Oven configuration	single	Oven levels	2	Oven fuel	electric	Timer	yes	Oven type	self-clean	Door hinge	soft-motion	Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped	Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Tray	1 glass			Grill trivet for tray	yes			Oven lights	single	Technical specifications				Overall volume	1.34 ft³	Electrical requirements	120/240 V - 60 Hz - 30 A	Oven convection system	single whit ring heating element	Power rating	1500 W	Oven controls	touch LED display			Inner oven door	double			Removable inner glass	yes			Cavity finishing	stainless steel	
Especificaciones																																																																							
Worktop		Oven handle	metal																																																																				
Size	30 in	Microwave power	200 / 400 / 600 / 800 / 1000																																																																				
Oven configuration	single	Oven levels	2																																																																				
Oven fuel	electric	Timer	yes																																																																				
Oven type	self-clean	Door hinge	soft-motion																																																																				
Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped																																																																				
Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Tray	1 glass																																																																				
		Grill trivet for tray	yes																																																																				
		Oven lights	single																																																																				
Technical specifications																																																																							
Overall volume	1.34 ft³	Electrical requirements	120/240 V - 60 Hz - 30 A																																																																				
Oven convection system	single whit ring heating element	Power rating	1500 W																																																																				
Oven controls	touch LED display																																																																						
Inner oven door	double																																																																						
Removable inner glass	yes																																																																						
Cavity finishing	stainless steel																																																																						

BERTAZZONI	Código	Descripción	Color	Precio																																																															
  	PROF30CSEX	30" Convection Steam Oven Profesional Series	Acero	\$2,622																																																															
	<table><thead><tr><th colspan="4">Especificaciones</th></tr></thead><tbody><tr><td colspan="2">Worktop</td><td>Oven handle</td><td>metal</td></tr><tr><td>Size</td><td>30 in</td><td>Shelf levels</td><td>2</td></tr><tr><td>Oven configuration</td><td>single</td><td>Door hinges</td><td>soft-motion</td></tr><tr><td>Oven fuel</td><td>electric</td><td>Removable water tank</td><td>33.8 fl.oz</td></tr><tr><td>Oven type</td><td>combination electric</td><td></td><td></td></tr><tr><td>Oven broiler type</td><td>convection and steam</td><td></td><td></td></tr><tr><td>Oven functions</td><td>electric</td><td></td><td></td></tr><tr><td></td><td>broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting</td><td></td><td></td></tr><tr><td>Overall volume</td><td>1.34 ft³</td><td colspan="2">Technical specifications</td></tr><tr><td>Oven convection system</td><td>1 fan</td><td>Electrical requirements</td><td>240 V - 60 Hz - 16 A</td></tr><tr><td></td><td></td><td>Power rating</td><td>3200 W</td></tr><tr><td>Oven controls</td><td>touch LED display</td><td></td><td></td></tr><tr><td>Inner oven door</td><td>double</td><td></td><td></td></tr><tr><td>Removable inner glass</td><td>yes</td><td></td><td></td></tr><tr><td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr></tbody></table>				Especificaciones				Worktop		Oven handle	metal	Size	30 in	Shelf levels	2	Oven configuration	single	Door hinges	soft-motion	Oven fuel	electric	Removable water tank	33.8 fl.oz	Oven type	combination electric			Oven broiler type	convection and steam			Oven functions	electric				broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting			Overall volume	1.34 ft³	Technical specifications		Oven convection system	1 fan	Electrical requirements	240 V - 60 Hz - 16 A			Power rating	3200 W	Oven controls	touch LED display			Inner oven door	double			Removable inner glass	yes			Cavity finishing	stainless steel	
Especificaciones																																																																			
Worktop		Oven handle	metal																																																																
Size	30 in	Shelf levels	2																																																																
Oven configuration	single	Door hinges	soft-motion																																																																
Oven fuel	electric	Removable water tank	33.8 fl.oz																																																																
Oven type	combination electric																																																																		
Oven broiler type	convection and steam																																																																		
Oven functions	electric																																																																		
	broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting																																																																		
Overall volume	1.34 ft³	Technical specifications																																																																	
Oven convection system	1 fan	Electrical requirements	240 V - 60 Hz - 16 A																																																																
		Power rating	3200 W																																																																
Oven controls	touch LED display																																																																		
Inner oven door	double																																																																		
Removable inner glass	yes																																																																		
Cavity finishing	stainless steel																																																																		

BERTAZZONI	Código	Descripción	Color	Precio																																																										
  	MAST30CSEX	30" Convection Steam Oven Master Series	Acero	\$2,622																																																										
	Especificaciones <table><tr><td>Worktop</td><td>Oven handle</td><td>metal</td></tr><tr><td>Size</td><td>30 in</td><td>Shelf levels</td><td>2</td></tr><tr><td>Oven configuration</td><td>single</td><td>Door hinges</td><td>soft-motion</td></tr><tr><td>Oven fuel</td><td>electric</td><td>Removable water tank</td><td>33.8 fl.oz</td></tr><tr><td>Oven type</td><td>combination electric</td><td></td><td></td></tr><tr><td>Oven broiler type</td><td>convection and steam</td><td></td><td></td></tr><tr><td>Oven functions</td><td>electric</td><td></td><td></td></tr><tr><td></td><td>broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting</td><td></td><td></td></tr><tr><td>Overall volume</td><td>1.34 ft³</td><td colspan="2"> Technical specifications </td></tr><tr><td>Oven convection system</td><td>1 fan</td><td>Electrical requirements</td><td>240 V - 60 Hz - 30 A</td></tr><tr><td></td><td></td><td>Power rating</td><td>3200 W</td></tr><tr><td>Oven controls</td><td>touch LED display</td><td></td><td></td></tr><tr><td>Inner oven door</td><td>double</td><td></td><td></td></tr><tr><td>Removable inner glass</td><td>yes</td><td></td><td></td></tr><tr><td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr></table>				Worktop	Oven handle	metal	Size	30 in	Shelf levels	2	Oven configuration	single	Door hinges	soft-motion	Oven fuel	electric	Removable water tank	33.8 fl.oz	Oven type	combination electric			Oven broiler type	convection and steam			Oven functions	electric				broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting			Overall volume	1.34 ft³	Technical specifications		Oven convection system	1 fan	Electrical requirements	240 V - 60 Hz - 30 A			Power rating	3200 W	Oven controls	touch LED display			Inner oven door	double			Removable inner glass	yes			Cavity finishing	stainless steel	
Worktop	Oven handle	metal																																																												
Size	30 in	Shelf levels	2																																																											
Oven configuration	single	Door hinges	soft-motion																																																											
Oven fuel	electric	Removable water tank	33.8 fl.oz																																																											
Oven type	combination electric																																																													
Oven broiler type	convection and steam																																																													
Oven functions	electric																																																													
	broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting																																																													
Overall volume	1.34 ft³	Technical specifications																																																												
Oven convection system	1 fan	Electrical requirements	240 V - 60 Hz - 30 A																																																											
		Power rating	3200 W																																																											
Oven controls	touch LED display																																																													
Inner oven door	double																																																													
Removable inner glass	yes																																																													
Cavity finishing	stainless steel																																																													

MICROONDAS


BERTAZZONI	Código	Descripción	Color	Precio
 	MO30STANE	Microwave Oven	Acero	\$952
	Especificaciones			
Worktop		Turnspit	1 Ø 16	
Size	30 in	Technical specifications		
Overall volume	2.00 ft ³	Electrical requirements	120 V - 60 Hz - 10 A	
Cavity finishing	Enameled white	Power rating	1100 W	
Microwave power levels	10 Levels			
Preset cooking mode functions	yes			
Multiple sequence cooking	4			
Sensor reheat, defrost, cook	yes			
Clock/Timer	yes			
Cook time function	yes			
Child lock	yes			

TRIMS

BERTAZZONI	Código	Descripción	Color	Precio
	FR30PROX	30" Built-in Trim for MO30STANE	Acero	\$259
	Especificaciones			
Size	30 in			
Type	Built-in Installation of MO30STANE 24" Microwave			
Finishing	stainless steel			




CAJONES CALIENTES

BERTAZZONI	Código	Descripción	Color	Precio
 	PROWD30X	30" Convection Warming Drawer	Acero	\$1,272
	Especificaciones			
	Worktop			
	Size	30 IN		
	Oven volume	2.3 cu.ft.		
	Temperature range	85 - 170° F		
	Cavity finishing	Tempered glass bottom		
	Technical specifications			
	Electrical requirements	120 V - 60 Hz - 5 A		
	Power rating	550 W		

REFRIGERADORES

BERTAZZONI	Código	Descripción	Color	Precio
	REF36X	36" French door refrigerator - Freestanding - Stainless	Acero	\$4,032
	Especificaciones			
	Worktop		Foldable glass shelf	yes
	Size	36 in	Drawer freezer	2
	Type	Freestanding	Gallon Balcony	yes
	Finishing	Stainless steel no fingerprint	Cooling System	Total no frost
	Interface	Interior LED touch-interface	Superfreezer	yes
	Illumination	2 LED on sides and top part of the cabinet	Counter depth	yes
	Open door alarm	yes	Certification	CSA
	Icemaker	yes	Door storage compartment	2 Stationary 4 Gallon-sized and height adjustable
Temperature controlled crisper	yes	Refrigerator capacity	15.00 ft ³	
Shelves	2 Stationary / 4 Height-adjustable	Freezer capacity	6.00 ft ³	
		Technical specifications		
		Electrical requirements	115 V - 60 Hz - 2.70 A	



ELEGIR SET DE JALADERAS		
PROHK36REF	Professional Series handles	\$254
MASHK36REF	Master Series handles	\$254
HERKH36REF	Heritage Series handles	\$544










PROHK36REF

MASHK36REF

HERKH36REF

REFRIGERADORES

BERTAZZONI	Código	Descripción	Color	Precio
	REF24PR	24" Bottom Mount integrated panel ready	White	\$1,724
	Especificaciones			
	Worktop		Total volume	8.8 cut.ft.
	Size	24 in	Refrigerator	6.4 cut.ft.
	Type	Freestanding	Freezer	2.4 cut.ft.
	Finishing	White	Technical specifications	
	Interface	Touch control on interior side wall		
	Illumination	LED on top	Voltage, Frequency, Amps	115V/60Hz - 0.8 Amps 85W
	Door storage	3 bins	Power Connection	125V 3- prong plug 67"cord
	Icemaker	N/A	Certification	UL / CEC / DOE
	Refrigerator crisper	1 full-width with slider to store fruit avegetables	Energy star	Yes
	Shelves	3 full-width	Warranty	2 years parts & labor
	Added storage space	Full-width and depth storage space unde crisperr	Packaging dimentions and weight	W 22.8" H 74" D 23"
	Drawer freezer	3	Net Weight	157.63 lbs
			Gross Weight	144.4 lbs
SIDE  FRONT  TOP 				



*Cañón Grande 7720,
Col. La Estanzuela
Monterrey, N.L. 64984*

T. (81) 8625 5000
info@artexa.com

**Artexa Experience
& Design Center Mexico City**

*Homero 1433 Mezzanine
Col. Polanco II Secc.
Delegación Miguel Hidalgo,
Ciudad de México 11540
citas@artexa.com*