

Gaggenau Price List
2021



GAGGENAU

The difference is Gaggenau.

5^{for} 5 Five Appliances Five-Year Warranty

With the purchase of five or more appliances, Gaggenau offers an extended warranty program of five years. For further details, please consult your Gaggenau district Sales Manager.

GAGGENAU

Built-in cooking
Ventilation
Cooling
Dishwashers

GAGGENAU LISTA DE PRECIOS 2021

TERMINOS Y CONDICIONES

- Por ser nuestra línea de productos de importación, las listas de precios se manejan en dólares americanos y los artículos se liquidan en dólares americanos o pesos mexicanos al tipo de cambio que Artexa México S.A. de C.V. este manejando el día de pago esto para evitar que paguen al tipo de cambio que maneje el banco o diario oficial. Los precios no incluyen IVA.
- El flete en todos los casos es por cobrar, con excepción de las ciudades de Monterrey, México, Guadalajara y sus zonas metropolitanas; siempre y cuando la orden de compra sea de un mínimo de **\$500.00 USD + IVA.**
- No nos hacemos responsables por los riesgos del transporte, por lo que es necesario inspeccionar perfectamente la mercancía recibida, y en caso de ser necesaria, efectuar la reclamación con anotación en la guía y fotografías del daño. Solo en caso de que la mercancía recibida sea mayor a 10 piezas se otorgará un plazo de 48 horas para su reclamación.

PAGOS.

Para compras regulares de mercancía, el pago se realiza por anticipado a través de depósito bancario, es necesario contar con número de referencia para poder realizar el depósito el cual debe de ser consultado con su ejecutivo de cuenta.

<u>BANCOMERS</u>	<u>UCURSAL</u>	<u>CUENTA</u>	<u>CLABE ELECTRÓNICA</u>
BBVA MN	0813	0114193946	012580001141939466
BBVA (USD)	0813	0114193997	012580001141939974

- Una vez que se haya recibido la confirmación de sus pedidos por escrito, no se aceptan cambios o cancelaciones.
- Para ordenes de producto especiales o material SKU será necesario un anticipo del 50%.

DEVOLUCIONES

- Toda la devolución debe tener una autorización previa por escrito por parte de Artexa México S.A. de C.V.
- Únicamente se aceptan devoluciones de productos que manejamos para entrega inmediata.
- Es necesario que el producto a devolver se encuentre en perfecto estado así como su empaque, es decir, en condiciones de venderse como producto nuevo.
- Toda devolución causará un 20% de cargo.
- Toda devolución debe ser hecha con flete pagado por quien lo envía y asumir el riesgo de envío; si el producto presenta algún daño, no se aceptará y por consiguiente no se emitirá ninguna nota de crédito.
- Nos reservamos el derecho de aceptar o no una devolución.
- No se aceptan devoluciones después de 30 días de haber recibido el material.
- No se aceptan devoluciones de productos que no son SKU.

PRICE LIST

Dealer

GAGGENAU

1901 Main Street
Suite 600
Irvine, CA 92614
Phone: 877.442.4436
www.gaggenau.com/us
GaggenauConcierge@bshg.com

EFFECTIVE

Q1 2021

Price sheet is for general price information. Please refer to the Gaggenau Models & Dimensions catalog for specification and installation information.

TABLE OF CONTENTS

EB 333 single oven		Cooktops	
EB 333	1-1	Gas cooktops	6-1
		Induction cooktops	6-2
400 series ovens		Ventilation	
400 series built-in ovens	2-1	400 series ventilation	7-1
400 series Combi-microwaves	2-9	200 series ventilation	7-9
400 series vacuuming drawers	2-10	Blowers	7-14
400 series warming drawers	2-11	Ventilation systems compatibility	7-16
Microwaves	2-12		
200 series ovens		Cooling	
200 series built-in ovens	3-1	Vario 400 series refrigerators	8-1
200 series Combi-microwaves	3-3	Vario 400 series freezers	8-2
200 series warming drawers	3-4	Vario 400 series bottom freezers	8-4
200 series espresso machine	3-4	Vario 400 series wine storage	8-5
		200 series bottom freezers	8-6
Fully automatic espresso machine		Dishwashers	
400 series espresso machine	4-1	400 series dishwashers	9-1
		200 series dishwashers	9-2
Vario cooktops		Index	
Vario 400 series cooktops	5-1	Index	10-1
Vario 200 series cooktops	5-11		

UMRP = Unilateral Minimum Resale Price
MSRP = Manufacturer's Suggested Retail Price

EB 333 single oven



Model	Description	Dealer Cost	UMRP	MSRP
EB 333 36" single oven				
One-piece front-hinged door with 3 mm precision crafted stainless steel front door panel	17 heating methods, with rotisserie spit, roaster and baking stone function			Panel-free appliance with control module behind glass
Soft door opening and closing system	Automatic programs			Electronic precision temperature control from 85°F to 550°F
Diagonally positioned light sources for optimal interior lighting	Core temperature probe with estimation of cooking time			3.6 cu.ft. net volume
Pyrolytic self-cleaning	Convection fan rotates in both directions for ideal heat distribution			Star-K certified
	TFT touch display			Home Connect™

[EB333611](#) 36" (90 cm) 3.6 cu.ft., stainless steel, Home Connect™ 13824



EB 333





Model	Description	Dealer Cost	UMRP	MSRP
EB 333 36" single oven accessories				
BA090100	Stainless steel knobs with black coating,		261	 BA 090
BA018165	Pull-out system Fully extendable telescopic rails and enameled cast iron frame.		718	 BA 018
BA028115	Baking tray, enameled 1" deep.		261	 BA 028
BA038165	Wire rack, chromium-plated, for use with 30" oven. Offset rack, no opening, with feet.		171	 BA 038
BA058115	Heating element. Necessary accessory for baking stone BA058133 and GN340230 cast roaster operation		261	 BA 058
BA058133	Baking stone includes support and pizza peel (heating element must be ordered separately). Not in combination with pull-out system.		575	 BA 058
BS020002	Pizza peel, set of 2.		118	 BS 020
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340


400 series ovens



Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" and 30" single ovens				
Handleless door/automatic door opening		Super-quick preheating		
17 (30")/13 (24") heating methods, with rotisserie spit, roaster and baking stone function		Cooled housing with temperature protection		
Electronic temperature control from 85°F to 550°F		Outlet for optional additional heating element used for baking stone or gastronorm roaster function		
TFT touch display		Gaggenau Enamel		
Automatic programs		Child lock and Safety shut-off		
Core temperature probe with estimation of cooking time		Side-opening door opens up to 180° angle.		
Timer functions: cooking time, cooking-time end, timer, stop watch, long-term timer (Sabbath mode)		Pyrolysis system		
Rotary knobs and TFT touch display operation		Heated catalyzer		
Clear text display in 44 languages		Star-K certified		
		Home Connect™		
Note: Side-hinge doors are not reversible!				
BO450612	400 series 24" (60 cm) 3.2 cu.ft., stainless steel, RIGHT hinge, controls at top, Home Connect™		9,251	  
BO451612	400 series 24" (60 cm) 3.2 cu.ft., stainless steel, LEFT hinge, controls at top, Home Connect™		9,251	
BO480613	400 series 30" (76 cm) 4.5. cu.ft., stainless steel, RIGHT hinge, controls at top, Home Connect™		11,394	 
BO481613	400 series 30" (76 cm) 4.5. cu.ft., stainless steel, LEFT hinge, controls at top, Home Connect™		11,394	
				BO 450, BO 451
				BO 480, BO 481

Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" single oven accessories				
BA016165	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster		588	 BA 016
BA026115	Additional enameled baking tray, 9/16" deep		171	 BA 026
BA036165	Additional wire rack, chromium-plated offset rack, no opening, with feet (broil rack can be ordered via e-shop, part# 672921)		131	 BA 036
BA046115	Glass tray, 1" deep		221	 BA 046
BA056115	Heating element. Necessary accessory for BA056133 baking stone and GN340230 cast roaster operation		208	 BA 056
BA056133	Baking stone includes support and pizza peel (requires BA056115 heating element)		510	 BA 056
BA226105	Additional enameled broil pan, 1" deep		156	 BA 226
BS020002	Pizza peel, set of 2.		118	 BS 020
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
400 series 30" single oven accessories				
BA018165	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster. Includes support grid for use with Gastronorm roaster.		718	 BA 018
BA028115	Additional enameled baking tray, 1" deep (broil pan and broil rack can be ordered via e-shop, broil pan part# 687055, broil rack part# 706321)		261	 BA 028
BA038165	Additional wire rack, chromium-plated offset rack, no opening, with feet		171	 BA 038
BA058115	Heating element. Necessary accessory for baking stone BA058133 and GN340230 cast roaster operation		261	 BA 058
BA058133	Baking stone includes support and pizza peel (requires BA058115 heating element)		575	 BA 058
BS020002	Pizza peel, set of 2.		118	 BS 020
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
400 series 30" double oven accessories				
BA018165	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster. Includes support grid for use with Gastronorm roaster.		718	 BA 018
BA028115	Additional enameled baking tray, 1" deep (broil pan and broil rack can be ordered via e-shop, broil pan part# 687055, broil rack part# 706321)		261	 BA 028
BA038165	Additional wire rack, chromium-plated offset rack, no opening, with feet		171	 BA 038
BA058115	Heating element. Necessary accessory for baking stone BA058133 and GN340 cast-iron roaster operation		261	 BA 058
BA058133	Baking stone includes support and pizza peel (requires BA058115 heating element)		575	 BA 058
BS020002	Pizza peel, set of 2.		118	 BS 020
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series 24" and 30" Combi-steam ovens (water connection)

Handleless door / automatic door opening	Full surface broil element behind glass ceramic, combinable with convection up to 450 °F and steam
Fixed inlet and outlet water connection	Automatic programs
Cleaning system, fully automatic	Core temperature probe with estimation of cooking time
Large cavity	Convection fan rotates in both directions for ideal heat distribution
2 LED light sources	TFT touch display
External steam generation	Centralized controls for easy use and intuitive operation
Steaming without pressure	Electronic temperature control from 85°F 450°F
Convection from 85°F 450°F at variable humidity levels of 0%, 30%, 60%, 80% or 100%	Net volume 2.1 cu.ft.
Sous-vide cooking with accurate temperature regulation	Star-K certified

Note: Side-hinge doors are not reversible!

BS470612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at top	12,681		
BS471612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at top	12,681	BS 470, BS 471	
BS474612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at bottom	12,681		
BS475612	24" (60 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at bottom	12,681	BS 474, BS 475	
BS484612	30" (76 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, RIGHT hinge, controls at bottom	14,253		
BS485612	30" (76 cm) stainless steel, Combi-steam oven with full surface grill, sous-vide cooking mode and fully automatic cleaning and descaling system, LEFT hinge, controls at bottom	14,253	BS 484, BS 485	

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series 24" Combi-steam oven (with water tank)


Flush installation	Removable meat probe
Water tank	Net volume 1.7 cu.ft.
Convection from 85°F – 450°F at variable humidity levels of 0%, 30%, 60%, 80% or 100%	Rotary knob and TFT touch display operation.
TFT touch display	Clear text display in 25 languages.
Steaming without pressure	Option to save 50 individual recipes (incl. meat probe).
Electronic precision temperature control from 85°F – 450°F	Information key with use indicators.
	Side-opening door opens up to 110° angle.

Note: Side-hinge doors are not reversible! Handles are available as optional accessory.

BSP250610	200 series 24" (60 cm) Combi-steam oven 1.7 cu.ft., water tank, stainless steel, RIGHT hinge, controls on top	7,679
BSP251610	200 series 24" (60 cm) Combi-steam oven 1.7 cu.ft., water tank, stainless steel, LEFT hinge, controls on top	7,679



BSP 250, BSP 251

Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" and 30" Combi-steam oven (water connection) accessories				
BA020360	Cooking container, stainless steel, unperforated, 1 9/16" (40 mm) deep, 5 qt.		367	 BA 020
BA020370	Cooking container, stainless steel, perforated, 1 9/16" (40 mm) deep, 5 qt.		367	 BA 020
BA020380	Cooking container, non-stick, unperforated, 1 9/16" (40 mm) deep, 5 qt.		417	 BA 020
BA020390	Cooking container, non-stick, perforated, 1 9/16" (40 mm) deep, 5 qt.		417	 BA 020
Part No.17003108	Wire rack	See Cleaners & Accessories Price List		 17003108
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340
GN010330	Adapter for gastronorm insert and roaster.		326	 GN 010
BA010301	Triple telescopic pull-out rack		497	 BA 010
CLS10040	Cleaning cartridges, set of 4, for plumbed Combi-steam ovens with automatic cleaning function		131	 CL S10
Part No.17002490	NEW Descaling tablets, set of 4 Required Accessory.	See Cleaners & Accessories Price List		 17002490

Model	Description	Dealer Cost	UMRP	MSRP
400 series 24" and 30" Combi-steam oven (water connection) accessories				
GZ010011	Extension for inlet and outlet (7.2' long)		131	 GZ 010
GN114130	Gastronorm insert, stainless steel 1 1/2" deep, GN 1/3, half tray size, Unperforated, 1.5 qt.		196	 GN 114
GN114230	Gastronorm insert, stainless steel 1 1/2" deep, GN 2/3, full tray size, Unperforated, 3 qt.		286	 GN 114
GN124130	Gastronorm insert, stainless steel 1 1/2" deep, GN 1/3, half tray size, Perforated, 1.5 qt.		196	 GN 124
GN124230	Gastronorm insert, stainless steel 1 1/2" deep, GN 2/3, full tray size, Perforated, 3 qt.		286	 GN 124

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series 24" and 30" Combi-microwave oven

Handleless door/automatic door opening	Sequential operation of up to five modes including programming of combined operation and rest time
TFT touch display	15 automatic programs with weight indication, fully customizable
Single operation and combination of microwave, broil and convection	
Microwave operation with 5 output levels: 1000, 600, 360, 180, 90 W.	

BM450710	400 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at top	6,824
--------------------------	--	-------

BM451710	400 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at top	6,824
--------------------------	---	-------



BM 450/451

BM484710	400 series 30" (76 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at bottom	7,869
--------------------------	---	-------

BM485710	400 series 30" (76 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at bottom	7,869
--------------------------	--	-------



BM 484/485

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series vacuuming drawers

Hygienic stainless steel vacuuming chamber, applicable height up to 3⁵/₃₂"

3 vacuuming levels for vacuuming in the chamber, max. 99%

3 vacuuming levels for vacuuming outside the chamber, max. 90%

Automatic connection recognition for vacuuming outside the chamber

Handleless drawer

Cushioned closing system

[DV463710](#)

24" stainless steel-backed glass front vacuuming drawer, 8³/₁₆" high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine

5,004



DV 463 710

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series convection warming drawers

Handleless warming drawers	Convection fan on high power
Soft closing system	Stainless steel interior
Bright interior lighting	Rotary knob operation
Temperature range 100°F to 175°F	Open-sided design
Tempered glass floor with integrated heating coil	Full extension drawer

WS461710	400 series 24" stainless steel-backed glass front convection warming drawer, 5 " high. Can be perfectly combined below 24" Combi-steam oven or 24" espresso machine	3,098	
--------------------------	---	-------	---

WS 461

WS463710	400 series 24" stainless steel-backed glass front convection warming drawer, 8 ³ / ₁₆ " high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine	3,261	
--------------------------	---	-------	---

WS 463 710

WS482710	400 series 30" stainless steel-backed glass front convection warming drawer, 8 ³ / ₁₆ " high	3,620	
--------------------------	--	-------	---

WS 482

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

24" microwave drawer

Handleless microwave drawer

Glass touch control panel

Quick defrost program

Digital display with scrolling text

Sensor cooking mode

10 cooking modes including melt, soften and keep warm

Adjustable cooking time up to 99 minutes

[MW420620](#)

24" microwave drawer, stainless steel,
capable of flush install


2,254



MW 420

200 series ovens



Model	Description	Dealer Cost	UMRP	MSRP
200 series 24" single oven accessories				
BA016165	Pull-out system, enameled cast-iron frame and fully-extendable telescopic rails, pyrolytic-safe. Holds baking tray, broil pan or GN340 Gastronorm roaster		588	 BA 016
BA026115	Additional enameled baking tray, 9/16" deep		171	 BA 026
BA036165	Additional wire rack, chromium-plated offset rack, no opening, with feet (broil rack can be ordered via e-shop, part# 672921)		131	 BA 036
BA046115	Glass tray, 1" deep		221	 BA 046
BA056115	Heating element. Necessary accessory for BA056133 baking stone and GN340230 cast roaster operation		208	 BA 056
BA056133	Baking stone includes support and pizza peel (requires BA056115 heating element)		510	 BA 056
BA226105	Additional enameled broil pan, 1" deep		156	 BA 226
BS020002	Pizza peel, set of 2.		118	 BS 020
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	 GN 340

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series 24" Combi-microwave oven

Flush installation	Electronic temperature control
Single operation and combination of microwave, grill and oven	Net volume 1.3 cu.ft.
Sequential operation of up to five modes including programming of combined operation and rest time	Rotary knob and TFT touch display operation.
TFT touch display	Clear text display in 25 languages.
	Information key with use indicators.
	Side-opening door opens up to 110° angle.

BMP250710	200 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, RIGHT hinge, controls at top	6,563
---------------------------	--	-------

BMP251710	200 series 24" (60 cm) Combi-microwave oven, 1.3 cu.ft., stainless steel, LEFT hinge, controls at top	6,563
---------------------------	---	-------



BMP 250/251

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series convection warming drawers

Flush installation	4 temperature levels ranging 100 – 175
Handleless drawer	Keeps food and drinks warm, also for preparing and cooking meals
Push-to-open system	Net volume 0.7 cu.ft.
Hygienic stainless steel interior with glass bottom	Rotary knob operation.

WSP221710	200 series 24" stainless steel-backed glass front convection warming drawer, 5 1/4" high. Can be perfectly combined below 200 series 24" Combi-steam oven or 24" espresso machine	2,278
---------------------------	---	-------



WSP 221

200 series fully automatic espresso machine

Flush installation	Rotary knobs and TFT touch display operation
Handleless door/soft-closing door system	Clear text display in 25 languages
Continuous flow heater means no waiting time and constant brewing temperature	Personalization function, up to 8 beverages can be personalized and memorized
Aroma brewing technology for a full aroma	4 beverage size settings from small to extra large; can be individually adjusted to match the size of the cup
Single portion cleaning	8 coffee strength levels from extra mild to extra strong
TFT touch display	3 coffee temperature levels
One-touch operation	3 hot water temperature levels
Personalization function	4 coffee-milk ratio levels
Seven light settings	Adjustable grinding level
Electronic fill level control for milk, water and coffee to ensure a perfect result	Height-adjustable coffee dispenser 2 3/4" to 5 "
Door with soft-closing system	Easy access to water tank, milk and coffee bean container behind the door

CMP250711	200 series 24" Fully automatic built-in espresso machine, stainless steel	5,140
---------------------------	---	-------



CMP 250

Fully automatic espresso machine



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series fully automatic espresso machine

Handleless door/automatic door opening to the left	Automatic cleaning and descaling program
Continuous flow heater means no waiting time and constant brewing temperature	Personalization function, up to 8 beverages can be personalized and memorized
Aroma brewing technology for a full aroma	Seven light settings
Height-adjustable coffee dispenser	Electronic fill level control for milk, water and coffee to ensure a perfect result
Clear text display in 25 languages	Automatic adjustment of ground coffee quantity
Rotary knobs and TFT touch display operation	

CM470711	400 series 24" Fully automatic built-in espresso machine, stainless steel, plumbed , Fixed water connection and drain. Can be perfectly combined with the WS461710 warming drawer (see below) for a side-by-side combination with the 30" oven for a perfect cube installation	6,446
--------------------------	---	-------



CM 470

CM450710	400 series 24" Fully automatic built-in espresso machine, stainless steel. Can be perfectly combined with the WS461710 warming drawer (see below) for a side-by-side combination with the 30" oven for a perfect cube installation	5,532
--------------------------	---	-------



CM 450

WS461710	400 series 24" Stainless steel-backed glass front convection warming drawer, 5 " high Can be perfectly combined below 400 series 24" Combi-steam oven or 24" espresso machine	3,098
--------------------------	--	-------



WS 461

WS463710	400 series 24" stainless steel-backed glass front convection warming drawer, 8 3/16" high. Perfect for side-by-side installation of 30" oven and 24" Combi-steam oven or 24" espresso machine	3,261
--------------------------	--	-------



WS 463 710

Vario cooktops



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series cooktops with cabinet-front controls

With the new Vario 400 series modular cooktops multiple solutions are available to fit each individual's taste. The grill, Teppan Yaki, steamer or deep fryer can be freely combined with induction or gas cooktops in 15" and 36" widths to create a beautifully-styled unit. The new Vario 400 series can be surface or flush mounted thanks to the precision crafting of 3mm stainless steel. Overhead hood, retractable AL 400 or VL 414 downdraft ventilation may be used with the Vario 400 series.

VG415211CA	15" Gas wok cooktop, 18,800 BTU output. Full electronic gas valves Note: When used with VL414 downdraft AA414010 air baffle needs to be used. Equipped for natural gas. For conversion to LP gas, LP kit (part # 427778) must be ordered.	4,526		VG 415 211
VG425211CA	15" 2-burner gas cooktop, 20,500 BTU output. Full electronic gas valves Note: When used with VL414 downdraft AA414010 air baffle needs to be used. Equipped for natural gas. For conversion to LP gas, LP kit (part # 427789) must be ordered.	4,974		VG 425 211
VI414611	15" wok induction cooktop, 3,700 W, Power boost. User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans. Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories.	4,977		VI 414 611
VI414613 NEW	15" wok induction cooktop, 3,700 W, Power boost. User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans, Home Connect™ Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories.	4,977		VI 414 613 
VI422611	15" Flex induction cooktop, 3,700 W, Power boost. 2 flex induction cooking areas, User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans.	4,567		VI 422
VI422613 NEW	15" Flex induction cooktop, 3,700 W, Power boost. 2 flex induction cooking areas, User-friendly control with bi-colored display including stopwatch and short-term timer. Frying sensor function for temperature control in pans, Home Connect™	4,567		VI 422 

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series cooktops with cabinet-front controls

[VP414611](#)

15" Electric Teppan Yaki with
2 heating zones

5,524



VP 414

[VR414611](#)

15" Electric indoor grill, cast-iron roaster
on lava stones, with two independent heating
zones. Includes half-size cast-iron griddle.

4,567



VR 414

Model	Description	Dealer Cost	UMRP	MSRP
Vario 400 series cooktops				
VG491211CA	36" gas cooktop, cabinet-front controls, 5 burners, 59,700 BTU, Full electronic gas valves Choice of surface or flush mount, Equipped for natural gas. For conversion to LP gas, LP kit (part #423414) must be ordered.		8,700	
				VG 491
CX492610	36" Full surface induction cooktop with TFT touch display. Powerful 5,500 W. Free positioning of up to 6 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		8,417	
				CX 492 
CX482610	30" Full surface induction cooktop with TFT touch display. Powerful 5,500 W. Free positioning of up to 5 pieces of cookware, any size and shape, Home Connect™ Choice of surface or flush mount.		7,733	
				CX 482 

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series installation accessories

In a combination of several Vario 400 series cooktops a connection strip VA 420 must be used.
Depending on the type of installation— surface- or flush-mounted — the respective VA 420 connecting strip must be used.

VA420000	Short connection strip for FLUSH installation WITHOUT appliance cover	208	
VA420010	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover	208	VA 420
VV401000	Retro-fit connection strip for old Vario 400 cut-outs. Cannot be used to retrofit cut-outs of old Vario 400 combinations with VL430/431 downdraft installation. For SURFACE MOUNT installation WITHOUT appliance cover	249	 VV 401

Model	Description	Dealer Cost	UMRP	MSRP
Vario 400 series optional installation accessories				
AA414010	Air deflector for VL414 in combination with VG414/425 gas cooktops		131	 AA 414
LV030000	Additional lava stones for VR414 electric grill		131	 LV 030
VA440010	Stainless steel cover with mounting strip Cover may only be used with stand alone Vario 400 cooktops, not when combined with other Vario 400 series cooktops		522	 VA 440
VA461000	Additional half size cast-iron griddle plate for use with VR414 grill (one comes included with VR414 grill)		261	 VA 461
WP400001	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height		653	 WP 400
WZ400001	Wok support ring for wok pan For use with VI414 induction cooktop		444	 WZ 400

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------



Vario 400 series retractable downdraft

The fully retractable AL400 downdraft with LED lighting is the ideal solution for cooking islands or open-plan kitchens. It can be combined with Vario 200/Vario 400 series cooktops and other Gaggenau cooktops. It can be installed flush or surface mounted.

AL400791	36" (90 cm) retractable downdraft with lighting, without blower (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)	5,193	 AL 400
AL400721	46 " (118 cm) retractable downdraft with lighting, without blower (Choose from 2x 400 series AR400742 inline, AR401742 remote or 2x AR410710 recirculation blower.)	6,107	

AL 400 retractable downdraft installation accessories

AA010410	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.	326	 AA 010
AA409401	Furniture support for 36" AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.	171	 AA 409
AA409431	Furniture support for 46 " AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.	236	 AA 409
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301	 AD 702
AD704040	Pipe adapter, 8" / 6" (DN 200/150), metal	105	 AD 704
AD704048	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL 400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.	196	 AD 704
AD704049	Air collector flat duct for AL 400 Metal zinc plated, DN 150 flat 2x DN 150 flat duct air intake To connect 1x AL 400 to blower AR 413 bottom side.	261	 AD 704

Model	Description	Dealer Cost	UMRP	MSRP
AL 400 retractable downdraft installation accessories				
AD751010	Aluflex pipe, Aluminium, ø 6" (DN 150 round) Recommended only for routing ducting through air paths which are not in a straight line or for round wall and floor apertures. 2 hose clamps enclosed.		131	
				AD 751
AD754045	Required for installation: connection piece to 2" x 6" round ducts, either mounted on front or back of AL400		171	
				AD 754
AD850050	Wall outlet Stainless steel, DN 150 flat Connecting piece flat duct DN 150. Direct connection of flat duct DN 150 without pipe connector.		457	
				AD 850
AD854000	Flat duct connecting piece, female, 6" (DN 150), metal		183	
				AD 854
AD854031	Flat duct bend, 90° horizontal, 6" (DN 150), metal		131	
				AD 854
AD854032	Flat duct adapter round, 90 ° vertical, 6" (DN 150), metal		131	
				AD 854
AD854041	Flat duct adapter round, 6" (DN 150), metal		118	
				AD 854
AD854043	Connecting piece AL 400 for flat duct, 2x DN 150 Metal zinc plated, DN 150 flat Can be fitted on the underside of the AL 400. Set of two.		143	
				AD 754
AD858010	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

AL 400 retractable downdraft blower options

Extraction

[AR400742](#) Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM

2,349



AR 400

[AR401742](#) 400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM

2,149



AR 401

400 series recirculation blower: Please order the following components:
AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.

Recirculation

[AR410710](#) Recirculation blower

2,921



AR 410

[AR413722](#) 400 series recirculation blower 500 CFM

2,064



AR413722

[AA413722](#) Recirculation kit with filter for use with 400 series AR413722 recirculation blower

575



AA413722

[AD413722](#) Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit

211



AD413722

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series downdraft ventilation

Note: When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft for optimal performance.

VL414111	Downdraft ventilation element Must be used with 400 series AR blowers and AA490 control knob. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)	2,059
--------------------------	---	-------



VL 414 111

VL414712 NEW	Downdraft ventilation element with control knob included. Must be used with 400 series AR blowers. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.) Note: Wider dimension and new ventilation planning requirements than previous VL414111. Contact GaggenauConcierge@bshg.com for more information.	2,712
---------------------	---	-------

Available March 2021.

Vario 400 series downdraft installation accessories

AA490711	Control knob for operation of AR blowers or recirculation blower (one control knob can control up to two VL414111 downdraft elements)	1,175
--------------------------	---	-------



AA 490

AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301
--------------------------	--	-----



AD 702

AD724041	Rectangular adaptor piece required in conjunction with AD724042 when connecting to left/right side of VL414 downdraft	53
--------------------------	---	----



AD 724

AD724042	Necessary for installation: Transition to 6" round required for installation with Vario 400 series VL414 downdraft	40
--------------------------	--	----



AD 724

VA420000	Short connection strip for FLUSH installation WITHOUT appliance cover	208
--------------------------	---	-----

VA420010	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover	208
--------------------------	---	-----



VA 420

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Optional installation accessories

AA414010	Air deflector for VL414 in combination with Vario 400 series gas cooktops		131	
--------------------------	---	--	-----	--



Vario 400 series downdraft blower options

Extraction

AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,349	
--------------------------	--	--	-------	--



AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,149	
--------------------------	---	--	-------	--



400 series recirculation blower: Please order the following components:
AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.

Recirculation

AR410710	Recirculation blower		2,921	
--------------------------	----------------------	--	-------	--



AR413722	400 series recirculation blower 500 CFM		2,064	
--------------------------	---	--	-------	--



AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
--------------------------	---	--	-----	--



AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	
--------------------------	--	--	-----	--



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series gas cooktops

Black anodized aluminum control panel

"Create A Personal Cooktop" allows combination of specialty pieces and gas and electric burners

Control knobs with illuminated ring

Mechanical power level regulation for 9 power levels, with exact reproduction of flame size

Multi-fuel gas operation (natural or propane)

[VG231220CA](#)

12" Vario 200 Series gas wok burner
1 burners, 18,800 BTU
Surface mount only,
Equipped for natural gas. For conversion to LP gas, LP kit (part #10009475) must be ordered.

3,036



VG 231

[VG232220CA](#)

12" Vario 200 Series gas two burner cooktop
2 burners, total output 16,700 BTU,
Surface mount only,
Equipped for natural gas. For conversion to LP gas, LP kit (part #10009476) must be ordered.

2,589



VG 232

[VG264220CA](#)

24" Vario 200 Series four burner gas cooktop
4 burners, total output 33,400 BTU,
Surface mount only,
Equipped for natural gas. For conversion to LP gas, 2x LP kit (part #10009476) must be ordered.

3,632



VG 264

VG295250CA **NEW** 36" 200 Series 5 burner gas cooktop (Natural Gas)
5 burners, total output Total rating: 58,000 / 59,700 BTU,
Surface mount only,
Equipped for natural gas.

5,889



VG 295

[VG295220CA](#) **NEW** 36" 200 Series 5 burner gas cooktop (Natural Gas)
5 burners, total output Total rating: 58,000 / 59,700 BTU,
Surface mount only,
Equipped for natural gas.

\$5,293

[VG295120CA](#) **NEW** 36" 200 Series 5 burner gas cooktop (Propane Gas)

\$5,293



VG 295

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series induction and electric cooktops

Black anodized aluminum control panel

"Create A Personal Cooktop" allows combination of specialty pieces and gas and electric burners

Control knobs with illuminated ring

Can be combined with other Vario 200 series products

Control panel for comfortable and secure operation

[VI230620](#)

12" Vario 200 Series 2-zone induction cooktop
2 cooking zones - 6", 9"
Surface mount only

2,516



VI 230

[VP230620](#)

12" Vario 200 Series Teppan Yaki
Exact temperature control up to 480 °F
Surface mount only

4,430



VP 230

[VR230620](#)

12" Vario 200 Series Electric Grill
Surface mount only

3,610



VR 230

Model	Description	Dealer Cost	UMRP	MSRP
Vario 200 series cooktops accessories				
LV030000	Additional lava stones for VR230614 electric grill		131	 LV 030
VD200020	Vario 200 Series black appliance cover		575	 VD 200
VV200010	Vario 200 Series stainless steel connection strip		261	 VV 200
VV200020	Vario 200 Series black connection strip		261	 VV 200
WP400001	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height		653	 WP 400

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft ventilation

Can be combined with other Vario 200 series products

Highly efficient ventilation system at the cooktop integrated in the worktop

Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapors

Minimal planning and easy installation

Air recirculation mode in combination with AR 410 710 or AR 413 722 blower.

Vario 200 series downdraft installation accessories

[AD410040](#) Flexible connecting piece for VL 200 392



AD 410

[AD851041](#) Connection piece for the VL200120 downdraft 221



AD 851

[AD854000](#) Flat duct connecting piece, female, 6" (DN 150), metal 183



AD 854

[AD854010](#) Flat duct, 6" (DN 150), metal 236



AD 854

[AD854030](#) Flat duct bend, 90° vertical, 6" (DN 150), metal 118



AD 854

[AD854041](#) Flat duct adapter round, 6" (DN 150), metal 118



AD 854

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft installation accessories

AD858010	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858
LS041001	Air deflector for combination with VL200 downdraft with Vario 200 gas cooktops		118	
				LS 041
AD990091	Aluminum tape		28	
				AD 854

Vario 200 series downdraft blower options

Recirculation	AR410710	Recirculation blower		2,921	
					AR 410
	AR413722	400 series recirculation blower 500 CFM		2,064	
					AR413722
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
					AA413722
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	
					AD413722



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Gas cooktops

400 Series—Full electronic power level regulation on 12 levels	200 series—Control knobs with illuminated ring.	Safety control indicator lights
200 series—Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size	Immediate ignition system	Cast-iron grates
	Multi-fuel gas operation (natural or propane)	17,100 BTU output on center burner of VG 295 and VG 491

400 series

VG491211CA	36" gas cooktop, cabinet-front controls, 5 burners, 59,700 BTU, Choice of surface or flush mount, Equipped for natural gas. For conversion to LP gas, LP kit (part #423414) must be ordered.	8,700
----------------------------	--	-------



VG 491

200 series

VG295250CA NEW	36" 200 Series 5 burner gas cooktop (Natural Gas) 5 burners, total output Total rating: 58,000 / 59,700 BTU, Surface mount only, Equipped for natural gas.	5,889
VG295150CA NEW	36" 200 Series 5 burner gas cooktop (propane gas)	5,889



VG 295

VG264220CA	24" Vario 200 Series four burner gas cooktop 4 burners, total output 33,400 BTU, Surface mount only, Equipped for natural gas. For conversion to LP gas, 2x LP kit (part #10009476) must be ordered.	3,632
----------------------------	--	-------



VG 264

Gas cooktop accessories

WP400001	Wok pan, 13 3/4", 287 cubic inch, 3 3/4" height	653
--------------------------	---	-----



WP 400

Model	Description	Dealer Cost	UMRP	MSRP
Induction cooktops				
400 series				
CX492610	36" Full surface induction cooktop TFT touch display. Powerful 5,500 W. Free positioning of up to 6 pieces of cookware, any size and shape. Choice of surface or flush mount. Home Connect™.		8,417	 CX 491 
CX482610	30" Full surface induction cooktop TFT touch display. Powerful 5,500 W. Free positioning of up to 5 pieces of cookware, any size and shape. Choice of surface or flush mount. Home Connect™.		7,733	 CX 482 
VI492611 ▼	36" Flex induction cooktop, cabinet-front controls, large 13" cooking zone with up to 3,700 W, Power boost. Ideal for the original wok pan with round bottom, with wok ring. 5 cooking zones, frying sensor function for temperature control in pans. Choice of surface or flush mount. Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories. Can be combined perfectly with other Vario 400 series cooktops.		7,575	 VI 492
VI492613 NEW	36" Flex induction cooktop, cabinet-front controls, large 13" cooking zone with up to 3,700 W, Power boost. Ideal for the original wok pan with round bottom, with wok ring. 5 cooking zones, frying sensor function for temperature control in pans, Home Connect™ Choice of surface or flush mount. Wok pan (WP400001) and wok ring (WZ400001) are available as optional accessories. Can be combined perfectly with other Vario 400 series cooktops.		8,122	 VI 492 

▼ VI492611 transitions to VI492613 Q1, 2021.

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Induction cooktops

200 series

Operation

Control knobs with illuminated ring

Integrated control panel

Electronic power control in 9 output levels

Features

Cooking area marking

Flex function for rectangular cooking areas

Frying sensor function

Pot detection

Booster function for each cooking area

[VI263620](#)

24" Vario 200 Series 3-zone induction cooktop
3 cooking zones - 6", 7", 11"
Surface mount only

3,610



VI 263

Model	Description	Dealer Cost	UMRP	MSRP
Induction cooktops optional accessories				
CA051300	Teppan Yaki made of multi ply material, for flex induction cooktop		482	
				CA051300
CA060600	Cooking sensor for temperature regulation within pots. For 200 series flex induction cooktops and CX482/CX492 full surface induction cooktops		156	
				CA060600
CA230100	Black magnetic twist control knob for 200 series flex induction cooktops		221	
				CA230100
GN232110	Teppan Yaki griddle, 13" x 21", for CX482/CX492 full surface induction cooktops		588	
				GN232110
GN232230	Teppan Yaki griddle, 13" x 14", for CX482/CX492 full surface induction cooktops		457	
				GN232230
GN340230	Gastronorm roaster, non-stick cast-aluminum 4" deep, with 2 1/2" lid, GN 2/3		784	
				GN 340
GP900001	Sensor frying pan, stainless steel, non-stick coating, for ø 6" induction cooking zone		156	
				GP900001
GP900002	Sensor frying pan, stainless steel, non-stick coating, for ø 7" cooking zone.		183	
				GP900002
GP900003	Sensor frying pan, stainless steel, non-stick coating, for ø 8" induction cooking zone		221	
				GP900003
GP900004	Sensor frying pan, stainless steel, non-stick coating, for ø 11" cooking zone		249	
				GP900004

Ventilation



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series ventilation

Note: AD duct covers must be ordered for each hood to complete installation except for AW/AI230 hoods.

400 series wall mount/island hoods

AI442720	48" (120 cm) professional island hood with baffle filters, blower not included (Choose from 400 series AR400743 internal, AR400742 inline or AR401742 remote blower.) Air extraction/recirculation. Duct cover not included.	5,288
--------------------------	--	-------



AI 442

AI442760	63" (160 cm) professional island hood with baffle filters, blower not included (Choose from 400 series AR400743 internal, AR400742 inline or AR401742 remote blower.) Air extraction/recirculation. Duct cover not included.	6,777
--------------------------	--	-------



AI 442

Model	Description	Dealer Cost	UMRP	MSRP
400 series wall mount hood installation accessories				
Duct covers for exhaust air mode				
AD442012	Duct cover for exhaust mode for AW 442, stainless steel, length 24 7/16", for 7' 9"-8' 6" ceiling heights		482	 AD 442
AD442022	Duct cover for exhaust mode for AW 442, stainless steel, length 33 7/8", for 8' 6"-10' 2" ceiling heights		563	
Duct covers for recirculation mode				
AD442112	Duct cover for recirculation mode for AW442, stainless steel, length 24 7/16", for 7' 9"-8' 6" ceiling heights		563	 AD 442
AD442122	stainless steel, 33 7/8", for 8' 6"-10' 2" ceiling heights		653	
Recirculation module				
AA442810	Recirculation module including two activated charcoal filters with highly efficient odor reduction. For installation on the inner duct cover		522	 AA 442
AA442110	2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA442810.		208	
Ceiling collar				
AD442392	Ceiling collar for AW 442 wall hood duct cover, stainless steel		301	 AD 442
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	
				 AD 702

Model	Description	Dealer Cost	UMRP	MSRP
400 series island hood installation accessories				
Duct covers for exhaust air mode				
AD442016	Duct cover for exhaust mode for AI 442, stainless steel, length: 24 7/16", for 7' 9"–8' 6" ceiling heights, installation tower included		1,085	 AD 442
AD442026	Duct cover for exhaust mode for AI 442, stainless steel, length: 33 7/8", for 8' 6"–10' 2" ceiling heights, installation tower included		1,331	
Duct covers for recirculation mode				
AD442116	Duct cover for recirculation mode for AI 442, stainless steel, length 24 7/16", for 7' 9"–8' 6" ceiling heights, installation tower included		1,045	 AD 442
AD442126	Duct cover for recirculation mode for AI 442, stainless steel, length: 33 7/8", for 8' 6"-10' 2" ceiling heights, installation tower included		1,175	
Recirculation module				
AA442810	Recirculation kit including two activated charcoal filters with highly efficient odor reduction. For installation on the inner duct cover		522	 AA 442
AA442110	2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA442810.		208	
Ceiling collar				
AD442396	Ceiling collar for AI 442 island hood duct cover, stainless steel		367	 AD 442
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	
				 AD 702

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series retractable downdraft

The fully retractable AL400 downdraft with LED lighting is the ideal solution for cooking islands or open-plan kitchens. It can be combined with Vario 200/Vario 400 series cooktops and other Gaggenau cooktops. It can be installed flush or surface mounted.


AL400791	36" (90 cm) retractable downdraft with lighting, without blower (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)	5,193	
AL400721	46 " (118 cm) retractable downdraft with lighting, without blower (Choose from 2x 400 series AR400742 inline, AR401742 remote or 2x AR410710 recirculation blower.)	6,107	

AL 400

AL 400 retractable downdraft installation accessories

AA010410	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.	326	
AA409401	Furniture support for 36" AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.	171	
AA409431	Furniture support for 46 " AL400, countertop needs to be reinforced if less than 13/16" thick for flush installation.	236	
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301	
AD704040	Pipe adapter, 8" / 6" (DN 200/150), metal	105	
AD704048	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL 400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.	196	
AD704049	Air collector flat duct for AL 400 Metal zinc plated, DN 150 flat 2x DN 150 flat duct air intake To connect 1x AL 400 to blower AR 413 bottom side.	261	

AD 704

Model	Description	Dealer Cost	UMRP	MSRP
AL 400 retractable downdraft installation accessories				
AD751010	Aluflex pipe, Aluminium, ø 6" (DN 150 round) Recommended only for routing ducting through air paths which are not in a straight line or for round wall and floor apertures. 2 hose clamps enclosed.		131	
AD754045	Required for installation: connection piece to 2" x 6" round ducts, either mounted on front or back of AL400		171	
AD850050	Wall outlet Stainless steel, DN 150 flat Connecting piece flat duct DN 150. Direct connection of flat duct DN 150 without pipe connector.		457	
AD854000	Flat duct connecting piece, female, 6" (DN 150), metal		183	
AD854031	Flat duct bend, 90° horizontal, 6" (DN 150), metal		131	
AD854032	Flat duct adapter round, 90 ° vertical, 6" (DN 150), metal		131	
AD854041	Flat duct adapter round, 6" (DN 150), metal		118	
AD854043	Connecting piece AL 400 for flat duct, 2x DN 150 Metal zinc plated, DN 150 flat Can be fitted on the underside of the AL 400. Set of two.		143	
AD858010	Flat duct flex pipe, 6" (DN 150), metal		261	

	Model	Description	Dealer Cost	UMRP	MSRP
AL 400 retractable downdraft blower options					
Extraction	AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,349	 AR 400
	AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM		2,149	 AR 401
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.				
	AR410710	Recirculation blower		2,921	 AR 410
	AR413722	400 series recirculation blower 500 CFM		2,064	 AR413722
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	 AA413722
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		261	 AD413722

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series downdraft ventilation

Note: When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft for optimal performance.

VL414111	Downdraft ventilation element Must be used with 400 series AR blowers and AA490 control knob. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.)	2,059
--------------------------	---	-------



VL 414 111

VL414712 NEW	Downdraft ventilation element with control knob included. Must be used with 400 series AR blowers. (Choose from 400 series AR400742 inline, AR401742 remote or AR413722/AR410710 recirculation blower.) Note: Wider dimension and new ventilation planning requirements than previous VL414111. Contact GaggenauConcierge@bshg.com for more information.	2,712
---------------------	---	-------

Available March 2021.

Vario 400 series downdraft installation accessories

AA490711	Control knob for operation of AR blowers or recirculation blower (one control knob can control up to two VL414111 downdraft elements)	1,175
--------------------------	--	-------



AA 490

AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers	301
--------------------------	--	-----



AD 702

AD724041	Rectangular adaptor piece required in conjunction with AD724042 when connecting to left/right side of VL414 downdraft	53
--------------------------	---	----



AD 724

AD724042	Necessary for installation: Transition to 6" round required for installation with Vario 400 series VL414 downdraft	40
--------------------------	--	----




AD 724


VA420000	Short connection strip for FLUSH installation WITHOUT appliance cover	208
--------------------------	---	-----

VA420010	Short connection strip for SURFACE MOUNT installation WITHOUT appliance cover	208
--------------------------	---	-----



VA 420

Model	Description	Dealer Cost	UMRP	MSRP
Optional installation accessories				
AA414010	Air deflector for VL414 in combination with Vario 400 series gas cooktops		131	 AA 414
Vario 400 series downdraft blower options				
Extraction	AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM	2,349	 AR 400
	AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM	2,149	 AR 401
Recirculation	400 series recirculation blower: Please order the following components: AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.			 AR 410
	AR410710	Recirculation blower	2,921	 AR413722
	AR413722	400 series recirculation blower 500 CFM	2,064	 AA413722
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower	575	 AD413722
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit	211	

Model	Description	Dealer Cost	UMRP	MSRP
200 series ventilation				
200 series wall mount hood accessories				
Duct cover extension for exhaust air mode				
AD200322	Stainless steel duct cover extension for ceiling heights from 8' 8 ¹³ / ₃₂ " to 9' 8 ¹³ / ₃₂ " (Extraction only)		653	
Recirculation module				
AA200812	Recirculation module with activated charcoal filter		588	 AA 200
AA200110	Activated charcoal filter for AW/AI230		196	 AA 200
Ceiling collar				
AD200392	Ceiling collar for AW 230 wall hood duct cover, stainless steel		286	 AD 220

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series island hood accessories

Duct cover extension for exhaust air mode

AD200326	Stainless steel duct cover for ceiling heights from 9' 4 ¹³ / ₁₆ " to 10' 4 ¹³ / ₁₆ " (Extraction only) Must be ordered with mounting kit AD223346	914
--------------------------	---	-----



AD 200


AD223346	Extension for mounting kit 1' 7 ¹¹ / ₁₆ "	183
--------------------------	---	-----



AD 223


Recirculation module

AA200816	Recirculation module with activated charcoal filter installed on the inside of the duct cover	718
--------------------------	---	-----



AA 200

AA200110	Activated charcoal filter for AW/AI230	196
--------------------------	--	-----




AA 200

Ceiling collar

AD220396	Ceiling collar for AI 230 island hood duct cover, stainless steel	339
--------------------------	---	-----



AD 220

Model	Description	Dealer Cost	UMRP	MSRP
200 series visor hood				
AF210791	36" Visor hood, with integrated blower, can completely disappear into the upper cabinet due to a patented lowering frame accessory, 500 CFM (Extraction or Recirculation)		2,696	
				 AF 210
200 series visor hood accessories				
AA210460	Lowering frame for 24" AF visor hood		301	
				 AA 210
AA210490	Lowering frame for 36" AF visor hood		339	
				 AA 210
AA210491	Mounting set for 36" cabinet for 36" AF visor hood		208	
				 AA 210
AA210110	Replacement charcoal filter for use with AA210812 recirculation module		196	
				 AA 210
AA211812	Recirculation module for AF visor hood		392	
				 AA 211

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft ventilation

Can be combined with the cooktops of the Vario 200 series to a harmonic unity

Highly efficient ventilation system at the cooktop integrated in the worktop

Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapors

Minimal planning and easy installation

Air recirculation mode in combination with AR 410 710 or AR 413 722 blower.

Vario 200 series downdraft installation accessories

[AD410040](#) Flexible connecting piece for VL 200 392



AD 410

[AD851041](#) Connection piece for the VL200120 downdraft 221



AD 851

[AD854000](#) Flat duct connecting piece, female, 6" (DN 150), metal 183



AD 854

[AD854010](#) Flat duct, 6" (DN 150), metal 236



AD 854

[AD854030](#) Flat duct bend, 90° vertical, 6" (DN 150), metal 118



AD 854

[AD854041](#) Flat duct adapter round, 6" (DN 150), metal 118



AD 854

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 200 series downdraft installation accessories

AD858010	Flat duct flex pipe, 6" (DN 150), metal		261	
				AD 858
LS041001	Air deflector for combination with VL200 downdraft with Vario 200 gas cooktops		118	
				LS 041
AD990091	Aluminum tape		28	
				AD 854

Vario 200 series downdraft blower options

Recirculation	AR410710	Recirculation blower		2,921	
					AR 410
	AR413722	400 series recirculation blower 500 CFM		2,064	
					AR413722
	AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower		575	
					AA413722
	AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit		211	
					AD413722

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Blowers

400 series blowers

Extraction

AR400742	Inline blower for use with downdraft ventilation VL414, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM	2,349
AR400743	400 series internal blower for use with AI/AW 442 island/wall hood. For installation in the duct cover. 600 CFM	1,278
AR401742	400 series remote blower for use with VL414 downdraft ventilation, retractable downdraft AL400 or AI/AW 442 island/wall hood. 600 CFM	2,149



AR 400



AR 400



AR 401

400 series recirculation blower: Please order the following components:
AR413722 recirculation blower + AA413722 recirculation kit + AD413722 oval flex duct.

Recirculation

AR410710	Recirculation blower	2,921
AR413722	400 series recirculation blower 500 CFM	2,064
AA413722	Recirculation kit with filter for use with 400 series AR413722 recirculation blower	575
AD413722	Oval flex duct to connect 400 series AR413722 recirculation blower with AA413722 recirculation kit	211



AR 410



AR413722



AA413722



AD413722

Model	Description	Dealer Cost	UMRP	MSRP
Installation accessories				
AA010410	Air exhaust grill for recirculation option (with recirculation blower). Stainless steel. 36" (90 cm), includes installation fittings, height adjustable.		326	 AA 010
AA410112	Replacement activated regenerative charcoal filter for AR410710 recirculation blower.		261	 AA 410
AA413111	Additional activated charcoal filter for 400 series recirculation blower AR413722. Special filter for the preparation of fish and seafood.		261	 AA 131
AD702052	ø 8" telescopic wall duct for use with 200 and 400 series AR401 remote blowers		301	 AD 702
AD704048	Transition box with two ø 6" round intakes to one ø 8" round outlet. Required for installation with AL 400 retractable downdraft to connect 2x round ducts to 400 series recirculation blower AR413722.		196	 AD 704
AD854040	Flat duct connecting piece, male, 6" (DN 150), metal		131	 AD 854

400 series blowers and ventilation systems compatibility

Ventilation system



AL 400 791
36" Retractable downdraft

Blowers

AR413722
Recirculation configuration ▼



AR400742
Inline



AR401742
Remote



Required installation accessories

6" round duct option for venting front/back



AD754045
Transition to 2x 6" round for front/back of AL



AD751010
Aluflex pipeduct 6"



AD704048
Air collector box




AA010410
Air exhaust grill (or custom grill)

flat duct option for venting downward



AD854043
Connecting pieces



AD858010
Flat duct flex pipe



AD704049
Air collector flat duct



AD990091
Aluminum adhesive tape



AA010410
Air exhaust grill (or custom grill)

6" round duct option for venting front/back



AD754045
Transition to 2x 6" round for front/back of AL



AD751010
Aluflex pipeduct 6"



flat duct option for venting downward



AD854043
Connecting pieces



2x AD854000
Flat duct connecting piece



2x AD854041
Flat Duct adapter round



AD751010
Aluflex pipeduct 6"



6" round duct option for venting front/back



AD754045
Transition to 2x 6" round for front/back of AL



AD751010
Aluflex pipeduct 6"



AD704048
Air collector box



AD702052
Telescopic wall duct 8"



flat duct option for venting downward



AD854043
Connecting pieces



2x AD854000
Flat duct connecting piece



2x AD854041
Flat Duct adapter round



AD751010
Aluflex pipeduct 6"



AD704048
Air collector box



AD702052
Telescopic wall duct 8"

▼ For recirculation operation, order AR413722 + AA413722 + AD413722.

400 series blowers and ventilation systems compatibility

Ventilation system



AL 400 721
46 3/4" Retractable downdraft

Blowers

2x AR410710
Recirculation



2x AR400742
Inline



2x AR401742
Remote



Required installation accessories



AD754045
Transition to
2x 6" round for
front/back
of AL



AD751010
Aluflex
pipeduct 6"



2x AD854032
Flat Duct
adapter round 90°



2x AD858010
Flat duct flex pipe



2x AD854031
Flat Duct bend
90° horizontal



2x AD854000
Flat duct
connecting piece



AD990091
Aluminum adhesive tape



AA010410
Air exhaust grill
(or custom grill)



AD754045
Transition to
2x 6" round for
front/back
of AL



AD751010
Aluflex
pipeduct 6"



AD854043
Connecting
pieces



2x AD854000
Flat duct
connecting piece




2x AD854041
Flat Duct
adapter round



2x AD751010
Aluflex
pipeduct 6"



AD990091
Aluminum
adhesive tape



AD754045
Transition to
2x 6" round for
front/back
of AL



AD751010
Aluflex
pipeduct 6"



2x AD704040
Pipe adapter DN
200/150 round



2x AD702052
Telescopic wall
duct 8"



AD854043
Connecting
pieces



2x AD854000
Flat duct
connecting piece



2x AD854041
Flat Duct
adapter round



AD751010
Aluflex
pipeduct 6"



2x AD704040
Pipe adapter DN
200/150 round



2x AD702052
Telescopic wall
duct 8"

▼ For recirculation operation,
order AR413722 + AA413722 + AD413722.

400 series blowers and ventilation systems compatibility

Ventilation system

Blowers

Required installation accessories



VL 414 111*

Downdraft

+



AA 490 711

Control knob

Configuration does not apply to VL 414 712.
Please contact GaggenauConcierge@bshg.com
for more information,

Please refer to
planning guides on
pages 168–169.



AI/AW 442 720/760

Island/wall hood

Please refer to
planning guides on
pages 172–173.



AR400742

Inline



AR401742

Remote



AR413722

Recirculation
configuration▼



AA413722
Recirculation
kit



AD413722
Oval flex duct



AD724042**
Transition to
6" round



AD724041

Adapter piece
for use with
AD724042 when
connecting duct
to left/right side
of VL downdraft



AD751010
Aluflex
pipeduct 6"



AD724042**
Transition to
6" round



AD724041

Adapter piece
for use with
AD724042 when
connecting duct
to left/right side
of VL downdraft



AD702052
Telescopic wall duct 8"



AD751010
Aluflex
pipeduct 6"



AD724042**
Transition to
6" round



AD724041

Adapter piece
for use with
AD724042 when
connecting duct
to left/right side
of VL downdraft



AD751010
Aluflex
pipeduct 6"



AR400742

Inline



AR401742

Remote



AR400743

Internal



AD 442
Duct cover for
air extraction



AD 442
Duct cover for
air extraction



AD702052
Telescopic wall duct 8"



AD 442
Duct cover for
air extraction or
recirculation



AD751010
Aluflex
pipeduct 6"


**For
Recirculation**



AA442810
Recirculation
kit with
charcoal filter

- ▼ For recirculation operation, order AR413722 + AA413722 + AD413722.
- * When connecting two or more VL downdrafts, it is recommended to have one blower per VL downdraft.
- ** AD724042 transitions when venting straight down.

200 series blowers and ventilation systems compatibility



Cooling



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular freezer columns

Stainless steel interior with solid anthracite aluminum elements
Warm white and glare-free LED light spots
Net volume (24") 13.0 cu.ft., (30") 16.8 cu.ft., (36") 20.6 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Solid anthracite aluminum door racks

One fresh cooling drawer 32°F (0°C) with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

RC462705 24" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

11,999



RC 462



RC472705 30" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

12,893



RC 472



RC492705 36" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

13,638



RC 492



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular freezer columns

Stainless steel interior with solid anthracite aluminum elements
Warm white and glare-free LED light spots

Net volume (18") 8.6 cu.ft., (24") 12.2 cu.ft., (30") 15.8 cu.ft.,
(36") 19.4 cu.ft.; RF 463 - Net volume 11.2 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Material and aesthetics of interior as for RC model

Glass shelves

Solid anthracite aluminum door racks

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Integrated ice maker with fixed inlet water connection

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

RF461705 24" Freezer, integrated ice maker,
fully integrated, LEFT-hinged, reversible,
Home Connect™, side-by-side kit included

11,506



RF 461



RF463707 24" Freezer, ice and water dispenser,
fully integrated, LEFT-hinged,
Home Connect™, side-by-side kit included

12,935



RF 463



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series modular freezer columns

RF471705 30" Freezer, integrated ice maker,
fully integrated, LEFT-hinged, reversible,
Home Connect™, side-by-side kit included

12,363



RF 471



RF491705 36" Freezer, integrated ice maker,
fully integrated, LEFT-hinged, reversible,
Home Connect™, side-by-side kit included

13,078



RF 491



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Vario 400 series bottom freezer

Stainless steel interior with solid anthracite aluminum elements	flexible positioning
Warm white and glare-free LED light spots	Solid anthracite aluminum door racks
Net volume (30") 16.0 cu.ft., (36") 19.5 cu.ft.; RY 492 - Net volume 19.4 cu.ft.	One fresh cooling drawer with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity
Opening assist for door with two options:	Integrated ice maker with fixed inlet water connection
1. Push-to-open function for integration into handleless furniture front	Fully extendable freezer drawer with practical divider in anthracite
2. Pull-to-open function to facilitate opening the door using a handle	TFT touch display
Flat stainless steel inner door, full-length	ENERGY STAR® certified
Almost invisible rail system for shelves and door racks for	Sabbath mode certified by Star-K

RB472705	30" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™	14,824
----------	--	--------



RB 472



RB492705	36" Two-door bottom freezer, fully integrated, RIGHT-hinged, reversible, Home Connect™	15,967
----------	--	--------



RB 492



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series bottom freezer

Stainless steel interior with solid anthracite aluminum elements

Warm white and glare-free LED light spots

Net volume (30") 16.0 cu.ft., (36") 19.5 cu.ft.; RY 492 - Net volume 19.4 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Solid anthracite aluminum door racks

One fresh cooling drawer with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity

Integrated ice maker with fixed inlet water connection

Fully extendable freezer drawer with practical divider in anthracite

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

[RB472704](#)

30" Two-door bottom freezer,
fully integrated, RIGHT-hinged, reversible, Home Connect™

14,824



RB 472



[RB492704](#)

36" Two-door bottom freezer,
fully integrated, RIGHT-hinged, reversible, Home Connect™

15,967



RB 492



[RY492704](#)

36" Three-door bottom freezer,
fully integrated, RIGHT-hinged, reversible, Home Connect™

16,682



RY 492



Model	Description	Dealer Cost	UMRP	MSRP
400 series modular freezer columns				
Stainless steel interior with solid anthracite aluminum elements Warm white and glare-free LED light spots Net volume (18") 8.6 cu.ft., (24") 12.2 cu.ft., (30") 15.8 cu.ft., (36") 19.4 cu.ft.; RF 463 - Net volume 11.2 cu.ft. Opening assist for door with two options: 1. Push-to-open function for integration into handleless furniture front 2. Pull-to-open function to facilitate opening the door using a handle The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level		Material and aesthetics of interior as for RC model Glass shelves Solid anthracite aluminum door racks Flat stainless steel inner door, full-length Almost invisible rail system for shelves and door racks for flexible positioning Integrated ice maker with fixed inlet water connection TFT touch display ENERGY STAR® certified Sabbath mode certified by Star-K		
RF411704	18" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included		10,363	 RF 411    LEARN MORE AT energystar.gov
RF461704	24" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included		11,506	 RF 461    LEARN MORE AT energystar.gov
RF463704	24" Freezer, ice and water dispenser, fully integrated, RIGHT-hinged, Home Connect™, side-by-side kit included		12,935	 RF 463    LEARN MORE AT energystar.gov
RF463705	24" Freezer, ice and water dispenser, fully integrated, LEFT-hinged, Home Connect™, side-by-side kit included		12,935	 RF 463    LEARN MORE AT energystar.gov
RF471704	30" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included		12,363	 RF 471    LEARN MORE AT energystar.gov
RF491704	36" Freezer, integrated ice maker, fully integrated, LEFT-hinged, reversible, Home Connect™, side-by-side kit included		13,078	 RF 491    LEARN MORE AT energystar.gov

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series modular refrigeration columns

Stainless steel interior with solid anthracite aluminum elements

Warm white and glare-free LED light spots

Net volume (24") 13.0 cu.ft., (30") 16.8 cu.ft., (36") 20.6 cu.ft.

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door racks can be aligned on the same level

Flat stainless steel inner door, full-length

Almost invisible rail system for shelves and door racks for flexible positioning

Solid anthracite aluminum door racks

One fresh cooling drawer 32°F (0°C) with temperature control from 32°F to 37°F (-1° to +3°C) and one fresh cooling drawer with manually adjustable humidity

TFT touch display

ENERGY STAR® certified

Sabbath mode certified by Star-K

[RC462704](#)

24" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

11,999



RC 462

[RC472704](#)

30" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

12,893



RC 472

[RC492704](#)

36" Refrigerator column, fully integrated, RIGHT-hinged, reversible, Home Connect™

13,638



RC 492

Model	Description	Dealer Cost	UMRP	MSRP
Vario 400 series modular wine storage units				
	(18") Two / (24") three independently controllable climate zones Consistent temperatures with exact control from 41°F to 68°F (+5 °C to +20°C) Humidity control Home network integration for digital services (Home Connect™) wireless via WiFi. Stainless steel interior Fully extendable bottle trays in oak wood and solid aluminum in anthracite Bottle trays with hidden telescopic rails	Warm white and glare-free LED light spots Five preset lighting scenarios, selectable via TFT display Opening assist for door with two options: 1. Push-to-open function for integration into handleless furniture front 2. Pull-to-open function to facilitate opening the door using a handle Low-vibration operation TFT touch display Capacity 70/99 bottles Sabbath mode certified by Star-K		
RW414765	18" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included		12,506	 RW 414
RW466765	24" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included		13,364	 RW 466
RW404761	24" Under-counter wine storage unit with glass door, stainless steel frame and reversible door hinge		6,767	 RW 404

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series modular wine storage units

(18") Two / (24") three independently controllable climate zones

Consistent temperatures with exact control from 41°F to 68°F (+5 °C to +20 °C)

Humidity control

Home network integration for digital services (Home Connect™) wireless via WiFi.

Stainless steel interior

Fully extendable bottle trays in oak wood and solid aluminum in anthracite

Bottle trays with hidden telescopic rails

Warm white and glare-free LED light spots

Five preset lighting scenarios, selectable via TFT display

Opening assist for door with two options:

1. Push-to-open function for integration into handleless furniture front
2. Pull-to-open function to facilitate opening the door using a handle

Low-vibration operation

TFT touch display

Capacity 70/99 bottles

Sabbath mode certified by Star-K

[RW414764](#)

18" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

12,506



RW 414

[RW466764](#)

24" Wine storage unit, fully integrated, with glass door, Home Connect™, side-by-side installation kit included

13,364



RW 466

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Accessories refrigerators and freezers

Door panels + handles

RA421115	Door panel set, stainless steel, for 18" columns (incl. handle)		718	 RA 421
RA421615	Door panel set, stainless steel, for 24" columns (incl. handle)		771	 RA 421
RA422611	Door panel set, stainless steel, for 24" freezer with external ice and water dispenser (incl. handle)		771	 RA 422
RA421713	Door panel set, stainless steel, for 30" columns (incl. handle)		849	 RA 421
RA421914	Stainless steel door panel with handle for 36" (columns (incl. handle)		1,371	 RA 421

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Accessories refrigerators and freezers

Door panels + handles

RA421715	Door panel set, stainless steel, for 30" bottom freezer, two-door (incl. handle)		849	
				RA 421
RA421913	Door panel set, stainless steel, for 36" bottom freezer, two-door (incl. handle)		1,241	
				RA 421
RA421915	Door panel set, stainless steel, for 36" bottom freezer, Three-door (incl. handle)		1,241	
				RA 422

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Accessories refrigerators and freezers


Door panels + handleless

RA428115	Stainless steel door panel, without handle for 18" RF 411 freezer column		731	 RA 428
RA428615	Stainless steel door panel, without handle for 24" (61 cm) columns RF/RC columns		784	 RA 428
RA428811	Stainless steel door panel, without handle for 24" RF 463 IWD freezer		784	 RA 428
RA428713	Stainless steel door panel, without handle for 30" (76.2 cm) RF/RC columns		861	 RA 428
RA428914	Stainless steel door panel, without handle for 36" (91.4 cm) 36" RF/RC columns		1,371	 RA 428

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Accessories refrigerators and freezers

Door panels + handleless

RA428715	Stainless steel door panels, without handle for 30" RB 472 fridge-freezer combination		861	
				RA 428
RA428913	Stainless steel door panels, without handle for 36" RB 492 fridge-freezer combination		1,371	
				RA 428
RA428915	Stainless steel door panels, without handle for 36" RY 492 fridge-freezer combination		1,371	
				RA 428

Model	Description	Dealer Cost	UMRP	MSRP
Ventilation grills (only available in stainless steel)				
RA464111	Stainless steel toe kick w/o water filter for 18" RW 414		314	 RA 464 111
RA464113	Stainless steel toe kick with water filter for 18" RF 411		314	 RA 464 113
RA464611	Stainless steel toe kick w/o water filter for 24" RC462 / RW 466		379	 RA 464 611
RA464616	Stainless steel toe kick with water filter for 24" RF 461		379	 RA 464 616
RA464617	Stainless steel toe kick with water filter for 24" RF 463 IWD, right-hinged		379	 RA 464 617
RA464618	Stainless steel toe kick with water filter for 24" RF 463 IWD, left-hinged		379	 RA 464 618
RA464711	Stainless steel toe kick w/o water filter for 30" RF 471		404	 RA 464 711
RA464713	Stainless steel toe kick with water filter for 30" RB 472		404	 RA 464 713
RA464714	Stainless steel toe kick with water filter for 30" RF 471		404	 RA 464 714
RA464911	Stainless steel toe kick w/o water filter for 36" RC 492 refrigerator column		432	 RA 464 911
RA464913	Stainless steel toe kick with water filter for 36" RB 492 and RY 492		432	 RA 464 913
RA464914	Stainless steel toe kick with water filter for 36" RF 491 freezer column		432	 RA 464 914

Model	Description	Dealer Cost	UMRP	MSRP
Ventilation grills (only available in stainless steel)				
RA464112	Stainless steel toe kick for 18" RF 411 with water filter		314	
RA464612	Stainless steel toe kick for 24" RF 461 with water filter		379	
RA464712	Stainless steel toe kick for 30" RF 471 with water filter		404	RA 464 _12
RA464912	Stainless steel toe kick with water filter for 36" RF 491 freezer column		432	
RA464613	Stainless steel toe kick for 24" RF 463 IWD with water filter, right-hinged		379	
RA464614	Stainless steel toe kick for 24" RF 463 IWD with water filter, left-hinged		379	
RA464710	Stainless steel toe kick for 30" RB 472 with water filter		404	RA 464 614
RA464910	Stainless steel toe kick for 36" RB 492 and RY 492 with filter.		432	
				RA 464 _10

Model	Description	Dealer Cost	UMRP	MSRP
Handles				
RA425110	Long stainless steel handle, length 44 ½" with 3 brackets, for use with all full refrigerator, freezer and wine columns, upper doors of 36" RB/RY units and 30" RB unit		196	
				 RA 425 110
RA425710	Short stainless steel handle, length 25 " with two brackets, for use with freezer drawer on 30" RB unit		196	
				 RA 425 710
RA425910	Short stainless steel handle, length 31 " with two brackets, for use with freezer drawer on 36" RB/RY units		196	
				 RA 425 910

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Installation accessories

RA460000	Side-by-side installation kit (for connecting any two columns), kit is included with all RF freezer and RW wine storage units		131	 RA 460
RA460012	Additional side heating element 110 V. Required if appliances are installed handle-to- hinge or hinge-to-hinge. Required if appliances are less than 6" (160 mm) apart but not side-by-side, or for non-traditional side-by-side combinations, without freezer or wine columns.		784	 RA 460
RA460020	Connecting kit for front panels for columns (if panel doesn't come in one piece)		196	 RA 460
RA460030	Connecting kit for front panels for bottom freezer (if panel doesn't come in one piece)		196	 RA 460
RA423140	Side trims for single door units, long. White powder coated metal.		143	 RA 423
RA423340	Side trims, 2 pieces, for RY and RB. fridge-freezer combinations White powder coated metal.		131	 RA 423

Optional freezer accessories

RA430100	Storage container with transparent lid anthracite For egg insert, please order part 11031964		90	 RA 430
RA448220	Ice bin, small for 90° door fixation		131	 RA 448

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit accessories

Door panels + handles

RA421116	Door panel set, stainless steel, for 18" wine storage units, LEFT hinge (incl. handle)		718	 RA 421
RA421117	Door panel set, stainless steel, for 18" wine storage units, RIGHT hinge (incl. handle)		718	 RA 421
RA421616	Door panel set, stainless steel, for 24" wine storage units, LEFT hinge (incl. handle)		784	 RA 421
RA421617	Door panel set, stainless steel, for 24" wine storage units, RIGHT hinge (incl. handle)		784	 RA 421

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit accessories

Door panels + handleless

[RA428116](#)

Stainless steel door panel, handleless
for 18" (45.7 cm) 18" RW 414 wine climate cabinet

731



RA 421

[RA428616](#)

Stainless steel door panel, handleless
for 24" (61 cm) 24" RW 466 wine climate cabinet

784



RA 421

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Wine storage unit accessories

Ventilation grills (only available in stainless steel)

RA464111	Stainless steel toe kick w/o water filter for 18" RW 414		314	 RA 464
RA464611	Stainless steel toe kick w/o water filter for 24" RC462 / RW 466		379	

Undercounter wine storage unit accessories


RA050220	Charcoal filter		156	 RA 050
--------------------------	-----------------	--	-----	---

Wine storage unit special installation and optional accessories

RA460000	Side-by-side installation kit (for connecting any two columns), kit included with all freezer and wine storage units		131	 RA 460
RA460012	Additional side heating element 110 V. Required if appliances are installed handle-to-hinge or hinge-to-hinge. Required if appliances are less than 6" (160 mm) apart but not side-by-side, or for non-traditional side-by-side combinations, without freezer or wine columns.		784	 RA 460
RA491161	Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite For 18" RW 414.		339	 RA 491
RA491661	Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite For 24" RW 466		392	 RA 491
RA492160	Removable shelf with oak wood frame Suitable for decanters and open bottles. For 18" RW 414		379	 RA 492

Model	Description	Dealer Cost	UMRP	MSRP
Wine storage unit special installation and optional accessories				
RA492660	Removable shelf with oak wood frame Suitable for decanters and open bottles. For 24" RW 466		404	
				RA 492
RA498140	Oak wood bottle support - 18" wine climate cabinet		90	
				RA 498
RA498640	Oak wood bottle support - 24" wine climate cabinet		118	
				RA 498
RA420010	Door lock kit for RW414/464		339	
				RA 492
RA430000	Screw hole cover set. 8 pieces. (When telescopic rails are removed)		40	
				RA 430
RA493060	Presenter in oak wood and aluminum in anthracite for single bottle display 1 piece.		78	
				RA 493

For water filter pricing and availability, please call 877-442-4436.



Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

400 series dishwashers

Fully integrated dishwasher	Flexible rack system with smooth running rails on all levels and a soft-closing system of the upper and lower racks	Very quiet: 42 dB
Push-to-open function for a seamless integration into handleless furniture fronts	TFT display for intuitive operation of all functions	Visual and acoustic end of program indicator
8 programs with Aqua sensor and 4 cycle options, such as Power, Intensive, Half Load and Extra Dry.	Back-light illumination for a perfectly bright interior	Aqua stop
Optimal drying with zeolite		ENERGY STAR® certified
		Home Connect™

[DF480763*](#) Fully integrated dishwasher, Euro Tub

Discontinues May 2021

[DF481763**](#) Fully integrated dishwasher, Tall Tub

Discontinues March 2021

4,195

4,195



DF 480/481

DF480700 **NEW** Fully integrated dishwasher, Euro Tub

Available June 2021

DF481700 **NEW** Fully integrated dishwasher, Tall Tub

Available April 2021

4,195

4,195



DF 480/481

Flexible hinge allows the dishwasher to sit comfortably with longer or thicker furniture fronts, narrow toe kicks (1 5/16") and allow for a nearly seamless integration when installed in an elevated position.

[DF480763F***](#) Fully integrated dishwasher with flexible hinge, Euro Tub

Discontinues March 2021

[DF481763F****](#) Fully integrated dishwasher with flexible hinge, Tall Tub

Discontinues March 2021

4,195

4,195



DF 480/DF 481

DF480700F **NEW** Fully integrated dishwasher with flexible hinge, Euro Tub

Available April 2021

DF481700F **NEW** Fully integrated dishwasher with flexible hinge, Tall Tub

Available April 2021

4,195

4,195



DF 480/DF 481

* Transitions to DF480700 June 2021

** Transitions to DF481700 April 2021

*** Transitions to DF480700F April 2021

**** Transitions to DF481700F April 2021

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

200 series dishwashers

Fully integrated dishwasher

6 programs with Aqua sensor and 2 cycle options including Power boost

3rd rack for cutlery and utensils.

Info-Light projects a red light onto the floor during the wash cycle

Height-adjustable upper rack

TFT display for intuitive operation of all functions.

Bright interior lighting.

Very quiet: 44 dB

24-hour electronic time delay

Condensation drying

Aqua sensor infrared water monitor

Aqua stop

ENERGY STAR® certified

Home Connect™.

[DF250762](#)*

Discontinues May 2021

Fully integrated dishwasher, Euro Tub.

2,623

[DF251762](#)**

Discontinues March 2021

Fully integrated dishwasher, Tall Tub.

2,623



DF 251/250

DF210700 **NEW**

Available June 2021

Fully integrated dishwasher, Euro Tub.

2,623



DF 210/211

DF211700 **NEW**

Available April 2021

Fully integrated dishwasher, Tall Tub.

2,623

* Transitions to DF210700 June 2021
 ** Transitions to DF211700 April 2021

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Dishwasher accessories

[DA231010](#) Stainless steel-backed full glass door for Euro tub dishwashers 889

[DA231110](#) Stainless steel-backed full glass door for Tall Tub dishwashers 889

Can be ordered for 200 and 400 series dishwashers. Not to be used for DF480/DF481(F) models.



DA 231

[GH045010](#) Stainless steel handle with two mounts 90



GH 045

[DA020010](#) Stainless steel designer trim kit for Euro tub dishwasher 156

[DA020110](#) Stainless steel designer trim kit for Tall Tub dishwasher 156



DA 020

[DA021000](#) Folding hinge for all dishwashers 261
Heavy duty door hinge can be ordered via part #12004115.




DA 021

DA041061 Addtl. flex plus drawer (3rd rack) 236




DA 041

DA045060 Optional 3rd rack for DF 211 (Tall Tub) Call for Pricing



DA 045

DA045061 Optional 3rd rack for DF481700 / DF481700F (Tall Tub) Call for Pricing



DA 045

[DA042030](#) Silver cutlery cassette 78



DA 042

Model	Description	Dealer Cost	UMRP	MSRP
-------	-------------	-------------	------	------

Dishwasher accessories

[DA043060](#) Long stemware basket for use with DF251 dishwasher. 156



DA 043

[DA043000](#) Additional holder for 4 long-stemmed wine glasses for the use in lower rack 53



DA 043

[GZ010011](#) Aqua stop extension 131



GZ 010

CÓDIGO	DESCRIPCIÓN	PRECIO
CM450712	400 Series 24" tanked fully automatic espresso machine, Left-hinged,Top control, Home Connetct	\$5,663
CM470712	400 Series 24" plumbed fully automatic espresso machine, Left-hinged,Top control, Home Connetct	\$6,577
CMP250712	200 Series 24" tanked fully automatic espresso machine, Left-hinged,Top control, Home Connetct	\$5,271
RF463706	24" Freezer column with IWD, right-hinged, Home Connect	\$12,935
BA016105	Pull-out drawer system for 24" oven BO 45.	\$522
BA018105	Pull-out drawer system for 30" ovens BO 48., BX 48.	\$653
CLS30040	Combi-seam oven descaling tablets, set of 4	\$131
AA401400	Air outlet cover for AR 401 remote blower, ss	\$106
AA413110	Addtl, activated charcoal filter for AA413722 recirculation kit, set of 2	\$261
AD280012	Duct cover wall hood	\$510
AD280016	Duct cover island hood	\$914
AD280022	Duct cover wall hood	\$653
AD280026	Duct cover island hood	\$1,175
AD280036	Duct cover island hood	\$1,436
AD280112	Duct cover wall hood	\$653
AD280122	Duct cover wall hood	\$758
AD280126	Duct cover island hood	\$1,436
AD280136	Duct cover island hood	\$1,828
AD754048	Transition box for 2x6" round ducts, to connect 2x VL 414 downdraft with 400 series recirculation blower	\$249
AI230700	40" island hood, double box design, standard duct cover included	\$4,035

17002490..... 2-7
17003108..... 2-7

A

AA010410..... 5-6, 7-4, 7-15
AA200110..... 7-9, 7-10
AA200812..... 7-9
AA200816..... 7-10
AA210110..... 7-11
AA210460..... 7-11
AA210490..... 7-11
AA210491..... 7-11
AA211812..... 7-11
AA409401..... 5-6, 7-4
AA409431..... 5-6, 7-4
AA410112..... 7-15
AA413111..... 7-15
AA413722... 5-8, 5-10, 5-15, 7-6,
7-8, 7-13, 7-14
AA414010..... 5-5, 5-10, 7-8
AA442110..... 7-2, 7-3
AA442810..... 7-2, 7-3
AA490711..... 5-9, 7-7
AD200322..... 7-9
AD200326..... 7-10
AD200392..... 7-9
AD220396..... 7-10
AD223346..... 7-10
AD223356..... 7-10
AD223366..... 7-10
AD410040..... 5-14, 7-12
AD413722... 5-8, 5-10, 5-15, 7-6,
7-8, 7-13, 7-14
AD442012..... 7-2
AD442016..... 7-3
AD442022..... 7-2
AD442026..... 7-3
AD442112..... 7-2
AD442116..... 7-3
AD442122..... 7-2
AD442126..... 7-3
AD442392..... 7-2
AD442396..... 7-3
AD702052 5-6, 5-9, 7-2, 7-3, 7-4,
7-7, 7-15
AD704040..... 5-6, 7-4
AD704048..... 5-6, 7-4, 7-15
AD704049..... 5-6, 7-4
AD724041..... 5-9, 7-7
AD724042..... 5-9, 7-7
AD751010..... 5-7, 7-5
AD754045..... 5-7, 7-5
AD850050..... 5-7, 7-5
AD851041..... 5-14, 7-12
AD854000... 5-7, 5-14, 7-5, 7-12
AD854010..... 5-14, 7-12
AD854030..... 5-14, 7-12
AD854031..... 5-7, 7-5
AD854032..... 5-7, 7-5
AD854040..... 7-15
AD854041... 5-7, 5-14, 7-5, 7-12
AD854043..... 5-7, 7-5
AD858010... 5-7, 5-15, 7-5, 7-13

AD990091..... 5-15, 7-13
AF210761 7-11
AF210791 7-11
AI230700..... 7-9
AI442720..... 7-1
AI442760..... 7-1
AL400721 5-6, 7-4
AL400791 5-6, 7-4
AR400742... 5-8, 5-10, 7-6, 7-8,
7-14
AR400743..... 7-14
AR401742... 5-8, 5-10, 7-6, 7-8,
7-14
AR410710... 5-8, 5-10, 5-15, 7-6,
7-8, 7-13, 7-14
AR413722... 5-8, 5-10, 5-15, 7-6,
7-8, 7-13, 7-14
AW230790..... 7-9
AW442720..... 7-1
AW442760..... 7-1

B

BA010301..... 2-7
BA016165..... 2-2, 3-2
BA018165..... 1-2, 2-3, 2-5
BA020360..... 2-7
BA020370..... 2-7
BA020380..... 2-7
BA020390..... 2-7
BA026115..... 2-2, 3-2
BA028115..... 1-2, 2-3, 2-5
BA036165..... 2-2, 3-2
BA038165..... 1-2, 2-3, 2-5
BA046115..... 2-2, 3-2
BA056115..... 2-2, 3-2
BA056133..... 2-2, 3-2
BA058115..... 1-2, 2-3, 2-5
BA058133..... 1-2, 2-3, 2-5
BA080670..... 2-10
BA080680..... 2-10
BA090100..... 1-2
BA226105..... 2-2, 3-2
BM450710..... 2-9
BM451710..... 2-9
BM484710..... 2-9
BM485710..... 2-9
BMP250710 3-3
BMP251710 3-3
BO450612..... 2-1
BO451612..... 2-1
BO480613..... 2-1
BO481613..... 2-1
BOP250612..... 3-1
BOP251612..... 3-1
BS020002 1-2, 2-2, 2-3, 2-5, 3-2
BS470612..... 2-6
BS471612..... 2-6
BS474612..... 2-6
BS475612..... 2-6
BS484612..... 2-6
BS485612..... 2-6
BX480612..... 2-4
BX481612..... 2-4

C

CA051300 6-4
CA060600 6-4
CA230100 6-4
CI282601 6-3
CI292601 6-2
CLS10040 2-7
CM450710..... 4-1
CM470711..... 4-1
CMP250711 3-4
CX482610..... 5-3, 6-2
CX492610..... 5-3, 6-2

D

DA020010..... 9-3
DA020110..... 9-3
DA021000..... 9-3
DA041061..... 9-3
DA042030..... 9-3
DA043000..... 9-4
DA043060..... 9-4
DA045060..... 9-3
DA045061..... 9-3
DA231010..... 9-3
DA231110..... 9-3
DF210700..... 9-2
DF211700..... 9-2
DF250762..... 9-2
DF251762..... 9-2
DF480700..... 9-1
DF480700F..... 9-1
DF480763..... 9-1
DF480763F..... 9-1
DF481700..... 9-1
DF481700F..... 9-1
DF481763..... 9-1
DF481763F..... 9-1
DV461710..... 2-10
DV463710..... 2-10

E

EB333611..... 1-1

G

GH045010..... 9-3
GN010330..... 2-7
GN114130..... 2-8
GN114230..... 2-8
GN124130..... 2-8
GN124230..... 2-8
GN232110..... 6-4
GN232230..... 6-4
GN340230..... 1-2, 2-2, 2-3, 2-5,
2-7, 3-2, 6-4
GP900001 6-4
GP900002 6-4
GP900003 6-4
GP900004 6-4
GZ010011 2-8, 9-4

L

LS041001 5-15, 7-13
LV030000..... 5-5, 5-13

M

MW420620..... 2-12

R

RA050220..... 8-16
RA420010..... 8-17
RA421115..... 8-7
RA421116..... 8-14
RA421117..... 8-14
RA421615..... 8-7
RA421616..... 8-14
RA421617..... 8-14
RA421713..... 8-7
RA421715..... 8-8
RA421913..... 8-8
RA421914..... 8-7
RA421915..... 8-8
RA422611..... 8-7
RA423140..... 8-13
RA423340..... 8-13
RA425110..... 8-12
RA425710..... 8-12
RA425910..... 8-12
RA428115..... 8-9
RA428116..... 8-15
RA428615..... 8-9
RA428616..... 8-15
RA428713..... 8-9
RA428715..... 8-10
RA428811..... 8-9
RA428913..... 8-10
RA428914..... 8-9
RA428915..... 8-10
RA430000..... 8-17
RA430100..... 8-13
RA448220..... 8-13
RA460000..... 8-13, 8-16
RA460012..... 8-13, 8-16
RA460020..... 8-13
RA460030..... 8-13
RA464111..... 8-11, 8-16
RA464113..... 8-11
RA464611..... 8-11, 8-16
RA464616..... 8-11
RA464617..... 8-11
RA464618..... 8-11
RA464711..... 8-11
RA464713..... 8-11
RA464714..... 8-11
RA464911..... 8-11
RA464913..... 8-11
RA464914..... 8-11
RA491161..... 8-16
RA491661..... 8-16
RA492160..... 8-16
RA492660..... 8-17
RA493060..... 8-17
RA498140..... 8-17

RA498640.....	8-17
RB280704.....	8-6
RB282705.....	8-6
RB472705.....	8-4
RB492705.....	8-4
RC462705.....	8-1
RC472705.....	8-1
RC492705.....	8-1
RF411705.....	8-2
RF461705.....	8-2
RF463707.....	8-2
RF471705.....	8-3
RF491705.....	8-3
RW404761.....	8-5
RW414765.....	8-5
RW466765.....	8-5
RY492705.....	8-4

V

VA420000.....	5-4, 5-9, 7-7
VA420010.....	5-4, 5-9, 7-7
VA440010.....	5-5
VA461000.....	5-5
VD200020.....	5-13
VG231220CA.....	5-11
VG232220CA.....	5-11
VG264220CA.....	5-11, 6-1
VG295150CA.....	5-11, 6-1
VG295250CA.....	5-11, 6-1
VG415211CA.....	5-1
VG425211CA.....	5-1
VG491211CA.....	5-3, 6-1
VI230620.....	5-12
VI263620.....	5-12, 6-3
VI414611.....	5-1
VI414613.....	5-1
VI422611.....	5-1
VI422613.....	5-1
VI492611.....	5-3, 6-2
VI492613.....	5-3, 6-2
VL200120.....	5-14, 7-12
VL414111.....	5-9, 7-7
VL414712.....	5-9, 7-7
VP230620.....	5-12
VP414611.....	5-2
VR230620.....	5-12
VR414611.....	5-2
VV200010.....	5-13
VV200020.....	5-13
VV401000.....	5-4

W

WP400001.....	5-5, 5-13, 6-1
WS461710.....	2-11, 4-1
WS463710.....	2-11, 4-1
WS482710.....	2-11
WSP221710.....	3-4
WZ400001.....	5-5



*Cañón Grande 7720,
Col. La Estanzuela
Monterrey, N.L. 64984*

T. (81) 8625 5000
info@artexa.com

**Artexa Experience
& Design Center Mexico City**

*Homero 1433 Mezzanine
Col. Polanco II Secc.,
Delegación Miguel Hidalgo,
Ciudad de México 11540
citas@artexa.com*