



CATÁLOGO 2025

COD-01052025






REFRIGERADORES

BERTAZZONI	Código	Descripción	Color
	REF36FDXNV	36" French door refrigerator - Freestanding - Stainless	Acero
	HK36MASFDX	Handles Kit Master Series 36" french door (901248)	Acero
	HK36PROFDX	Handles Kit Professional Series 36" french door (901249)	Acero
	HK36HERFDX	Handles Kit Heritage Series 36" french door (901250)	Acero
	DS2HERTSB	Black nickel decor set	Black nickel
	DS2HERTGO	Gold decor set	Gold
	DS2HERTPC	Copper decor set	Copper
*Jaladeras no incluidas. Debe cotizarse equipo + jaladeras.			
			
Especificaciones			
Size	36 in	Door storage	6 gallon sized bins
Volume	Ref 15.9 cu.ft / Frz 6.6 cu.ft	Ice maker	Automatic ice maker 3.08 lbs / 24h
Door finish	Stainless steel look	Settings	Super cool, Super freeze, Ice maker
User interface	Internal digital LED touch interface	Technical specifications	
Lighting	Top and sidewall LED lights		
Refrigerator shelves	1 fixed and 4 height-adjustable, of which 1 retractable	Electrical supply	115 V 60 HZ - 190 W - 2.5 Amp
Refrigerator crisper	1 large with preset temperature + 2 medium with adjustable humidity	Power connection	NEMA 5-15P with 67" power cord
Freezer compartment	2 drawers	Sound rating	45 dbA
		Water connection	1/4" waterline with shut-o° valve
		Water supply pressure	MIN 0.15 MPa (1.5 Bar, 21.32 PSI) MAX 0.83 MPa (8.3 Bar, 120.96 PSI)
		Certification	CEC,UL
		Warranty	2 years parts & labor
		Packaging dimensions	W 38 3/16" H 72 7/16" D 30 9/16"
		Weight	298.0 lbs



BERTAZZONI	Código	Descripción	Color
	REF36BMBZPNV	36 inch Bottom Mount Built-in Refrigerator Panel Ready with ice maker & internal water dispenser. Reversible door.	Acero
	PROHK36PI	Handle kit - Professional series for REF36BMBZPNV (cod. tecnico 901462)	
	MASHK36PI	Handle kit - Master series for REF36BMBZPNV (cod. tecnico 901463)	
	HERHK36P	Handle kit - Heritage series for REF36BMBZPNV (cod. tecnico 901509)	
	SP36BMX	Stainless steel door panels kit for REF36BMBZPNV (codigo tecnico 901609)	
	CTXV	Union Kit for 2 units of REF36BMBZPNV (codigo tecnico 901602)	
Especificaciones			
Size	36 in	Door storage	1 gallon sized + 2 height adjustable bins
Volume	Ref 14.2 cu.ft / Frz 5.6 cu.ft	Ice maker	Automatic ice maker 3.9 lbs / 24hrs
Door finish	Panel Ready	Settings	Super cool, Super freeze, Ice maker, Water filter replacement alarm. Water dispenser, Eco mode, vacation mode. Sabbath mode.
User interface	Internal digital LED touch interface		
Lighting	Top and sidewall LED lights		
Refrigerator shelves	1 stationary + 2 height-adjustable		
Refrigerator drawers	1 + 1 fresco drawer with separate temperature control	Technical specifications	
Freezer compartment	2 drawers	Electrical supply	115 V 60 HZ - 120 W - 3 Amp
		Power connection	NEMA 5-15P with 90" power cord
		Sound rating	43 dbA
		Water connection	1/4" waterline with shut-o" valve
		Water supply pressure	25-80 psi (1.7-5.5 bar)
		Certification	ADA Compliant,CB,CEC,ETL
		Warranty	2 years parts & labor
		Packaging dimensions	W 38 3/16" H 90 9/16" D 26 3/8"
		Weight	417.0 lbs



BERTAZZONI	Código	Descripción	Color
	REF24BMBPNB	24" Bottom Mount integrated panel ready sliding door	White
	Especificaciones		
	Worktop		Technical specifications
	Size	24 in	Voltage, Frequency, Amps 115 V 60 HZ - 85 W - 0.8 Amp
	Volume	Ref 6.2 cu.ft / Frz 2.4 cu.ft	Power Connection NEMA 5-15P with 41" power cord
	Finishing	White	Certification CEC / ETL
	Door finish	Panel ready	Energy star Yes
	Interface	Internal digital LED touch interface	Warranty 2 years parts & labor
	Lighting	LED on top	Packaging dimentiones and weight W 22 7/16" H 72 7/16" D 22 9/16" Weight 139.0lbs
	Refrigerator shelves	1 stationary + 3 height adjustable	
	Refrigerator drawers	1 + 1 fresco drawer with separate temperature and humidity control	
	Freezer compartment	3 drawers	
	Door storage	1 bin with lid - 2 height adjustable open bins	
	Settings	Super cool, Super freeze, Eco mode, Vacation mode	

SIDE

21 5/8"

19 1/2"

69 5/8"

FRONT

21 1/4"

69 5/8"

TOP

41 7/8"

41 5/8"

90°

180°





COLUMNAS DE REFRIGERADOR

BERTAZZONI	Código	Descripción	Color
	REF30RCBPNV	30" Refrigerator (Larder), reversible, panel ready	Acero
	Especificaciones		
	Size	30 in	Refrigerator drawers
	Cooling system	frost free	1 crisper + 3 Fresco drawers with separate temperature control
	User interface	LED touch control interface	Door storage
	Display functions	Door ajar alarm, Super Cool, Water filter replacement reminder, Water dispenser, Eco Mode, Vacation Mode, Sabbath Mode	1 height-adjustable gallon-sized bin + 2 stationary bins
	Lighting	LED side & top rail illumination	Water filter
	Door ajar alarm	yes	internal
	Door finishing	panel ready	Water supply pressure
	Cabinet finishing	stainless steel back wall	25 psi to 80 psi
	Refrigerator net capacity	16.7 cu.ft	Sound rating
	Refrigerator shelves	3 height-adjustable + 1 stationary	43 dbA
			Certification
			ADA Compliant, CEC, ETL
			DOE compliant
			yes
			Technical specifications
			Sound rating
			43
			Electrical supply
			115 V - 60 Hz - 112 W - 2 Amp
			Power connection
			NEMA 5-15P with 90" power cord
			Energy consumption
			325.0 kWh/yr

BERTAZZONI	Código	Descripción	Color
	REF24RCBPNV	24" Refrigerator (Larder), reversible, panel ready	Acero
	Especificaciones		
	Size	24 in	Refrigerator drawers
	Cooling system	frost free	1 crisper + 3 Fresco drawers with separate temperature control
	User interface	LED touch control interface	Door storage
	Display functions	Door ajar alarm, Super Cool, Water filter replacement reminder, Water dispenser, Eco Mode, Vacation Mode, Sabbath Mode	1 height-adjustable gallon-sized bin + 2 stationary bins
	Lighting	LED side & top rail illumination	Water filter
	Door ajar alarm	yes	internal
	Door finishing	panel ready	Water supply pressure
	Cabinet finishing	stainless steel back wall	25 psi to 80 psi
	Refrigerator net capacity	12.5 cu.ft	Sound rating
	Refrigerator shelves	3 height-adjustable + 1 stationary	41 dbA
			Certification
			ADA Compliant, CEC, ETL
			DOE compliant
			yes
			Technical specifications
			Sound rating
			41
			Electrical supply
			115 V - 60 Hz - 112 W - 2 Amp
			Power connection
			NEMA 5-15P with 90" power cord
			Energy consumption
			295.0 kWh/yr

COLUMNAS DE CONGELADOR


BERTAZZONI	Código	Descripción	Color
 	REF18FCBIPLV	18" Freezer, left hinge, panel ready	Acero
	Especificaciones		
Size	18 in	Freezer drawers	4
Cooling system	frost free	Automatic ice maker	yes
User interface	LED touch control interface	Ice production capacity	3.9 lbs/24hrs
Display functions	Door ajar alarm, Super Freeze, Ice maker, Water filter replacement reminder, Eco mode, Vacation mode, Sabbath mode	Water filter	internal
		Water supply pressure	25 psi to 80 psi
		Sound rating	43 dbA
		Certification	ADA Compliant, CEC, ETL
Lighting	LED lights on sides and top	DOE compliant	yes
Door ajar alarm	yes	Technical specifications	
Door finishing	panel ready		
Cabinet finishing	stainless steel back wall	Sound rating	43
Door storage	3 height-adjustable bins	Electrical supply	115 V - 60 Hz - 160 W - 2 Amp
Freezer net capacity	8.6 cu.ft ³	Power connection	NEMA 5-15P with 90" power cord
Freezer shelves	3 height-adjustable + 1 stationary	Energy consumption	452.0 kWh/yr

BERTAZZONI	Código	Descripción	Color
 	REF24FCBIPNV	24" Freezer, reversible, panel ready	Acero
	Especificaciones		
Size	24 in	Freezer drawers	4
Cooling system	frost free	Automatic ice maker	yes
User interface	LED touch control interface	Ice production capacity	3.9 lbs/24hrs
Display functions	Door ajar alarm, Super Freeze, Ice maker, Water filter replacement alarm, Eco mode, Vacation mode, Sabbath mode	Water filter	yes
		Water supply pressure	25 psi to 80 psi
		Sound rating	41 dbA
		Certification	ADA Compliant, CEC, ETL
Lighting	LED lights on sides and top	DOE compliant	yes
Door ajar alarm	yes	Technical specifications	
Door finishing	panel ready		
Cabinet finishing	stainless steel back wall	Sound rating	41
Freezer net capacity	12.4 cu.ft ³	Electrical supply	115 V - 60 Hz - 160 W - 2 Amp
Freezer shelves	3 height-adjustable + 1 stationary	Power connection	NEMA 5-15P with 90" power cord
		Energy consumption	511.0 kWh/yr

COLUMNAS DE CAVA DE VINOS

BERTAZZONI	Código	Descripción	Color
	REF18WCBPRV	18" Wine Cellar, right hinges, panel ready	Acero
	Especificaciones		
Size	18 in	Technical specifications	
Cooling system	Three temperature zones	Electrical supply	115 V - 60 Hz - 1.5 A
User interface	LED touch control interface	Power rating	150W
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode	Power connection	NEMA 5-15P with 90" power cord
		Energy consumption	226.0 kWh/yr
Lighting	LED lights interior illumination		
Door ajar alarm	yes		
Door finishing	panel ready		
Cabinet finishing	stainless steel back wall		
Wine racks	14 wooden shelves		
Bottle capacity	68 bottles		
Sound rating	41 dbA		
Certification	DOE Compliant, ETL		

BERTAZZONI	Código	Descripción	Color
	REF18WCBPLV	18" Wine Cellar, left hinges, panel ready	Acero
	Especificaciones		
Size	18 in	Technical specifications	
Cooling system	Three temperature zones	Electrical supply	115 V - 60 Hz - 1.5 A
User interface	LED touch control interface	Power rating	150W
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode	Power connection	NEMA 5-15P with 90" power cord
		Energy consumption	226.0 kWh/yr
Lighting	LED lights interior illumination		
Door ajar alarm	yes		
Door finishing	panel ready		
Cabinet finishing	stainless steel back wall		
Wine racks	14 wooden shelves		
Bottle capacity	68 bottles		
Sound rating	41 dbA		
Certification	DOE Compliant, ETL		

BERTAZZONI	Código	Descripción	Color
 	REF24WCBPNV	24" wine cellar, reversible, panel ready	Acero
	Especificaciones		
Size	24 in	Technical specifications	
Cooling system	Three temperature zones	Electrical supply	115 V - 60 Hz - 1.5 A
User interface	LED touch control interface	Power rating	150W
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode	Power connection	NEMA 5-15P with 90" power cord
		Energy consumption	252.0 kWh/yr
Lighting	LED lights interior illumination		
Door ajar alarm	yes		
Door finishing	panel ready		
Cabinet finishing	stainless steel back wall		
Wine racks	14 wooden shelves		
Bottle capacity	100 bottles		
Sound rating	41 dbA		
Certification	DOE Compliant, ETL		

ACCESORIOS

ACCESORIOS PARA REFRIGERADORES	
Código	Descripción
SP18CX	Steel panels for REF18FCBIP.V
SP30CX	Steel panels for REF30RCBPNV
SP24CX	Steel panels for columns RED24 (RC&FC)
MASHKCOL	Master Series handle kit for premium columns
PROHKCOL	Professional Series handle kit for premium columns
HERHKCOL	Heritage Series handle kit for premium columns
901667	Carbonio Panels for Column REF18FC
901665	Carbonio Panels for Column REF24RC/FC
901666	Carbonio Panels for Column REF30RC/FC
901664	Carbonio Panels for Column REF36RC
901669	Professional Titanium Handle for Columns


ACCESORIOS PARA CAVAS	
Código	Descripción
SP18WXV	Steel panels for REF18WCBPV
SP24WXV	Steel panels for REF24WCBPNV
901663	Carbonio Panels for Wine Column REF18W
901662	Carbonio Panels for Wine Column REF24W

ESTUFAS 36" MASTER SERIES

BERTAZZONI	Código	Descripción	Color
	MAS365GASXVLP	36" Master Series range - Gas oven - 5 aluminum burners (NG conversion kit included) LP	Acero
	MAS365GASNEV	36" Master Series Range - Gas oven - 5 aluminum burners	Negro
	MAS365GASBIV	36" Master Series Range - Gas oven - 5 aluminum burners	Blanco
Especificaciones			
Worktop		Oven Cavity	
Size	36 in	Oven configuration	single
Cooking zones	5	Oven fuel	gas
Gas zones	5	Oven type	fan assisted gas
Worktop type	gas	Oven broiler type	gas
Worktop design	stainless steel squared	Cooking modes	bake / broiler / convection bake
Worktop controls	Knobs	Oven volume	5.9 ft ³
Knobs	solid metal	Oven convection system	dual horizontal fans
Burner type	aluminium	Oven controls	knobs / thermometer
Grates	cast iron	Inner oven door	triple
Continuous grating	yes	Removable inner glass	yes
Thermocouple safety device	yes	Cooling fan	yes
One-hand ignition	yes	Oven levels	7
Backguard	yes	Door hinge	soft-motion
Wok ring	yes	Wire-shelves	2 standard with handle
Simmer ring	yes	Tray	1 baking tray with grill trivet
Cookinf zones		Grill trivet for tray	
Power burners	1300 BTU/h - 19 000 BTU/h (1)	Oven lights	double lateral
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Bottom	
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Legs	stainless steel
Simmer burner	750 BTU/h - 3500 BTU/h (1)	Technical specifications	
		Absorbed current (A)	2.5 A with dedicated circuit
		Electrical supply	110V 60 Hz - 300W



ESTUFAS 36" PROFESSIONAL SERIES


BERTAZZONI	Código	Descripción	Color	
	PRO366BCFGMXT	36" Professional Series range - Gas oven - 6 brass burners	Acero	
	PRO366BCFGMNET	36" Professional Series range - Gas oven - 6 brass burners	Negro	
	PRO366BCFGMBIT	36" Professional Series range - Gas oven - 6 brass burners	Blanco	
	PRO366BCFGMGIT	36" Professional Series range - Gas oven - 6 brass burners	Amarillo	
	PRO366BCFGMART	36" Professional Series range - Gas oven - 6 brass burners	Naranja	
	PRO366BCFGMROT	36" Professional Series range - Gas oven - 6 brass burners	Rojo	
	PRO366BCFGMXTLP	36" Professional Series range - Gas oven - 6 brass burners LP Version		
	Especificaciones			
	Worktop		Oven Cavity	
	Size	36 in	Oven configuration	single
	Cooking zones	6	Oven fuel	gas
	Gas zones	6 Burners	Oven type	fan assisted gas
	Worktop type	gas	Oven broiler type	gas
Worktop design	stainless steel squared	Oven functions	bake / broiler / convection bake	
Knobs	metal coated	Oven volume	5.9 ft³	
Burner type	brass	Oven convection system	dual horizontal fans	
Grates	cast iron	Inner oven door	triple	
Continuous grating	yes	Removable inner glass	yes	
Thermocouple safety device	yes	Cooling fan	yes	
One-hand ignition	yes	Oven levels	7	
Backguard	yes	Door hinge	soft-close	
Wok ring	yes	Sliding shelves	2 sets of telescopic glides	
Simmer ring	yes	Wire-shelves	2 heavy duty	
Cast iron griddle	yes	Tray	1 baking tray with grill trivet	
		Grill trivet for tray	yes	
		Oven lights	double lateral	
Cookinf zones		Bottom		
Power burners	1300 BTU/h - 19 000 BTU/h (2)	Legs	stainless steel	
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Technical specifications		
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Absorbed current (A)	2.5 A with dedicated circuit	
Simmer burner	900 BTU/h - 3500 BTU/h (1)	Electrical supply	110V 60 Hz - 300W	
				
				

ESTUFAS 48" MASTER SERIES


BERTAZZONI	Código	Descripción	Color
	MAS486GGASXVLP	48" Master Series range - Gas Oven - 6 aluminum (NG conversion kit included)	Acero Version LP
	MAS486GGASNEV	48" Master Series range - Gas Oven - 6 aluminum burners + griddle	Negro
	MAS486GGASBIV	48" Master Series range - Gas Oven - 6 aluminum	Blanco
Especificaciones			
Worktop		Oven Cavity	
Size	48 in	Oven configuration	double
Cooking zones	7	Oven fuel	gas
Gas zones	6 Burners	Oven convection system	dual horizontal fans
Griddle zones	electric	Main oven type	fan assisted gas
Worktop type	electric / gas	Main oven broiler type	gas
Worktop design	stainless steel squared	Main oven functions	bake / broiler / convection bake
Worktop controls	Knobs	Main oven volume	4.7 ft ³
Knobs	solid metal	Auxiliary oven type	gas conventional
Burner type	aluminium	Auxiliary oven functions	bake
Grates	cast iron	Auxiliary oven volume	2.4 ft ³
Continuous grating	yes	Oven control	knobs / thermometer
Thermocouple safety device	yes	Inner oven door	triple
One-hand ignition	yes	Removable inner glass	yes
Backguard	yes	Cooling fan	yes
Simmer ring	yes	Oven levels	7
Cookinf zones		Door hinge	soft-motion
Power burners	1300 BTU/h - 19 000 BTU/h (2)	Wire-shelves	2 each cavity
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Tray	1 baking tray with grill trivet
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Grill trivet for tray	yes
Simmer burner	750 BTU/h - 3500 BTU/h (1)	Oven lights	double lateral
Griddle power	1100 W	Bottom	
		Legs	stainless steel
Technical specifications			
		Absorbed current (A)	10 A with dedicated circuit
		Electrical supply	110V 60 Hz - 1200W



ESTUFAS 48" PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Color
	PRO486BTFGMXT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Acero
	PRO486BTFGMNET	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Negro
	PRO486BTFGMBIT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Blanco
	PRO486BTFGMGIT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Amarillo
	PRO486BTFGMART	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Naranja
	PRO486BTFGMROT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Rojo
	PRO486BTFGMXLTP	48" Professional Series range - Gas Oven - 6 brass burners + griddle LP Version	
  	Especificaciones		
Worktop		Oven Cavity	
Size	48 in	Oven configuration	double
Cooking zones	7	Oven fuel	gas
Gas zones	6 Burners	Oven type	gas conventional
Griddle zones	electric	Oven convection system	dual horizontal fans
Worktop type	electric / gas	Main oven type	fan assisted gas
Worktop design	stainless steel squared	Main oven broiler type	gas
Worktop controls	knobs	Main oven functions	bake / broiler / convection bake / defrosting
Knobs	metal coated	Main oven volume	4.7 ft ³
Burner type	brass	Auxiliary oven type	gas conventional
Grates	cast iron	Auxiliary oven broiler type	gas
Continuous grating	yes	Auxiliary oven functions	bake
Thermocouple safety device	yes	Auxiliary oven volume	2.4 ft ³
One-hand ignition	yes	Oven controls	knobs / thermometer
Backguard	yes	Inner oven door	triple
Wok ring	yes	Removable inner glass	yes
Simmer ring	yes	Cooling fan	yes
Cooking zones		Oven levels	7
Power burners	1300 BTU/h - 19 000 BTU/h (2)	Food probe	yes
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Door hinge	soft-close
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Sliding shelves	2 sets of telescopic glides
Simmer burner	750 BTU/h - 3500 BTU/h (1)	Wire-shelves	2 each cavity
Griddle power	1100 W	Tray	1 baking tray with grill trivet
Griddle dual control	yes	Grill trivet for tray	yes
Griddle drip tray	yes	Oven lights	double lateral
		Bottom	
		Legs	stainless steel
		Technical specifications	
		Absorbed current (A)	10 A with dedicated circuit
		Electrical supply	110 V 60 Hz - 1200W



ESTUFAS SERIE HERITAGE 36"

BERTAZZONI	Código	Descripción	Color
	HER366BCFGMNET	36" Heritage Series range - Gas Oven - 6 brass burners	Negro
	HER366BCFGMXT	36" Heritage Series range - Gas Oven - 6 brass burners	Acero
	HER366BCFGMAVT	36" Heritage Series range - Gas Oven - 6 brass burners	Crema
			
			
			


Especificaciones			
Worktop		Oven Cavity	
Size	36 in	Oven configuration	single
Cooking zones	6	Oven fuel	gas
Gas zones	6 Burners	Oven type	fan assisted gas
Worktop type	gas	Oven broiler type	gas
Worktop design	stainless steel squared	Cooking modes	bake/broil/convection bake
Worktop controls	knobs	Oven volume	5.9 ft³
Knobs	solid metal	Oven convection system	dual horizontal fans
Burner type	brass	Oven controls	knobs/thermometer
Grates	cast iron	Inner oven door	triple
Continuous grating	yes	Removable inner glass	yes
Thermocouple safety device	yes	Cooling fan	yes
One-hand ignition	yes	Oven levels	7
Backguard	yes	Food probe	yes
Work adapter	yes	Door hinges	soft-close
Wok ring	yes	Sliding shelves	2 set of telescopic glides
Simmer ring	yes	Wire-shelves	2 heavy duty
Cast iron griddle	yes	Tray	1 baking tray with grill trivet
		Grill trivet for tray	yes
		Oven lights	double lateral
Cookinf zones			
Power Burners	1300 BTU/h - 19 000 BTU/h (2)		
Rapid Burner	2500 BTU/h - 10 400 BTU/h (1)		
Medium Burner	1500 BTU/h - 5900 BTU/h (2)		
Simmer Burner	750 BTU/h - 3500 BTU/h (1)		
Technical specifications			
Absorbed current (A)	2.5 A with dedicated circuit		
Electrical supply	110V 60 Hz - 300W		

Bottom	
Legs	stainless steel





CAMPANAS SERIE HERITAGE 36"



BERTAZZONI	Código	Descripción	Color
	KC36HERTX	36" Canopy Hood Stainless	Acero
	KC36HERTAV	36" Canopy Hood Ivory	Crema mate
	KC36HERTNE	36" Canopy Hood Nero	Negro

Especificaciones			
Worktop		Lights	2 LED
Size	36 in	Hood finishing	stainless steel and matt or glossy color
Hood		Sound rating	1.3 - 8.6 Sones
Hood type	wallmount	Max extraction power	600 CFM
Hood control	electronic with buttons	Technical specifications	
Duct cover	included		
Motor	1		
Speed	3		
Filters type	base stainless steel	Electrical supply	120 V - 60 Hz - 3.30 A
		Power rating	400 W


Motor para campana HERITAGE 36"

K36HERTX Motor 600 CFMS

***Se debe cotizar Campana más Motor.**



ESTUFAS SERIE HERITAGE 48"

BERTAZZONI	Código	Descripción	Color
	HER486BTFGMNET	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Negro
	HER486BTFGMXT	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Acero
	HER486BTFGMAVT	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Crema
Especificaciones			
Worktop		Oven Cavity	
Size	48 in	Oven configuration	double
Cooking zones	7	Oven fuel	gas
Gas zones	6 Burners	Oven type	gas conventional
Griddle zones	electric	Oven convection system	dual horizontal fans
Worktop type	electric / gas	Main oven type	fan assisted gas
Worktop design	stainless steel squared	Main oven broiler type	gas
Worktop controls	knobs	Main oven functions	bake/broiler/convection bake/defrosting
Knobs	solid metal	Main oven volume	4.7 ft³
Burner type	brass	Auxiliary oven type	gas conventional
Grates	cast iron	Auxiliary oven broiler type	gas
Continuous grating	yes	Auxiliary oven functions	bake
Thermocouple safety device	yes	Auxiliary oven volume	2.4 ft³
One-hand ignition	yes	Oven controls	knobs/thermometer
Backguard	yes	Inner oven door	triple
Wok ring	yes	Removable inner glass	yes
Simmer ring	yes	Cooling fan	yes
Cookinf zones		Oven levels	7
Power burners	1300 BTU/h - 19 000 BTU/h (2)	Food probe	yes
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	Door hinges	soft-close
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Sliding shelves	2 sets of telescopic glides
Simmer burner	750 BTU/h - 3500 BTU/h (1)	Wire-shelves	2 each cavity
Griddle power	1100 W	Tray	1 baking tray with grill trivet
Griddle dual control	yes	Grill trivet for tray	yes
Griddle drip tray	yes	Oven lights	double lateral
Technical specifications		Bottom	
Absorbed current (A)	10 A with dedicated circuit	Legs	stainless steel
Electrical supply	110V 60 Hz - 1200W		
			

CAMPANAS SERIE HERITAGE 48"

BERTAZZONI	Código	Descripción	Color
 	KC48HERTX	48" Canopy Hood Stainless	Acero
	KC48HERTAV	48" Canopy Hood Ivory	Crema mate
	KC48HERTNE	48" Canopy Hood Nero	Negro mate
	Especificaciones		
Worktop		Lights	2 LED
Size	48 in	Hood finishing	stainless steel and matt or glossy color
Hood		Sound rating	1.3 - 8.6 Sones
Hood type	wallmount	Max extraction power	600 CFM
Hood control	electronic with buttons	Technical specifications	
Duct cover	included	Electrical supply	120 V - 60 Hz - 3.30 A
Motor	1	Power rating	400 W
Speed	3	Motor para campana HERITAGE 48"	
Filters type	ba°e stainless steel	K48HERTX Motor 600 CFMS	
*Se debe de cotizar campana + motor.			



ACCESORIOS OPCIONALES ESTUFAS

Código	Descripción
901309	Satinless Steel Grid SG36X (Works for rangetops and DB an QB Cooktops)
901472	Satinless Steel Grid CIG36 (Works for all ranges)

DECOR SET PARA CAMPANA Y ESTUFA HERITAGE 36" - 48"

Código	Descripción
DSHERTKHGO	Decor Set 1- Range & Hood Kit : Gold Finish
DSHERTKHPC	Decor Set 1- Range & Hood Kit : Polished Copper Finish
DSHERTKHSB	Decor Set 1- Range & Hood Kit : Matt Satin Black Finish



DECOR SET PARA ESTUFAS MASTER 36" - 48"

Código	Descripción
DSMASGKSG	10 x knobs in Gold
DSMASGKSB	10 x knobs in Black Nickel
DSMASHSG	2 x handle finials in Gold
DSMASHSB	2 x handle finials in nickel



PARRILLAS DE INDUCCIÓN PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción
	P365IAE	36" - 5 Induction Zones Cooktop Professional Series
	Especificaciones	
	Worktop	Cooking zones
	Size	36 in
	Cooking zones	5
	Induction zones	5
	Worktop type	induction
	Worktop design	ceramic glass bevelled
	Worktop controls	touch controls
	Cooking zones	
	Induction 2 bridge zones	yes
	Induction front left	(≈8 3/4 in) 2 100 W - 3 700 W
	Induction back left	(≈8 3/4 in) 2 100 W - 3 700 W
	Induction center	(≈12 in) 2 600 W - 5 500 W
	Induction front right	(≈8 3/4 in) 2 100 W - 3 700 W
	Induction back right	(≈8 3/4 in) 2 100 W - 3 700 W
	Technical speciycations	
	Electrical supply	208/240 V - 50/60 Hz - 48 A
	Power rating	11 100 W


BERTAZZONI	Código	Descripción
	P304IAE	30" - 4 Induction Zones Cooktop Professional Series
	Especificaciones	
	Worktop	Cooking zones
	Size	30 in
	Cooking zones	4
	Induction zones	4
	Worktop type	induction
	Worktop design	ceramic glass bevelled
	Worktop controls	touch controls
	Cooking zones	
	Induction front left	(≈8 3/4 in) 2 100 W - 3 700 W
	Induction back left	(≈8 3/4 in) 2 100 W - 3 700 W
	Induction front right	(≈9 1/4 in) 2 100 W - 3 700 W
	Induction back right	(≈11 1/4 in) 2 600 W - 3 700 W
	Technical speciycations	
	Electrical supply	208/240 V - 50/60 Hz - 32 A
	Power rating	7400 W





PARRILLAS ENCIMERAS DE GAS BERTAZZONI


BERTAZZONI	Código	Descripción	Color	
	P905CPROX	90cm Gas on steel Cooktop, 5 Brass Burners	Acero	
	Especificaciones			
	Worktop		Cooking zones	
	Size	90 cm	Front right	1 auxiliary 0.48 kW - 1.00 kW
	Worktop surface	stainless steel	Back right	1 rapid 1.05 kW - 3.00 kW
	Layout	5 burners	Center	1 wok dual 0.48 kW - 5.00 kW
	Worktop controls	knobs	Front left	1 semi-rapid 0.60 kW - 1.75 kW
	Knobs	metal	Back left	1 semi-rapid 0.60 kW - 1.75 kW
	Pan supports	cast iron	Technical specifications	
	Burner type	brass	Electrical requirements	220/240, 50/60 Hz, 1A, 1W
	Work burner	5 kW dual		
	Flame failure device	-		
	One-hand ignition	-		
	Standard accessories	-		

PARRILLAS DE GAS


BERTAZZONI	Código	Descripción	Color	
 TOP VIEW  FRONT VIEW 	PROF486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Profesional Series	Acero	
	Especificaciones			
	Worktop		Cooking zones	7
	Size	48 in	Griddle zones	electric
	Maintop	6 burners + stainless steel griddle with cover	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel squared
	Ignition system	Electric with thermocouple safety device	Knobs	solid metal
			Burner type	brass
	Technical specifications		Electrical requirements	120 V - 60 Hz - 10 A
	Grates	Cast iron	Power rating	1100 W


BERTAZZONI	Código	Descripción	Color
 	MAST486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Master Series	Acero
	Especificaciones		
	Worktop		Cooking zones7
	Size	48 in	Griddle zoneselectric
	Maintop	6 burners + stainless steel griddle with cover	Worktop typeelectric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desingstainless steel squared
		Ignition system	Electric with thermocouple safety device
	Burner typebrass		
	Technical specifications		
	Grates	Cast iron	Electrical requirements120 V - 60 Hz - 10 A
Power rating1100 W			

BERTAZZONI	Código	Descripción	Color	
	PROF366RTBXT	36" Rangetop 6 Brass Burners Profesional Series	Acero	
	Especificaciones			
	Worktop		Cooking zones	6
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
			Knobs	solid metal
			Burner type	brass
	Ignition system	Electric with thermocouple safety device	Technical specifications	
	Grates	Cast iron	Electrical requirements	120 V - 60 Hz - 1 A
Power rating			1 W	

BERTAZZONI	Código	Descripción	Color	
	MAST366RTBXT	36" Rangetop 6 Brass Burners Master Series	Acero	
	Especificaciones			
	Worktop		Cooking zones	6
	Size	36 in	Griddle zones	electric
	Maintop	6 burner	Worktop type	electric/gas
	Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
			Knobs	solid metal
			Burner type	brass
	Ignition system	Electric with thermocouple safety device	Technical specifications	
	Grates	Cast iron	Electrical requirements	120 V - 60 Hz - 1 A
Power rating			0.01 W	









Bertazzoni	Código	Descripción	Color
 	MAST366QBXT	36" Built-in cooktop master series	Acero
	Especificaciones		
	Worktop		Cooking zones 6
	Size	36 in	Griddle zones electric
	Maintop	6 burner	Worktop type electric/gas
	Burner power	1 power burners 17000 BTU 1 rapid burner 10400 BTU 3 medium burners 6000 BTU 1 simmer burner 3750 BTU	Worktop desing stainless steel
	Ignition system	Electric with thermocouple safety device	Knobs solid metal
	Grates	Cast iron	Burner type brass
	Technical specifications		
		Electrical requirements	120 V - 60 Hz - 1 A
		Power rating	1 W


Bertazzoni	Código	Descripción	Color
 	PROF366QBXT	36" Built-in cooktop profesional series	Acero
	Especificaciones		
	Worktop		Cooking zones 6
	Size	36 in	Griddle zones electric
	Maintop	6 burner	Worktop type electric/gas
	Burner power	1 power burners 17000 BTU 1 rapid burner 10400 BTU 3 medium burners 6000 BTU 1 simmer burner 3750 BTU	Worktop desing stainless steel
	Ignition system	Electric with thermocouple safety device	Knobs solid metal
	Grates	Cast iron	Burner type brass
	Technical specifications		
		Electrical requirements	120 V - 60 Hz - 1 A
		Power rating	0.01 W





HORNOS CONVECCIÓN 30"


BERTAZZONI	Código	Descripción	Color
   	PROF30FSEXT	30" Single Convection Oven Top Version Profesional Series	Acero
	Especificaciones		
Worktop		Cavity finishing	pyrolytic grey enamel
Size	30 in	Oven handle	metal
Oven configuration	single	Cooling fan	yes
Oven fuel	electric	Oven levels	7
Oven type	self-clean	Timer	touch digital programmer
Oven broiler type	electric	Auto cooking modes	33 preset / with assistant
Oven functions	bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Door hinge	soft-motion
Overall volume	4.10 ft ³	Sliding shelves	1 full extension
Oven convection system	dual diagonal with heating element	Wire-shelves	2 heavy gauge chromed
Oven controls	knobs / touch LCD hi res display	Tray	1 enamelled
Inner oven door	quadruple	Grill trivet for tray	yes
Removable inner glass	yes	Oven lights	double
		Technical specifications	
		Electrical requirements	120/240 Vac - 60 Hz - 30 A
		Power rating	5400 W



BERTAZZONI	Código	Descripción	Color
   	MAST30FSEXT	30" Single Convection Oven Top Version Master Series	Acero
	Especificaciones		
Worktop		Oven handle	metal
Size	30 in	Cooling fan	yes
Oven configuration	single	Oven levels	7
Oven fuel	electric	Timer	touch digital programmer
Oven type	self-clean	Door hinge	soft-close
Oven broiler type	electric	Wire-shelves	2 heavy gauge chromed
Oven functions	bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Tray	1 enamelled
Overall volume	4.10 ft ³	Grill trivet for tray	yes
Oven convection system	dual diagonal with heating element	Oven lights	single
Oven controls	knobs / touch LED display	Technical specifications	
Inner oven door	quadruple	Electrical requirements	120/240 V - 60 Hz - 30 A
Removable inner glass	yes	Power rating	5400 W
Cavity finishing	pyrolytic grey enamel		



BERTAZZONI	Código	Descripción	Color
 	PROF30FSEXV	30" Single Convection Oven Value Version Profesional Series	Acero
	Especificaciones		
Worktop		Oven handle	metal
Size	30 in	Cooling fan	yes
Oven configuration	single	Oven levels	7
Oven fuel	electric	Timer	touch digital programmer
Oven type	self-clean	Door hinge	soft-motion
Oven broiler type	electric	Wire-shelves	1 flat / 1 shaped
Oven functions	bake / broil / convection / convection bake / convection broil / defrosting / dehydrate / proofing / pyrolytic self clean / pizza / sabbath mode / warming	Tray	1 baking tray whit roasting trivet
Overall volume	4.10 ft ³	Grill trivet for tray	yes
		Oven lights	single
Oven convection system	dual diagonal with heating element	Technical specifications	
Oven controls	knobs / touch LED display	Electrical requirements	120/240 V - 60 Hz - 30 A
Inner oven door	quadruple	Power rating	5400 W
Removable inner glass	yes		
Cavity finishing	pyrolityc grey enamel		

BERTAZZONI	Código	Descripción	Color
 	MAST30FSEXV	30" Single Convection Oven Value Version Master Series	Acero
	Especificaciones		
Worktop		Oven handle	metal
Size	30 in	Cooling fan	yes
Oven configuration	single	Oven levels	7
Oven fuel	electric	Timer	touch digital programmer
Oven type	self-clean	Door hinge	soft-motion
Oven broiler type	electric	Wire-shelves	2 heavy gauge chromed
Oven functions	bake / broil / convection / convection bake / convection broil / pizza / defrost / dehydrate / fast preheat / keep warm / light / proof / self clean / timer	Tray	1 enamelled
Overall volume	4.10 ft ³	Grill trivet for tray	yes
		Oven lights	single
Oven convection system	dual diagonal with heating element	Technical specifications	
Oven controls	knobs / touch LED display	Electrical requirements	120/240 V - 60 Hz - 30 A
Inner oven door	quadruple	Power rating	5400 W
Removable inner glass	yes		
Cavity finishing	pyrolityc grey enamel		


BERTAZZONI	Código	Descripción	Color																																																															
 	PROF30SOEX	30" Convection Speed Oven Profesional Series	Acero																																																															
	Especificaciones <table> <tr> <th>Worktop</th><th></th><th></th><th></th></tr> <tr> <td>Size</td><td>30 in</td><td>Oven handle</td><td>metal</td></tr> <tr> <td>Oven configuration</td><td>single</td><td>Microwave power</td><td>200 / 400 / 600 / 800 / 1000</td></tr> <tr> <td>Oven fuel</td><td>electric</td><td>Oven levels</td><td>2</td></tr> <tr> <td>Oven type</td><td>self-clean</td><td>Timer</td><td>yes</td></tr> <tr> <td>Oven broiler type</td><td>electric</td><td>Door hinge</td><td>soft-motion</td></tr> <tr> <td>Oven functions</td><td>broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer</td><td>Wire-shelves</td><td>1 flat / 1 shaped</td></tr> <tr> <td></td><td></td><td>Tray</td><td>1 glass</td></tr> <tr> <td></td><td></td><td>Grill trivet for tray</td><td>yes</td></tr> <tr> <td></td><td></td><td>Oven lights</td><td>single</td></tr> <tr> <td>Overall volume</td><td>1.34 ft³</td><td colspan="2">Technical specifications</td></tr> <tr> <td>Oven convection system</td><td>single whit ring heating element</td><td>Electrical requirements</td><td>120/240 V - 60 Hz - 16 A</td></tr> <tr> <td>Oven controls</td><td>touch LED display</td><td>Power rating</td><td>1500 W</td></tr> <tr> <td>Inner oven door</td><td>double</td><td></td><td></td></tr> <tr> <td>Removable inner glass</td><td>yes</td><td></td><td></td></tr> <tr> <td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr> </table>			Worktop				Size	30 in	Oven handle	metal	Oven configuration	single	Microwave power	200 / 400 / 600 / 800 / 1000	Oven fuel	electric	Oven levels	2	Oven type	self-clean	Timer	yes	Oven broiler type	electric	Door hinge	soft-motion	Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Wire-shelves	1 flat / 1 shaped			Tray	1 glass			Grill trivet for tray	yes			Oven lights	single	Overall volume	1.34 ft ³	Technical specifications		Oven convection system	single whit ring heating element	Electrical requirements	120/240 V - 60 Hz - 16 A	Oven controls	touch LED display	Power rating	1500 W	Inner oven door	double			Removable inner glass	yes			Cavity finishing	stainless steel	
Worktop																																																																		
Size	30 in	Oven handle	metal																																																															
Oven configuration	single	Microwave power	200 / 400 / 600 / 800 / 1000																																																															
Oven fuel	electric	Oven levels	2																																																															
Oven type	self-clean	Timer	yes																																																															
Oven broiler type	electric	Door hinge	soft-motion																																																															
Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Wire-shelves	1 flat / 1 shaped																																																															
		Tray	1 glass																																																															
		Grill trivet for tray	yes																																																															
		Oven lights	single																																																															
Overall volume	1.34 ft ³	Technical specifications																																																																
Oven convection system	single whit ring heating element	Electrical requirements	120/240 V - 60 Hz - 16 A																																																															
Oven controls	touch LED display	Power rating	1500 W																																																															
Inner oven door	double																																																																	
Removable inner glass	yes																																																																	
Cavity finishing	stainless steel																																																																	

BERTAZZONI	Código	Descripción	Color																																																															
 	MAST30SOEX	30" Convection Speed Oven Master Series	Acero																																																															
	Especificaciones <table> <tr> <th>Worktop</th><th></th><th></th><th></th></tr> <tr> <td>Size</td><td>30 in</td><td>Oven handle</td><td>metal</td></tr> <tr> <td>Oven configuration</td><td>single</td><td>Microwave power</td><td>200 / 400 / 600 / 800 / 1000</td></tr> <tr> <td>Oven fuel</td><td>electric</td><td>Oven levels</td><td>2</td></tr> <tr> <td>Oven type</td><td>self-clean</td><td>Timer</td><td>yes</td></tr> <tr> <td>Oven broiler type</td><td>electric</td><td>Door hinge</td><td>soft-motion</td></tr> <tr> <td>Oven functions</td><td>broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer</td><td>Wire-shelves</td><td>1 flat / 1 shaped</td></tr> <tr> <td></td><td></td><td>Tray</td><td>1 glass</td></tr> <tr> <td></td><td></td><td>Grill trivet for tray</td><td>yes</td></tr> <tr> <td></td><td></td><td>Oven lights</td><td>single</td></tr> <tr> <td>Overall volume</td><td>1.34 ft³</td><td colspan="2">Technical specifications</td></tr> <tr> <td>Oven convection system</td><td>single whit ring heating element</td><td>Electrical requirements</td><td>120/240 V - 60 Hz - 30 A</td></tr> <tr> <td>Oven controls</td><td>touch LED display</td><td>Power rating</td><td>1500 W</td></tr> <tr> <td>Inner oven door</td><td>double</td><td></td><td></td></tr> <tr> <td>Removable inner glass</td><td>yes</td><td></td><td></td></tr> <tr> <td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr> </table>			Worktop				Size	30 in	Oven handle	metal	Oven configuration	single	Microwave power	200 / 400 / 600 / 800 / 1000	Oven fuel	electric	Oven levels	2	Oven type	self-clean	Timer	yes	Oven broiler type	electric	Door hinge	soft-motion	Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Wire-shelves	1 flat / 1 shaped			Tray	1 glass			Grill trivet for tray	yes			Oven lights	single	Overall volume	1.34 ft ³	Technical specifications		Oven convection system	single whit ring heating element	Electrical requirements	120/240 V - 60 Hz - 30 A	Oven controls	touch LED display	Power rating	1500 W	Inner oven door	double			Removable inner glass	yes			Cavity finishing	stainless steel	
Worktop																																																																		
Size	30 in	Oven handle	metal																																																															
Oven configuration	single	Microwave power	200 / 400 / 600 / 800 / 1000																																																															
Oven fuel	electric	Oven levels	2																																																															
Oven type	self-clean	Timer	yes																																																															
Oven broiler type	electric	Door hinge	soft-motion																																																															
Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Wire-shelves	1 flat / 1 shaped																																																															
		Tray	1 glass																																																															
		Grill trivet for tray	yes																																																															
		Oven lights	single																																																															
Overall volume	1.34 ft ³	Technical specifications																																																																
Oven convection system	single whit ring heating element	Electrical requirements	120/240 V - 60 Hz - 30 A																																																															
Oven controls	touch LED display	Power rating	1500 W																																																															
Inner oven door	double																																																																	
Removable inner glass	yes																																																																	
Cavity finishing	stainless steel																																																																	


BERTAZZONI	Código	Descripción	Color
  	PROF30CSEX	30" Convection Steam Oven Profesional Series	Acero
	Especificaciones		
	Worktop		Oven handle metal
	Size	30 in	Shelf levels 2
	Oven configuration	single	Door hinges soft-motion
	Oven fuel	electric	Removable water tank 33.8 fl.oz
	Oven type	combination electric	
	Oven broiler type	convection and steam	
	Oven functions	electric	
		broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting	
	Overall volume	1.34 ft ³	
	Oven convection system	1 fan	
	Oven controls	touch LED display	
	Inner oven door	double	
	Removable inner glass	yes	
	Cavity finishing	stainless steel	
	Technical specifications		
	Electrical requirements	240 V - 60 Hz - 16 A	
	Power rating	3200 W	

BERTAZZONI	Código	Descripción	Color
  	MAST30CSEX	30" Convection Steam Oven Master Series	Acero
	Especificaciones		
	Worktop		Oven handle metal
	Size	30 in	Shelf levels 2
	Oven configuration	single	Door hinges soft-motion
	Oven fuel	electric	Removable water tank 33.8 fl.oz
	Oven type	combination electric	
	Oven broiler type	convection and steam	
	Oven functions	electric	
		broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting	
	Overall volume	1.34 ft ³	
	Oven convection system	1 fan	
	Oven controls	touch LED display	
	Inner oven door	double	
	Removable inner glass	yes	
	Cavity finishing	stainless steel	
	Technical specifications		
	Electrical requirements	240 V - 60 Hz - 30 A	
	Power rating	3200 W	

HORNO CONVECCIÓN 24"

BERTAZZONI	Código	Descripción	Color
 	PROF24FSEXV	24" Electric Convection Oven Professional Series	Acero
	Especificaciones		
Worktop		Cavity finishing	black enamel
Size	24 in	Oven handle	metal
Oven configuration	Single	Cooling fan	yes
Oven fuel	Electric	Oven levels	5
Oven broiler type	Electric	Timer	touch digital programmer
Cooking modes	bake / bottom bake / broil / convection / convection bake / convection broil / defrosting dehydrate / fast preheat / oven light / pizza / proofing turbo / upper bake	Door hinges	soft-motion
Gross volume oven	2.70 ft ³	Wire-shelves	1 flat / 1 shaped
Oven convection system	single	Tray	1 baking tray with roasting trivet
Oven controls	knobs / touch LED display	Technical especifications	
Inner oven door	triple	Electrical supply	120/240 V 60 Hz - 2800 W 208/240 V 60 Hz - 2100 W 16 Amp dedicated circuit
Removable inner glass	yes	Power rating	Bake: 2050 W / Broiler: 2400 W / Convection: 1800 W
		Power connection	metal conduit 59" power cord
		Certification	UL

MICROONDAS

BERTAZZONI	Código	Descripción	Color
 	MO30STANE/16	30" Microwave Oven	Acero
	Especificaciones		
Worktop		Sensor reheat, defrost, cook	yes
Size	30 in	Clock/Timer	yes
Overall volume	2.00 ft ³	Cook time function	yes
Cavity finishing	Enameled white	Child lock	yes
Microwave power levels	10 Levels	Turnspit	1 Ø 16
Preset cooking mode functions	yes	Technical especifications	
Multiple sequence cooking	4	Electrical requirements	120 V - 60 Hz - 10 A
		Power rating	1100 W


TRIMS

BERTAZZONI	Código	Descripción	Color
	FR30PROX	30" Built-in Trim for MO30STANE	Acero
	Especificaciones		
Size	30 in		
Type	Built-in Installation of MO30STANE 24" Microwave		
Finishing	stainless steel		



BERTAZZONI	Código	Descripción	Color																																																															
	PROF24SOEX	24" - Convection Speed Oven Professional Series	Acero																																																															
	Especificaciones <table> <tr> <td colspan="2">Worktop</td><td>Grill trivet for tray</td><td>yes</td></tr> <tr> <td>Special functions</td><td>defrost by time / defrost by weight / light / popcorn / recipes timer</td><td>Turntable quantity</td><td>1 glass</td></tr> <tr> <td>Size</td><td>24 in</td><td></td><td></td></tr> <tr> <td>Microwave type</td><td>combi-microwave</td><td></td><td></td></tr> <tr> <td>Functions</td><td>broil / convection / microwave / convection broil microwave / microwave with broiler / pizza</td><td></td><td></td></tr> <tr> <td>Total volume</td><td>1.34 ft³</td><td colspan="2">Technical specifications</td></tr> <tr> <td>Oven convection system</td><td>single</td><td>Electrical supply</td><td>240 V - 60 HZ - 3850 W / 16 Amp dedicated circuit</td></tr> <tr> <td>Oven controls</td><td>touch LED display</td><td></td><td>Broiler: 1500 W / Convection: 1600 W</td></tr> <tr> <td>Auto cooking modes</td><td>yes</td><td>Power connection</td><td>NEMA 6-20P with 71" power cord</td></tr> <tr> <td>Inner oven door</td><td>double</td><td>Certification</td><td>CETLUS</td></tr> <tr> <td>Removable inner glass</td><td>yes</td><td></td><td></td></tr> <tr> <td>Cavity finishing</td><td>stainless steel</td><td></td><td></td></tr> <tr> <td>Oven levels</td><td>2</td><td></td><td></td></tr> <tr> <td>Microwave power levels</td><td>200 / 400 / 600 / 800 / 1000</td><td></td><td></td></tr> <tr> <td>Clock/Timer</td><td>yes</td><td></td><td></td></tr> <tr> <td>Tray</td><td>1 glass</td><td></td><td></td></tr> </table>			Worktop		Grill trivet for tray	yes	Special functions	defrost by time / defrost by weight / light / popcorn / recipes timer	Turntable quantity	1 glass	Size	24 in			Microwave type	combi-microwave			Functions	broil / convection / microwave / convection broil microwave / microwave with broiler / pizza			Total volume	1.34 ft ³	Technical specifications		Oven convection system	single	Electrical supply	240 V - 60 HZ - 3850 W / 16 Amp dedicated circuit	Oven controls	touch LED display		Broiler: 1500 W / Convection: 1600 W	Auto cooking modes	yes	Power connection	NEMA 6-20P with 71" power cord	Inner oven door	double	Certification	CETLUS	Removable inner glass	yes			Cavity finishing	stainless steel			Oven levels	2			Microwave power levels	200 / 400 / 600 / 800 / 1000			Clock/Timer	yes			Tray	1 glass	
Worktop		Grill trivet for tray	yes																																																															
Special functions	defrost by time / defrost by weight / light / popcorn / recipes timer	Turntable quantity	1 glass																																																															
Size	24 in																																																																	
Microwave type	combi-microwave																																																																	
Functions	broil / convection / microwave / convection broil microwave / microwave with broiler / pizza																																																																	
Total volume	1.34 ft ³	Technical specifications																																																																
Oven convection system	single	Electrical supply	240 V - 60 HZ - 3850 W / 16 Amp dedicated circuit																																																															
Oven controls	touch LED display		Broiler: 1500 W / Convection: 1600 W																																																															
Auto cooking modes	yes	Power connection	NEMA 6-20P with 71" power cord																																																															
Inner oven door	double	Certification	CETLUS																																																															
Removable inner glass	yes																																																																	
Cavity finishing	stainless steel																																																																	
Oven levels	2																																																																	
Microwave power levels	200 / 400 / 600 / 800 / 1000																																																																	
Clock/Timer	yes																																																																	
Tray	1 glass																																																																	



CAMPANA

BERTAZZONI	Código	Descripción	Color	
 	KIN36XV	36" - Insert Hood, 1 motors 560 CFM Professional Series	Acero	
	Especificaciones			
	Hood		Technical specifications	
	Size	36 in	Electrical supply	110 V - 60 Hz - 3.30 A
	Hood type	built-in	Power rating	410 W
	Hood control	electronic with buttons	Power connection	NEMA 5-15P with 59" power cord
	Motor	1	Certification	CEC, UL
	Speed	3 + booster		
	Filters type	aluminum mesh		
	Lights	2 LED		
	Hood finishing	stainless steel		
	Duct size	6" diameter		
	Sound rating	1.5 - 6 Sones		
	Max extraction power	560 CFM		
Accesorios				
	901531	Charcoal Filters for Kin Hoods		
	901532	Durable Charcoal Filters for Kin Hoods		
	901575	Remote Control for Kin Hoods		

LAVAVAJILLAS

BERTAZZONI	Código	Descripción	Color	
  	DW24T3IPV	24" - Dishwasher Tall Tub Panel Ready, Professional Series	Acero	
	Especificaciones			
	Worktop		Delayed start	yes
	Size	24 in	Lighting	floor projection status light
	Place setting	15	Drying system	PowerDry Plus
	Controls	concealed multi-button	Overflow protection device	yes
	Interior finish	stainless steel	Filter system	triple stage metal filter
	User interface	LED display	Certification	CEC, NSF, UL
	Spray arms	3	Technical specifications	
	Number of racks	3	Electrical supply	120 V - 60 Hz - 12 A
	Cutlery basket	sliding	Power rating	1400 W
	Wash cycle	6 - auto, crystal and china, pots and pans, quick, regular, rinse and hold	Energy consumption	234 kWh
	Wash Options	7 - accel, extra dry, delay start, 3 half load modes, sanitize, scrub, stealth		
Accesorios				
	HK24PRODWX	Handle Kit for 24 Dishwasher Professional series		
	HK24MASDWX	Handle Kit for 24 Dishwasher Master Series		
	HK24HERDWX	Handle Kit for 24 Dishwasher Heritage Series		
	901661	Carbonio Panels for dishwasher DW24T		
	901668	Profesional Titanium Handle for Dishwasher		

CAFETERA

BERTAZZONI	Código	Descripción	Color	
	CM242WXT	24" Built-In Coffee Machine with Stainless Steel Panels	Acero	
	Especificaciones			
	Worktop		Technical specifications	
	Size	24 in	Electrical supply	120 V - 60 Hz - 1350 W
	Design	Stainless steel		6 Amp
	User interface	Full touch TFT display 4.3"	Power connection	67" power cord with plug
	Certification	UL	Automatic rising	yes
			Automatic descaling	yes
			Coffee length	extra large/large/medium/ small
			Pump pressure	15 bar





📍 Oficinas Corporativas Artexa
Cañón Grande 7720, Col. La Estanzuela
Monterrey, N.L. 64984
T: (81) 8625 5000 info@artexa.com

📍 Artexa Experience & Design Center Mexico City
Homero 1433 Mezzanine Col. Polanco II Secc.
Delegación Miguel Hidalgo, Ciudad de México 11540
T: (81) 8625 5090 / 5091 citas@artexa.com

📍 Taller de Arquitectura Artexa
Ruben Darío 1533 Piso 6B
Col. Providencia Sección 4
C.P. 44619 Guadalajara, Jalisco.

🌐 www.artexa.com

📘 [ArtexaMx](#)

📷 [artexamx](#)

📌 [Artexamex](#)

📺 [ArtexaMx](#)

🎵 [artexamx](#)

🌐 [Artexa-mexico](#)