Mainline & Benchmark

CATÁLOGO 2023

COD:B012023

BOSCH
Invented for life

artexa

REFRIGERATORS

Model Number | Description

All Bosch Freestanding French Door Refrigerators Include the Following Features:

- Home Connect® Features
- ENERGY STAR® Certified
- SuperCool/SuperFreeze®
- Built-In Look
- Stainless Steel Back Wall
- MultiAirFlow® Circulation System
- Adjustable Tempered Glass Shelving
- Full-Width Chiller Drawer
- Hidden Hinges
- LED Lighting
- Door Alarm
- Ice Maker
- Gallon Door Storage Bins
- SoftClose® Freezer/Drawer Closing

500 Series

36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice — Stainless Steel

- QuickIce Pro System™ Makes up to 12 lbs. of Ice per Day*
- 26.0 cu.ft.
- Standard Depth
- 69" Height
- Easy to Clean Stainless Steel
- Humidity Controlled Crisper Drawers
- Adjustable Garage Shelf
- Full-Width Chiller Drawer
- External Ice and Water Dispenser
- UltraClarityPro® Water Filter
- Freezer with Two-Tiered Shelving

B36FD50SNS **Stainless Steel, Bar Handle**

B36FD50SNS

***Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.**

Model Number | Description

800 Series

24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator– Stainless Steel Door

- 11 cu.ft.
- 24"x79" European Style
- Hidden Hinges
- SuperCool/SuperFreeze®
- AirFresh Filter®
- Sidewall LED Lighting
- HydroFresh Humidity-Controlled Crisper
- Telescopic Drawers
- Internal Ice Maker

B11CB81SSS **Stainless Steel, with Internal Ice Maker**

B11CB81SSS

DISHWASHERS

Model Number | Description

All Bosch 100 Series Dishwashers Include the Following Features:

Quality
- Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection

Efficiency
- 269 kWh/year
- ENERGY STAR® Certified

Performance
- Up to Six Wash Cycles Including: Heavy, Auto, Normal, Speed 60 and Rinse & Hold
- Up to Five Performance-Enhancing Options

100 Series

Quietness
- 50 dBA

Design
- Standard Button Controls

Racks
- 14-Place Setting Capacity
- Utility Rack
- Manual Adjusting Upper Rack
- 2 Lower Rack Flip Tines
- 2 Silverware Baskets

Performance
- Additional Wash Cycles: Delicate, Express
- Additional Options: Delay Start, Sanitize (NSF certi - fied to remove up to 99.9% of bacteria)

SHEM3AY55N

SHEM3AY52N **Recessed Handle, White**

SHEM3AY55N **Recessed Handle, Stainless Steel with Silver Fascia**

Model Number | Description

All NEW Bosch 300 Series D ishwashers Include the F ollowing Features:

Quiet Operation
- 46 dBA
- InfoLight®
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design
- Touch Controls
- Flush Installation with Full Size Tub
- Time Remaining Indicator

Racks
- 16 Place Setting Capacity
- Standard 3rd Rack
- 3 Step RackMatic®
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- 1 Flip Tine Upper Rack
- 1 Flip Tine Lower Rack
- 1 Silverware Basket

Quality
- Deeper Full Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System

Efficiency
- 269 kWh/yr

Performance
- *Wash System:* PrecisionWash®
- *Drying System:* PureDry™
- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- *Cycles:*
  - 5 on the Control Panel (Heavy, Auto, Normal, Speed60, Favorite)
  - 3 Additional in Home Connect® (Delicate, Rinse, Machine Care)
- *Options:*
  - 3 on the Control Panel (Sanitize, Remote Start, Extra Dry)
  - Up to 4 Additional in Home Connect® (Half Load, Eco)

300 Series

Launching July 2023

NEW **SHV53CM3N** **Custom Panel**

SHV53CM3N

Model Number | Description

All NEW Bosch 800 Series D ishwashers Include the F ollowing Features:

Featuring the New PowerControl™ Wash System plus CrystalDry™— the industry's most advanced clean meets the ultimate dry.

Quiet Operation
- 42 dBA
- InfoLight®
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design
- Flush Installation with Full Size Tub
- Touch Controls
- Integrated Control S ystem
- Time Remaining Display
- Self-Latching Door

Racks
- 16 Place Setting Capacity
- 3 Step RackMatic®
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- 2 Flip Tine Upper Rack
- 1 Flip Tine Lower Rack
- 1 Silverware Basket

Quality
- Full Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System
- Quick installation kit Included

Efficiency
- 269 kWh/yr
- ENERGY STAR® Certified

Performance
- *Wash System:* **PowerControl™** with PrecisionWash®
- *Drying System:* **CrystalDry™**
- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- *Cycles:*
  - 5 on the Control Panel (Heavy, Auto, Normal, Speed60, Favorite)
  - 3 Additional in Home Connect® (Delicate, Rinse, Machine Care)
- *Options:*
  - 4 on the Control Panel (**CrystalDry™,** Sanitize, Remote Start, **PowerControl™**)
  - 2 Additional in Home Connect® (Half Load, Eco)

800 Series

Launching July 2023

NEW **SHP78CM5N** **Pocket Handle, Stainless Steel**

NEW **SHX78CM5N** **Bar Handle, Stainless Steel**

NEW **SHV78CM3N** **Custom Panel**

SHP78CM5N

SHX78CM5N

SHV78CM3N

LEARN MORE AT energystar.gov

c UL us LISTED

Model Number | Description

All Bosch Benchmark Series Dishwashers Include the Following Features:

Quietness
- **38 dBA**
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design:
- Touch Screen Display
- Time Remaining Display
- Integrated Control System
- Flush Installation with Full Size Tub
- Self Latching Door
- InfoLight®

Racks
- 3 Step RackMatic®
- DoubleFlex™ Silverware Basket
- 15 Place Setting Capacity
- Flexible Third Rack
- 6 Flip Tines Upper Rack
- 8 Flip Tines Lower Rack

Quality:
- 24/7 AquaStop® Leak Protection System
- Concealed Heating Element
- Full Stainless Steel Tub
- Interior Light
- 24/7 AquaStop® Plus
- Telescopic Glides on all 3 loading levels
- Stainless Steel toekick
- Water Softener
- Vase Holder and Small Item Clips
- Made in Germany

Efficiency
- 269 kWh/yr
- ENERGY STAR® Certified

Performance
- Seven Cycles: Heavy, Auto Wash, Glass, Normal Wash, Speed60, Express , Rinse & Hold
- Seven Options: 24H Delay Start, ExtraScrub, SpeedPerfect, Half Load, Delicate, Sanitize, ExtraDry,
- Corrugated Shaped Filter
- Quick Installation Kit Included

Benchmark® Series

SHX89PW75N — **Bar Handle TFT Display, Stainless Steel (currently not available)**

SHV89PW73N[1] — **Fully Integrated TFT Display Requires Custom Panel (currently not available)**

SHX89PW75N

SHV89PW73N

1 **39 dBA**

Model Number | Description

All Bosch ADA-Height Dishwashers Include the Following Features:

Design
- Time Remaining Display
- ADA Compliant Height (32" Tall)

Racks
- RackMatic®
- Flexible Silverware Basket

Quality
- Full Stainless Steel Tub
- 24/7 AquaStop® Plus
- Easily Accessible 3-Stage Filtration System

Efficiency
- 259 kWh/yr
- ENERGY STAR® Certified

Performance
- Four Wash Cycles: Heavy, Auto, Normal, Rinse & Hold
- Four Options: Delicate, Extra Dry, Sanitize, 24H Delay Start

300 Series EuroTub/ADA-Height 24"

Quietness
- 46 dBA

Racks
- Place Setting Capacity 14 *Quality*
- Made in Germany
- **Water Softener**

Performance
- Additional Cycle: Favorite
- Additional Options: Machine Care, Remote Start
- Home Connect™ Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

SGE53B55UC

SGE53B55UC	**24" Recessed Handle, Stainless Steel**
SGE53B52UC	**24" Recessed Handle, White**
SGE53B56UC	**24" Recessed Handle, Black**

SGE53B52UC

SGE53B56UC

LEARN MORE AT energystar.gov

c UL us LISTED

Model Number | Description

800 Series EuroTub/ADA-Height 18” and 24”

Quietness
- **44 dBA**
- InfoLight®

Racks
- Place Setting Capacity 10
- Standard 3rd Rack

Quality
- Made in Poland
- Vase Holder and Small Item Clips

Performance
- Additional Wash Cycles: **Delicate, Express,** favorite
- Additional Options: Machine Care, Remote Start
- Home Connect™ Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

SPV68B53UC

SPV68B53UC — **18" Fully Integrated – Requires Custom Panel**

Quietness
- **42 dBA**
- InfoLight®

Racks
- Place Setting Capacity 15

Quality
- Made in Germany
- Water Softener
- Vase Holder and Small Item Clips

Performance
- Additional Wash Cycles: **CrystalDry™,** Favorite
- Additional Options: Machine Care, Remote Start
- Home Connect™ Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

SGX78B55UC

SGV78B53UC

SGX78B55UC — **24" Bar Handle, Stainless Steel**

SGV78B53UC — **24" Fully Integrated – Requires Custom Panel**

WASHERS-DRYERS

Model Number | Description

All Bosch Washers Include the Following Features:

- SpeedPerfect™ Provides up to 40% Faster Washing
- EcoSilence™ BLDC Motor for Quieter Operation
- ActiveClean® System
- Wave Profiled Stainless Steel Drum
- Anti-Vibration Circular Side Walls
- Spin Speed up to 1400 RPM
- ENERGY STAR® Certified
- Improved Energy Efficiency and Performance
- Energy Consumption 84 kWh/year
- Exceeds the February 2018 ENERGY STAR® Water Consumption Standards
- Child Lock
- Signal
- Internal Water Heater
- **Installation:** Stackable, Side-by-Side, Under Counter Or Pedestal Option
- 208–240 V
- Plug type 240V; NEMA 6-15 (3 prong)

300 Series

24" Compact Washer

Design:
- White Exterior with White Dial and White Door Ring
- Touch Control Display
- Large 2.2 cu.ft. Capacity, Wash up to 15.4 lbs or 16 Bath Towels
- Clear See-Through Window
- Matching Dryer WTG86403UC

Silence Level:
- Washing/Spinning 54/73 dBA

15 Individually-Tailored Washing Programs
- Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Jeans,Quick Wash 30 min., Heavy Duty, Delicates, Hand wash/Wool, Allergen, Towels, Drum Clean, Drain, Rinse/Spin

6 Options
- SpeedPerfect™, Temperature, Finish In, Extra Rinse, Prewash, Spin Speed, Start/Pause
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 48"

WAT28400UC

WAT28400UC **24" White Cabinet with White Dial and White Door Ring**

500 Series

24" Compact Washer

Home Connect™ Features
- App Allows You to Operate Washer From Anywhere In the Home
- Easy Start Option for Your Wash Cycle
- Energy Management Information

Design:
- White Exterior with Silver/White Dial and Silver Door Ring
- Touch Control Display
- Large 2.2 cu.ft. Capacity, Wash up to 17.6 lbs or 18 Bath Towels
- Clear Glass Window with Bosch Magneto
- Matching Dryer WTW87NH1UC

Quality:
- ENERGY STAR® Most Efficient Certified
- AquaShield® Hose Leak Protection System
- *Silence Level:* Washing/Spinning 52/72 dBA

14 Individually-Tailored Washing Programs
- Cotton, Mix, Permanent Press, Whitest Whites, Sanitize, Outdoor/Sport, Jeans, Quick 30, Bulky/ Large Items, Delicates, HandWash/Wool, Drum Clean, Spin/Drain, Rinse

10 Options
- SpeedPerfect™, Temperature, Finish In, Prewash, Spin Speed, Start/Pause, EcoPerfect™, Rinse Plus, Remote Start, Stains (Stains Program Treats Blood, Food Based, Red Wine and Grass Based Stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"

WAW285H1UC

Most Efficient 2021 ENERGY STAR www.energystar.gov

WAW285H1UC **24" White Cabinet with Silver/White Dial and Silver Door Ring**

c UL us LISTED

Model Number | Description

800 Series

24" Compact Washer

Home Connect™ Features
- App Allows You to Operate Washer from Anywhere in the Home
- Easy Start Option for Your Wash Cycle
- Energy Management Information

Design:
- White Exterior with Chrome Illuminated Selection Dial and Chrome Door Ring
- Premium Large Touch Control Display
- Large 2.2 cu.ft. Capacity, Wash up to 17.6 lbs or 18 Bath Towels
- Interior LED Drum Light
- Clear Glass Window with Bosch Magneto
- Matching Dryer WTG865H4UC

Quality:
- AquaStop® Plus Leak Protection System in the Hoses and the Base

Silence Level:
- Washing/Spinning 50/71 dBA

14 Individually-Tailored Washing Programs
- Cotton, Permanent Press, Permanent Press Heavy Soil, Whitest Whites, Sanitize, Super Quick 15 min., Quick Wash 30 min., Bulky/Large Items, Delicates, Hand Wash/ Wool, Towels, Drum Clean, Spin/Drain, Rinse

10 Additional Options
- SpeedPerfect™, Temperature, Finish In, Prewash, Spin Speed, Start/Pause, EcoPerfect™, Rinse Plus, Remote Start, Stains (Stains Program Treats Blood, Food Based, Red Wine and Grass Based Stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"

WAW285H2UC

WAW285H2UC **24" White Cabinet with Chrome Illuminated Selection Dial and Chrome Door Ring**

c UL us LISTED

Model Number | Description

All Bosch Dryers Include the Following Features:

- Large 4.0 cu.ft. Capacity
- Anti-Vibration Circular Side Walls
- Sensitive Drying System
- Start/Pause to Add an Item
- Child Lock
- Extra-Fine Lint Filter
- ActiveDry® System

Installation:

- Stackable, Side-by-Side, Under Counter or Pedestal Option
- No Ducting Required
- Drain Pump and Hose Included
- Power Cord Included with Plug Type: 240V; NEMA 6-15 (3 Prong). Dryer Is Also Supplied with a Power Adapter to Fit a Standard 4-Prong 30A Dryer Receptacle (NEMA 14-30R) and Powers Both Bosch Washer and Dryer

300 Series

24" Compact Condensation Dryer

Design:

- White Exterior with White Dial and White Door Ring Touch Control Display
- Galvalume Drum
- Dry up to 15.4 lbs or 16 Bath Towels
- Clear See-Through Window
- Matching Washer WAT28400UC

Quality:

- ENERGY STAR® Certified
- Energy Consumption 315 kWh/year

Silence Level:

- 67 dBA

15 Individually-Tailored Drying Programs

- Cotton Extra Dry, Cotton Dry (Regular), Permanent Press Extra Dry, Permanent Press Dry, Permanent Press Damp, Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Heavy Duty, Sanitize, Hand Wash/Wool, Towels

6 Options

- Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal

WTG86403UC

WTG86403UC **24" Ventless Condensation Drying System**
White with White Dial and White Door Ring

500 Series

24" Compact Heat Pump Dryer with Self-Cleaning Condenser

Home Connect™ Features

- App Allows You to Operate Dryer from Anywhere in the Home
- Easy Start Option for Your Dry Cycle

Design:

- White Exterior with Silver/White Dial and Silver Door Ring
- Touch Control Display
- Reversible Door (No Additional Parts Required)
- Stainless Steel Structured Drum
- Dry up to 17.6 lbs or 18 Bath Towels
- Clear Glass Window with Bosch Magneto
- Matching Washer WAW285H1UC

Quality:

- ENERGY STAR® Most Efficient
- Energy Consumption 123 kWh/year
- Maintenance-Free Self Cleaning Condenser
- Dual-layer Lint Filtration System

Silence Level:

- 65 dBA

14 Individually-Tailored Drying Programs

- Cotton, Permanent Press, Mix, Jeans, Quick Dry Auto, Air Fluff, Time Dry, Quick 40, Anti Shrink, Outdoor/Sport, Delicates, Sanitize, HandWash/Wool, Bulky/Large Items

9 Options

- Dryness Level, Time Dry, Finish in, Wrinkle Block, Low Heat, Remote Start, Start/Pause, Level Adjust, End Signal

WTW87NH1UC

WTW87NH1UC **24" Ventless Heat Pump Dryer with Self-Cleaning Condenser**
White with Silver/White Dial and Silver Door Ring

Model Number | Description

800 Series

24" Compact Condensation Dryer

Home Connect™ Features
- App Allows You to Operate Dryer from Anywhere in the Home
- Easy Start Option for Your Dry Cycle

Design:
- White Exterior with Chrome Illuminated Selection Dial and Chrome Door Ring
- Premium Large Touch Control Display
- Interior LED Drum Light
- Reversible Door (No Additional Parts Required)
- Stainless Steel Structured Drum
- Dry up to 17.6 lbs or 18 Bath Towels
- Clear Glass Window with Bosch Magneto
- Matching Washer WAW285H2UC

Quality:
- ENERGY STAR® Certified
- Energy Consumption 315 kWh/year

Silence Level:
- 63 dBA

14 Individually-Tailored Drying Programs
- SuperQuick 15, Cotton, Permanent Press, Jeans, Quick Dry Auto, Air Fluff, Time Dry, Quick 40, Anti Shrink, Delicates, Sanitize, Hand Wash/Wool, Towels, Bulky Large Items

9 Options
- Dryness Level, Time Dry, Finish in, Wrinkle Block, Low Heat, Remote Start, Start/Pause, Level Adjust, End Signal

WTG865H4UC

WTG865H4UC **24" Ventless Condensation Drying System White with Chrome Illuminated Selection Dial and Chrome Door Ring**

c UL us LISTED

Accessories for Laundry

Model Number	Description	Washers			Dryers		
		WAT28400UC	WAW285H1UC	WAW285H2UC	WTG86403UC	WTG865H4UC	WTW87NH1UC
	WMZ20600	**Drying Rack for Wool items, Shoes, etc. for Bosch 24" Dryers**			•	•	•
	WMZPW20W	**Pedestal with Drawer for 24" Washer**	•	•	•		
	WTZPW20D	**Pedestal with Drawer for 24" Dryer**				•	•	•
	WTZ11400UC	**Stacking Kit with Pull Out Tray**	•	•	•	•	•	•
	WTZ20410UC	**Stacking Kit without Pull Out Tray**	•	•	•	•	•	•
	WTZPA20UC	**Dryer Power Adapter - 4 Prong 240V; NEMA 14-30R to 6-15R**				•[1]	•[1]	•[1]

1 **Adapter only works with dryers listed in this guide.**

BUILT-IN COFFEE MACHINE

Model Number | Description

800 Series

24" Built-In Coffee Machine

- Home Connect™ App Allows You to Prepare Coffee from Anywhere in the Home
- Within Minutes Prepare Espressos, Cappuccinos, Lattes, Macchiato and More
- MyFavorites Stores up to 8 of Your Favorite Coffee Preferences
- Large TFT Color Touch Screen Interface
- Automatic System for Cleaning, Milk Steam Rinsing and Descaling
- AromaPro Provides Constant Pressure for an Enhanced Coffee Experience
- Grinding Settings for Dark or Light Coffee
- CoffeeSensor Measures the Ground Coffee after Each Grinding Cycle
- OneTouch DoubleCup Dispenses Two Beverages at the Same Time
- Integrated Built-In Sensors Will Alert You When Coffee, Water Level Is Low
- AromaDouble Shot Prepares Extra-Strong Coffee with Less Bitterness
- Individual Cup Volume Allows You to Adjust Your Coffee Cup Size
- 1 lb. Bean Container
- 10-Cup Water Reservoir
- Stainless Steel 17 oz. Milk Container
- Drip Tray Removable for Cleaning
- 120 V

BCM8450UC

BCM8450UC **Bosch Built-In Coffee Machine**

Accessories for Coffee Machine		BCM8450UC
	HEZCMT3050 **30" SS Trim Kit**	•

For coffee accessories, please see the Cleaners & Accessories Price List.

MICROWAVES

Model Number | Description

All Bosch Over-the-Range Microwaves Include the Following Features:

- Design-Matched for Use in Combination with Bosch Range or Cooktop
- Exclusive Stainless Steel Handle
- Easy to Read White LCD Display
- Easy to Use Touch Control
- Side-Hinged Door Allows Full Access to Microwave Cavity
- Installation for Recirculation or Outside Venting
- Reheat Setting
- Potato Program
- Automatic Defrost
- Popcorn Program
- Timer with Cook Time and Automatic Shut Off Function
- Convenient Kitchen Timer
- Easily Adds 30 Seconds to Cooking Time
- 10 Microwave Power Levels
- Plugs into Standard 110 V, 3-Prong Outlet

300 Series

30" Over-the-Range Microwave

- Stainless Steel Colored Vent Grid
- 1.6 cu.ft. Large Oven Capacity
- Large 13 ½" Glass Turntable
- Three-Speed Vent with up to 300 CFM Power
- Two Surface Lights for Bright Cooktop Illumination

HMV3053U

HMV3053U **Stainless Steel**

Model Number | Description

Benchmark Series

30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.8 cu.ft. Large Oven Capacity
- Large 14 3⁄16" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent with up to 385 CFM Power
- Two 30 W LED Lights for Bright Cooktop Illumination
- Convection Cooking
- Full Stainless Steel Cavity
- Heavy-Duty Mesh Ventilation Filter
- Triple Distribution System

HMVP053U

HMVP053U **Stainless Steel**

800 Series

27" and 30" Built-In Microwave Touch Control with Drop Down Door

- LCD Display and LED Light
- 1.6 cu.ft. Overall Capacity
- 14 1⁄8" Glass Turntable
- Microwave Power: 950 W
- 10 Power Levels
- Sensor Cooking
- Sensor Reheat
- No Trim Kit Required
- Plugs into a Standard 120 V, 3-Prong Outlet

HMB57152UC

HMB57152UC **27" Microwave, Stainless Steel**

HMB50152UC

HMB50152UC **30" Microwave, Stainless Steel**

OVENS

Model Number | Description

All Bosch 800 Series Built-In Ovens Include the Following Features:

- QuietClose® Door
- A Full-Extension Telescopic Rack
- Designed to Be Installed Flush with Your Cabinetry
- Compatible with Most Existing Cut-Outs
- 11 Oven Modes
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking
- Touch Control with SteelTouch™ Buttons Makes Operating the Oven Easier
- Temperature Probe Takes Guesswork Out of Cooking
- Fast Preheat™ Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- Two Oven Lights
- Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°–450°F
- Large Capacity at 4.6 cu.ft.
- Recessed 12-Pass Broil Element for Icreades Capacity and Performance

800 Series

30" Single Wall Ovens

- Home Connect™ Features. Remotely Monitor and Control the Wall Oven with Wi-Fi Connectivity

HBL8453UC

HBL8443UC

HBL8453UC **30" Single Wall Oven, Stainless Steel**

HBL8443UC **30" Single Wall Oven, Black Stainless Steel**

30” Single Wall Oven

- The Bosch Wall Oven Combines Your Favorite Tools into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil
- Home Connect® Features. Remotely Monitor and Control the Wall Oven with Wi-Fi Connectivity

HBL8454UC

HBL8454UC **30" Single Wall Oven, Stainless Steel with Air Fry**

Model Number | Description

All Bosch Benchmark Series Built-In Ovens Include the Following Features:

- QuietClose® Door Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut
- The Color TFT Control Panel with SteelTouch™ Buttons Is Easy to Use
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity
- Designed to Be Installed Flush with Your Cabinetry
- Compatible with Most Existing Cut-Outs
- 13 Specialized Cooking Modes — Gourmet Cooking Made Easy
- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking
- Fast Preheat™ Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- EcoChef Mode — Remaining Heat in Cavity Finishes Cooking Process
- AutoProbe Takes the Guesswork Out of Cooking
- Two Halogen Lights Provide Superior Cavity Illumination
- Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°–450°F
- Two Separate Time Intervals Can Be Programmed
- Large Capacity at 4.6 cu.ft.

Benchmark Series

30" Single Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- Recessed 12-Pass Broil Element for Increased Capacity and Performance

HBLP451RUC

HBLP451LUC

HBLP451UC

HBLP451RUC	**30" Stainless Steel, Right SideOpening Door**
HBLP451LUC	**30" Stainless Steel, Left SideOpening Door**
HBLP451UC	**30" Stainless Steel**

30" Single Wall Oven

- The Bosch Wall Oven Combines Your Favorite Tools into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil

HBLP454UC

HBLP454UC	**30" Single Wall Oven, Stainless Steel with Air Fry**

Model Number | Description

500 Series

30" Warming Drawers

- Keeps Meals Hot and Is Designed to Match the Perfectly Flush Fit of a Bosch Wall, Speed or Steam Oven
- 3 Settings to Keep Meals Hot and Ready to Serve
- Installs Vertically under Bosch Speed, Steam or Wall Oven
- Matches Bosch Built-In Products
- Install Either Flush or Proud
- 450 W Heating Element Concealed Below Drawer
- Special Dough Proofing Mode
- Sturdy Ball Bearing Telescopic Rails for Smooth Opening
- Star-K Certified
- 1 Hour Automatic Shut Off Function with Adjustable Timer
- 2.2 cu.ft. Large Cavity (1.9 cu.ft. for 27")
- Lower Side Walls Allow Easy Loading and Unloading of Drawer

HWD5051UC

HWD5051UC **30" Stainless Steel**

COOKTOPS

Model Number | Description

All Bosch Electric Cooktops Include the F ollowing Features:

- Simple and Sleek, Modern European Design
- Ceramic Glass Top Is Easy to Clean
- Dual Ring Heating Element for Multiple Pan Sizes
- Heat Indicator for Each Element

800 Series

30" Cooktop with or without Stainless Steel Frame

- PreciseSelect®
- Front and Back Stainless Steel Frame
- Bridge Element
- Dual Element
- SpeedBoost®
- Clean Lock
- 2-Level Heat Indicator
- ChildLock
- Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer
- Power/Amps: 240, 60 Hz/ 40 A

NET8069SUC

LR: 7" @ 1,800 W (400 W Bridge)	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	
LF: 7" @ 1,800 W		RF: 6" @ 1,200 W

NET8069SUC **30" Electric, Black, Stainless Steel Frame**

Model Number | Description

All Bosch Gas Cooktops Include the Following Features:

- Front-Center Controls
- High Efficiency Gas Burners
- Continuous Cast Iron Grates
- Thermocouple Flame Monitor Control
- LP Kit Included

500 Series

24" Gas Cooktop

- 4 Burners
- 10.3K BTU Max
- Stainless-Look Metal Knobs
- One-Piece Stainless Steel Maintop Design
- Ideal for Kitchens with a Smaller Footprint
- Durable Laser Etched Graphics

NGM5458UC

LR: 6,000 BTU	RR: 10,300 BTU
LF: 6,000 BTU	RF: 3,4000 BTU

NGM5458UC **24" Gas Cooktop, 4 Burners, Stainless Steel**

30" Gas Cooktop

- 5 Burners
- 16K BTU Max
- OptiSim® Burner
- Stainless-Look Metal Knobs
- One-Piece Stainless Steel Maintop Design
- LED “On” Indic ator Light
- New Low Profile Cooking Surface
- Durable Laser Etched Graphics
- Sealed Burners for Easier Cleanup



NGM5058UC

LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU
LF: 3,400 BTU		RF: 6,000 BTU

NGM5058UC **30" Gas Cooktop, 5 Burners, Stainless Steel**

36" Gas Cooktop

- 5 Burners
- 16K BTU Max
- OptiSim® Burner
- Stainless-Look Metal Knobs
- One-Piece Stainless Steel Maintop Design
- LED “On” Indic ator Light
- New Low Profile Cooking Surface
- Durable Laser Etched Graphics
- Sealed Burners for Easier Cleanup

NGM5658UC

LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU
LF: 3,400 BTU		RF: 6,000 BTU

NEW **NGM5658UC** **36" Gas Cooktop, 5 Burners, Stainless Steel**

Model Number | Description

800 Series

30" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 17K BTU Max
- Dual Ring Power Burner
- OptiSim® Burner
- LED Light Line Knob Illumination
- Dishwasher-Safe Grates
- Residual Heat Indication



NGM8058UC

FlameSelect

LR: 6,000 BTU	C: 17,000 BTU	RR: 10,300 BTU
LF: 3,400 BTU		RF: 6,000 BTU

NGM8058UC **30" Gas Cooktop, 5 Burners, Stainless Steel**

36" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 17K BTU Max
- Dual Ring Power Burner
- OptiSim® Burner
- LED Light Line Knob Illumination
- Dishwasher-Safe Grates
- Residual Heat Indication



NGM8658UC

FlameSelect

LR: 6,000 BTU	C: 17,000 BTU	RR: 10,300 BTU
LF: 3,400 BTU		RF: 6,000 BTU

NEW **NGM8658UC** **36" Gas Cooktop, 5 Burners, Stainless Steel**

FlameSelect

NEW **NGM8648UC** **36" Gas Cooktop, 5 Burners, Black Stainless Knobs**

Model Number | Description

All Bosch Benchmark Series Gas Cooktops Include the F ollowing Features:

- 5 Burners
- FlameSelect® (9 Power Levels)
- OptiSim® Burner
- Bosch Exclusive Dual Ring Power Burner
- Stainless Steel Appearance Knobs
- Up-Front Centralized Controls
- Continuous Cast Iron Grates
- Dishwasher-safe Grates
- LP Kit Included
- See All P an Accessories on Page 8-10.–8-11

Benchmark Series

30" Gas Cooktop

- 18K BTU Max
- LED Power Level/Residual Heat Indication Display
- Black Glas s Control Panel

LR: 6,000 BTU | LF: 3,400 BTU | C: 18,050 BTU | RR: 10,300 BTU | RF: 12,000 BTU

NGMP058UC

FlameSelect

NGMP058UC **30" Gas Cooktop, 5 Burners, Stainless Steel**

36" Gas Cooktop

- 18K BTU Max
- LED Power Level/Residual Heat Indication Display
- Black Glas s Control Panel

LR: 6,000 BTU | LF: 3,400 BTU | C: 18,050 BTU | RR: 10,300 BTU | RF: 12,000 BTU

NGMP658UC

FlameSelect

NEW **NGMP658UC** **36" Gas Cooktop, 5 Burners, Stainless Steel**

artexa®

Oficinas Corporativas Artexa
Cañón Grande 7720, Col. La Estanzuela
Monterrey, N.L. 64984
T: (81) 8625 5000 info@artexa.com

Artexa Experience & Design Center Mexico City
Homero 1433 Mezzanine Col. Polanco II Secc.
Delegación Miguel Hidalgo, Ciudad de México 11540
T: (81) 8625 5090 / 5091 citas@artexa.com

Taller de Arquitectura Artexa
Rubén Darío 1533 Piso 6B
Col. Providencia Sección 4
C.P. 44639 Guadalajara, Jalisco.

www.artexa.com ArtexaMx artexamx Artexamex ArtexaMx artexamx Artexa-mexico

Contáctanos: **contacto@artexa.com** O llama al: **81 2039 1646**