













5 About QM Drain

8 Delmar Series

12 Delmar Supreme

Supreme Tile-In+

24 Adjustable Linear Drain

Wedgewire Perforated Mist (Tile-In)

Standard Linear Drain

Wedgewire Delta Mist (Tile-In) Kai Lotus

Nami

4 Center Drain

Wedgewire Mist (Tile-In) Kai Delta Lotus

68 Lagos Series

Nami

70 Adjustable Linear Drain

Wedgewire Perforated Mist (Tile-In)

78 Veil Linear Drain

Veil (Tile-In)

34 Center Drain

Mira Veil

90 Bay Series

Standard Length 2-in-1
RIA Linear Drain
RIA Center Drain

98 Invisible Drain

00 Shower Tray

112 Linear & Square

122 Invisible Modular Outdoor Drain System

Channel Corner Drains

End Cap


132 Waterproofing System

132 Shower Pan System

Square Kit 32" - Off Center Outlet
Square Kit 32" - Center Outlet
Kit 32"
Kit 40"
Kit 48"
Kit 56"
Kit 64"
Kit 80"

156 Waterproofing Membrane

160 Installation Components



Our Philosophy

Welcome to QM® DRAIN, your leading source for premium-quality stainless steel drains, offering innovative drainage solutions for a wide range of applications. As a proud member of the Quality Metal Group family, we have been designing and manufacturing top-of-the-line products for over 22 years. Our commitment to innovation, quality, and eco-friendly manufacturing practices has made us a trusted brand in the industry.

QM® DRAIN offers an extensive range of cutting-edge products, including our renowned drains and drainage systems. From outdoor areas to indoor spaces, our drains are meticulously crafted to deliver exceptional performance and durability. Whether it's for showers, pool areas, patios, or any other project, our products provide reliable and efficient drainage solutions.

With our headquarters based in sunny Florida, USA, and distribution networks spanning across 29 countries, QM® DRAIN has become a global leader in the industry. Our products have been selected for prestigious projects worldwide, reflecting our unwavering commitment to quality and innovation.

Choose QM® DRAIN for unparalleled excellence in stainless steel drains and drainage systems. Explore our extensive range of products today and experience the difference our commitment to quality and sustainability can make in your space. Elevate your drainage solutions with QM® DRAIN!



All QM® Drain Products are in compliance with the following code(s): Uniform Plumbing Code (UPC®) National Plumbing Code of Canada and Products are certified to the following standard(s):



ASME A112.18.2-2015/CSA B125.2-15

ANSI A118.10-2014 (R2019)





BEYOND QUALITY

Setting the standard for excellence in every product we create.

TRENDING DESIGNS

Stay ahead of the curve with our cutting-edge and stylish drain designs.

QUALITY CONTROL

Our rigorous quality control ensures that every product meets the highest standards.

TECHNOLOGICAL INNOVATION

Pioneering advancements in drainage technology for superior performance.

WORLD CLASS SUPPORT

Committed to providing exceptional customer service and support worldwide.

PRESERVE THE ENVIRONMENT

Our eco-friendly practices promote sustainability and environmental responsibility.

PASSION FOR EXCELLENCE

Driven by a relentless pursuit of perfection in everything we do.

HIGH LEVEL OF EXPERTISE


Benefit from our extensive knowledge and expertise in the drainage industry.

CUSTOM CAPABILITIES

Tailored solutions to meet your unique project requirements and specifications.


REDEFINE FUNCTIONALITY

Pushing boundaries to create innovative drainage solutions that redefine functionality.





LagosSeries\Square Drain MIRA



Outlet

2" Center Location.

Material

Frame and Grate made of 100% Marine Grade 316 Stainless Steel and a base made of ABS plastic.

Accessories included


Hair Strainer & Key.











LagosSeries Square Drain VEIL (TILE-IN)



Outlet

2" Center Location.

Material

Trims made of 100% Marine Grade 316 Stainless Steel and a base made of ABS plastic.

Accessories included

Hair Strainer & Key.







BaySeries 2-IN-1 REVERSIBLE LINEAR DRAIN



Ba

Plain Edge pre-sloped low profile.

Outlet

2" Center Location.

Material


Stainless Steel 304.

Accessories included

Plastic Legs, Threaded Nipple, Anti Odor / Hair Strainer & Key.







Bay Series RIA LINEAR DRAIN

Base

Plain Edge pre-sloped low profile.

Outlet

2" Center Location.

Material

Stainless Steel 304.

Accessories included

Plastic Legs, Threaded Nipple, Anti Odor / Hair Strainer & Key.

Polished

24"

38.200.24 PS

lack

38.200.24 BK

BaySeries RIA





Outlet

2" Center Location.

Material

Stainless Steel 304.

Accessories included Anti Odor & Key.



4"	38.100.04R ST
4" x 4"	38.100.04 ST
5 3/4 x 5 3/4"	38.100.06 ST

Polished

4" 38.100.04 PS 5 3/4 x 5 3/4" 38.100.06 PS







Delmar is our crown jewel. It is the perfect combination of unique modern design and the highest quality you will find in the industry.

Delmar offers you the only line of drains made entirely of **Stainless Steel Marine 316**, from top to bottom, for unmatched corrosion resistance and minimum maintenance.

It gives you the most design freedom through our wide variety of options:

- Supreme linear drains
- Adjustable and custom linear drains
- Standard length linear drains
- Square center drains







SUPREME HAS SET A NEW BENCHMARK IN SHOWER DRAINS











Supreme revolutionizes the installation of linear drains



DelmarSeries

SUPREME.


More than design

VERSATILITY & FLEXIBILITY

SUPREME is a unique linear shower drain that solves one of the biggest problems facing installers and plumbers in both construction and remodeling, eliminating the need to relocate existing plumbing when the water outlet is located a few inches off-center.

This award winning and innovative product offers an independent base that houses an internal rail system which enables the grate to be in a different position than the base and the outlet, allowing a quick and easy installation.

Supreme was designed with functionality and aesthetics being the primary principles in mind, creating a minimal, yet refined shower drain with a straightforward installation.





Grate can be cut to your specific length and multiple drains can be aligned to accommodate multiple outlets.

Size 30", 40", 50" & 60"

Grate Tile-in, Solid surface or Tile insert. Tile-In grate accepts flooring material up to 3/4".

Size universal "one size fits all", visible grate is 8", and multiple drains can be aligned to accommodate multiple outlets.

Outlet Drain base has an offset 2" outlet. This feature allows you to rotate the base to accommodate a left or right position and the sliders adjust to connect the grate in a different position than the outlet.

Base houses an internal rail system which enables the grate to be in a different position than the base and the outlet allowing you to center your drain without moving the existing pipe.



Threaded Nipple with gasket used to install the drain into the flange, helps adjust the height and threads into most 2" or 3" ABS, PVC, and Cast Iron Flanges.



Lifting Key assists with grate removal.







DelmarSeries

SUPREME.



Houses an internal rail system which enables the grate to be in a different position than the base and the outlet, allowing you to center your drain without moving the existing pipe.

Grate

Can be cut to your specific length and multiple drains can be aligned to accommodate multiple outlets.

Outlet

2" outlet up to 8" offset.


Material

100% Stainless Steel Marine 316.

Accessories included

Threaded Nipple, Cutting Blade, Key, Level & Wedges.







DelmarSeries

SUPREME.

Tile-in⁺

Base

Houses an internal rail system which enables the grate to be in a different position than the base and the outlet, allowing you to center your drain without moving the existing pipe.

Grate

Reversible, universal "one size fits all".

Outlet

2" outlet up to 8" offset.


Material

100% Stainless Steel Marine 316.

Accessories included

Threaded Nipple & Key.








∆rchitizer A+Product Awards













(*) Corner accessory sold separately




MAXIMUM FLEXIBILITY

QM Adjustable allows you to modify length of the grate and channel on-site to exact specifications, and place outlet anywhere along channel run. It comes with every part needed to create your design without modifying your existing plumbing.

It was designed to give modernity and beauty without restrictions.

It can be used outdoors with its 3-inch model that facilitates installation in terraces, swimming pools and more. Includes the corner connector to create designs without interruptions. Its ability to adapt knows no limits.







Easy Cleaning


Easy Installation

Outdoor Application Indoor Application

ADA Compliance



Delmar Series \ Adjustable Linear Drain **WEDGEWIRE**



Base

Pre-sloped low profile channel, adjust length on site, choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.

Grate

Can be cut to your specific length.

Outlet

2" or 3" High Flow. Adjust outlet position on site.

Material

100% Stainless Steel Marine 316.

Accessories included

Hair Strainer*, Threaded Nipple, Cutting Blade, Key, Sealant, Adjustable Feet, Joiners, Trims, 2" Outlet or 3" HF Outlet.







Delmar Series Adjustable Linear Drain PERFORATED



Base

Pre-sloped low profile channel, adjust length on site, choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.

Grate

Can be cut to your specific length.

Outlet

2" or 3" High Flow. Adjust outlet position on site.

Material

100% Stainless Steel Marine 316.

Accessories included

Hair Strainer*, Threaded Nipple, Cutting Blade, Key, Sealant, Adjustable Feet, Joiners, Trims, 2" Outlet or 3" HF Outlet.



		Kit with 2" Outlet*	Kit with 3" HF Outlet_
	36"	33.620.36 ST	33.620.36HF ST
	48"	33.620.48 ST	33.620.48HF ST
-	60"	33.620.60 ST	33.620.60HF ST
	72"	33.620.72 ST	33.620.72HF ST
	96"	33.620.96 ST	33.620.96HF ST
	36"	33.620.36 PS	33.620.36HF PS
	48"	33.620.48 PS	33.620.48HF PS
	60"	33.620.60 PS	33.620.60HF PS
	72"	33.620.72 PS	33.620.72HF PS
	96"	33.620.96 PS	33.620.96HF PS





Delmar Series Adjustable Linear Drain MIST (Tile-in)



Base

Pre-sloped low profile channel, adjust length on site, choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.

Grate

Can be cut to your specific length.

Outlet

2" or 3" High Flow. Adjust outlet

Material 100% Stainless Steel Marine 316.

Accessories included

Hair Strainer*, Threaded Nipple, Cutting Blade, Key, Sealant, Adjustable Feet, Joiners, Trims, 2" Outlet or 3" HF Outlet.











Delmar Series Standard Linear Drain

"The classic among linear shower drains". Delmar Standard linear drains come in a wide range of fixed lengths and finishes to complement any bathroom to perfection. Ideal for new and renovation projects and generally for all bathrooms where space is tight.





Base*pre-pitched drain base eliminates the pooling of water. Allows water to flow properly to outlet.

Outlet centrally located 2" outlet pipe.

Threaded Nipple* with gasket used to install the drain into the flange, helps adjust the height and threads into most 2" ABS, PVC, and Cast Iron Flanges.

Hair Strainer*fits inside the drain to collect hair and other debris, preventing clogged pipes Also, keeps insects and small rodents from coming up through the sewage system.

Leveling Feet keep the drain channel in the correct position and level during installation.

Lifting Key assists with grate

FLANGE EDGE AND SIDE OUTLET

Superdry Membrane each base includes a 32 square feet of membrane, ensuring a hassle-free and straightforward installation process.

Coupling Shielded pipe Coupling that allows you to make pipe connections.

Sealant Fast curing, high modulus one component PU adhesive ideal for a wide variety of bonding applications

FLANGE EDGE and SIDE OUTLET the Flange Edge and Side Outlet bases are the ideal choices If modern waterproofing methods is preferred. These drain bases are seamlessly integrated with our cutting-edge QM Superdry waterproofing

PLAIN EDGE* The Pre-sloped Plain Edge base

is intended for use with traditional or standard

waterproofing methods, utilizing a traditional

clamping drain body.

membrane.









Outdoor Application Indoor Application






ADA Compliance



DelmarSeries Standard Linear Drain WEDGEWIRE



Base Options

Plain Edge, Flange Edge, and Side Outlet Flange Edge. Flange Edge options include Superdry waterproofing membrane sealed to ensure watertightness.

Outlet

2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included


Plain Edge: Hair Strainer, Threaded Nipple, Adjustable Feet & Key.

Flange Edge: 32 ft2 Superdry Waterproofing, No- hub Coupling, Sealant.


PLAIN EDGE BASE*



FLANGE EDGE BASE_




SIDE OUTLET FLANGE EDGE BASE.





Delmar Series Standard Linear Drain DELTA



Base Options

Plain Edge, Flange Edge, and Side Outlet Flange Edge. Flange Edge options include Superdry waterproofing membrane sealed to ensure watertightness.

Outlet

2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included


Plain Edge: Hair Strainer, Threaded Nipple, Adjustable Feet & Key.

Flange Edge: 32 ft2 Superdry Waterproofing, No- hub Coupling, Sealant.


PLAIN EDGE BASE*



FLANGE EDGE BASE_



SIDE OUTLET FLANGE EDGE BASE.







DelmarSeries Standard Linear Drain MIST (TILE-IN)



Base Options

Plain Edge, Flange Edge, and Side Outlet Flange Edge. Flange Edge options include Superdry waterproofing membrane sealed to ensure watertightness.

Outlet

2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included


Plain Edge: Hair Strainer, Threaded Nipple, Adjustable Feet & Key.

Flange Edge: 32 ft2 Superdry Waterproofing, No- hub Coupling, Sealant.


PLAIN EDGE BASE*



FLANGE EDGE BASE_



SIDE OUTLET FLANGE EDGE BASE.





Delmar Series Standard Linear Drain KAI



Base Options

Plain Edge, Flange Edge, and Side Outlet Flange Edge. Flange Edge options include Superdry waterproofing membrane sealed to ensure watertightness.

Outlet

2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included


Plain Edge: Hair Strainer, Threaded Nipple, Adjustable Feet & Key.

Flange Edge: 32 ft2 Superdry Waterproofing, No- hub Coupling, Sealant.


PLAIN EDGE BASE*



FLANGE EDGE BASE_



SIDE OUTLET FLANGE EDGE BASE.







Delmar Series Standard Linear Drain LOTUS



Base Options

Plain Edge, Flange Edge, and Side Outlet Flange Edge. Flange Edge options include Superdry waterproofing membrane sealed to ensure watertightness.

Outlet

2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included


Plain Edge: Hair Strainer, Threaded Nipple, Adjustable Feet & Key.

Flange Edge: 32 ft2 Superdry Waterproofing, No- hub Coupling, Sealant.


PLAIN EDGE BASE*



FLANGE EDGE BASE_



SIDE OUTLET FLANGE EDGE BASE.





Delmar Series Standard Linear Drain NAMI



Base Options

Plain Edge, Flange Edge, and Side Outlet Flange Edge. Flange Edge options include Superdry waterproofing membrane sealed to ensure watertightness.

Outlet

2" Center Location.

Material

100% Stainless Steel Marine 316.


Accessories included


Plain Edge: Hair Strainer, Threaded Nipple, Adjustable Feet & Key.

Flange Edge: 32 ft2 Superdry Waterproofing, No- hub Coupling, Sealant.


PLAIN EDGE BASE*







SIDE OUTLET FLANGE EDGE BASE.










The modern classic among center shower drains. Delmar center drains come in two size to complement any bathroom to perfection. QM center shower drains are ideal for remodeling as well as new construction due to the low installation depth.



Easy Installation Outdoor Application Indoor Application ADA Compliance



STAINLESS STEEL MARINE 316

Easy Cleaning

Our **Bonded Flange** is made

membranes and exclusively


4" QM Square Drain.

specifically for use with our Superdry

designed to be compatible with our



DelmarSeries \ Square Drain WEDGEWIRE



Outlet 2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included



	4 x 4"	33.700.04 ST
	5 3/4 x 5 3/4"	33.700.06 ST
	4 x 4"	33.700.04 PS
	5 3/4 x 5 3/4"	
36	4 x 4"	33.700.04 BK
	5 3/4 x 5 3/4"	
	$\Lambda \times \Lambda$ "	33.700.04 GD
		33.700.06 GD
90	4 x 4"	33.700.04 BZ
	5 3/4 x 5 3/4"	33.700.06 BZ





DelmarSeries\ Square Drain MIST (TILE-IN)



Outlet
2" Center Location.

Material

100% Stainless Steel Marine 316.


Accessories included







DelmarSeries Square Drain KAI



Outlet
2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included







DelmarSeries \ Square Drain DELTA



Outlet
2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included







DelmarSeries\ Square Drain LOTUS



Outlet
2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included Hair Strainer & Key.











	4 x 4"	33.400.04 ST	
_	5 3/4 x 5 3/4"	33.400.06 ST	
Satin			
	4 x 4"	33.400.04 PS	
Polished	5 3/4 x 5 3/4"	33.400.06 PS	
T. April	4 x 4"	33.400.04 BK	
Black	5 3/4 x 5 3/4"	33.400.06 BK	
	4 x 4"	33.400.04 GD	
	5 3/4 x 5 3/4"	33.400.06 GD	
Gold			
	4 x 4"	33.400.04 BZ	
Φ	5 3/4 x 5 3/4"	33.400.06 BZ	





DelmarSeries\ Square Drain NAMI



Outlet
2" Center Location.

Material

100% Stainless Steel Marine 316.

Accessories included

Hair Strainer & Key.









Lagos drains are built with the perfect combination of a 100% Marine Grade 316 Stainless Steel frame and grate, which guarantees the best durability and resistance to corrosion produced by cleaning and water softener chemicals and a base made of ABS/PVC plastic, known for being tough, rigid, & chemical resistant.

Lagos is our most cost-effective series of center and linear drains that allows you to enjoy a unique modern design, available in:

- Adjustable Linear Drains
- Linear Drain
- Center Drains









MAXIMUM FLEXIBILITY

QM Adjustable allows you to modify length of the grate and channel on-site to exact specifications, and place outlet anywhere along channel run. It comes with every part needed to create your design without modifying your existing plumbing.

It was designed to give modernity and beauty without restrictions.

It can be used outdoors with its 3-inch model that facilitates installation in terraces, swimming pools and more. Includes the corner connector to create designs without interruptions. Its ability to adapt knows no limits.



(N) Easy Cleaning

70

Easy Installation Outdoor Application Indoor Application

ADA Compliance






71



Lagos Series Adjustable Linear Drain **WEDGEWIRE**



Pre-sloped low profile channel, adjust length on site, choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the Grate and edge trims are made with stainless steel 316.

desired length. Channel is made with PVC.

Grate Can be cut to your specific length.

Accessories included


Material

Hair Strainer*, Threaded Nipple, Cutting Blade, Key, Trims, Adjustable Feet, Joiners, 2" Outlet & 3" HF Outlet.

Outlet

2" or 3" High Flow. Adjust outlet position on site.

	·		Kit with 2" Outlet*	Kit with 3" HF Outlet_
200		36"	88.610.36 ST	88.610.36HF ST
		48"	88.610.48 ST	88.610.48HF ST
		60"	88.610.60 ST	88.610.60HF ST
	Satin	72"	88.610.72 ST	88.610.72HF ST
	S	96"	88.610.96 ST	88.610.96HF ST
		36"	88.610.36 PS	88.610.36HF PS
	_	48"	88.610.48 PS	88.610.48HF PS
	Polished	60"	88.610.60 PS	88.610.60HF PS
	<u> S </u>	72"	88.610.72 PS	88.610.72HF PS
-	<u>G</u>	96"	88.610.96 PS	88.610.96HF PS
		36"	88.610.36 BK	88.610.36HF BK
		48"	88.610.48 BK	88.610.48HF BK
		60"	88.610.60 BK	88.610.60HF BK
	Black	72"	88.610.72 BK	88.610.72HF BK
1		96"	88.610.96 BK	88.610.96HF BK
		36"	88.610.36 GD	33.610.36HF GD
	-3.5	48"	88.610.48 GD	33.610.48HF GD
	1000	60"	88.610.60 GD	33.610.60HF GD
	Gold	72"	88.610.72 GD	33.610.72HF GD
) Ğ	96"	88.610.96 GD	33.610.96HF GD
	5.00	36"	88.610.36 BZ	33.610.36HF BZ
		48"	88.610.48 BZ	33.610.48HF BZ
	Φ	60"	88.610.60 BZ	33.610.60HF BZ
	Bronze	72"	88.610.72 BZ	33.610.72HF BZ
2	a B	96"	88.610.96 BZ	33.610.96HF BZ





Lagos Series Adjustable Linear Drain **PERFORATED**



Pre-sloped low profile channel, adjust length on site, choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the Grate and edge trims are made with stainless steel 316. desired length.

Grate

Can be cut to your specific length.

Outlet

2" or 3" High Flow. Adjust outlet position on site.

Material

Channel is made with PVC.

Accessories included

Hair Strainer*, Threaded Nipple, Cutting Blade, Key, Trims, Adjustable Feet, Joiners, 2" Outlet & 3" HF Outlet.

Kit with 2" Outlet*___

___Kit with 3" HF Outlet__





36"	88.620.36 ST	
48"	88.620.48 ST	
60"	88.620.60 ST	
72"	88.620.72 ST	
96"	88 620 96 ST	

38.620.36HF ST	
38.620.48HF ST	
38.620.60HF ST	
38.620.72HF ST	
38.620.96HF ST	





36"	88.620.36 PS
48"	88.620.48 PS
60"	88.620.60 PS
72"	88.620.72 PS
96"	88.620.96 PS

8.620.36HF PS
88.620.48HF PS
88.620.60HF PS
88.620.72HF PS
8.620.96HF PS





Lagos Series Adjustable Linear Drain MIST (TILE-IN)



Base

Pre-sloped low profile channel, adjust length on site, choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the Grate and edge trims are made with stainless steel 316. desired length.

Grate

Can be cut to your specific length.

Accessories included

Material


Channel is made with PVC.

Hair Strainer*, Threaded Nipple, Cutting Blade, Key, Trims, Adjustable Feet, Joiners, 2" Outlet & 3" HF Outlet.

Outlet

2" or 3" High Flow. Adjust outlet position on site.


Kit with 3" HF Outlet_ Kit with 2" Outlet* 36" 88.630.36 ST 88.630.36HF ST 88.630.48 ST 88.630.48HF ST 88.630.60HF ST 88.630.60 ST 88.630.72 ST 88.630.72HF ST 88.630.96 ST 88.630.96HF ST 88.630.36HF PS 88.630.36 PS 88.630.48 PS 88.630.48HF PS 60" 88.630.60 PS 88.630.60HF PS 88.630.72HF PS 72" 88.630.72 PS 96' 88.630.96 PS 88.630.96HF PS 88.630.36 BK 88.630.36HF BK 48" 88.630.48 BK 88.630.48HF BK 88.630.60 BK 88.630.60HF BK 88.630.72 BK 88.630.72HF BK 88.630.96 BK 88.630.96HF BK 88.630.36 GD 88.630.36HF GD 88.630.48 GD 88.630.48HF GD 60" 88.630.60 GD 88.630.60HF GD 88.630.72 GD 88.630.72HF GD 88.630.96 GD 88.630.96HF GD 88.630.36 BZ 88.630.36HF BZ 88.630.48 BZ 88.630.48HF BZ 88.630.60 BZ 88.630.60HF BZ 72" 88.630.72 BZ 88.630.72HF BZ 88.630.96 BZ 88.630.96HF BZ





— Lifting Key assists with grate removal.





Easy Cleaning Easy Installation Outdoor Application Indoor Application ADA Compliance







78 79



LagosSeries Veil Linear Drain VEIL (TILE-IN)



Base

Pre-sloped low profile.

Outlet


2" Center Location.


Material

Trims made of 100% Marine Grade 316 Stainless Steel and a base made of ABS plastic.

Accessories included

Hair Strainer & Key.













Easy Cleaning Easy Installation Outdoor Application Indoor Application

Frame prevents damage to the grout when the grate is removed.

Grate and Frame made in Stainless Steel 316.

Base is made in ABS Plastic.
ABS is known for being a tough, rigid and chemical resistant material. Thread the QM drain base into the drain flange, adjust height as needed.

Threaded Outlet fits into most 2" ABS, PVC, and Cast Iron Flanges.




Hair Strainer fits inside the drain to collect hair and other debris, preventing clogged pipes. Also, keeps insects and small rodents from coming up through the sewage system.



Lifting Key assists with grate removal.

If modern waterproofing is preferred, add:



Our **Bonded Flange** is made specifically for use with our Superdry membranes and exclusively designed to be compatible with our 4" QM Square Drain.


85



84



LagosSeries\Square Drain MIRA




Outlet 2" Center Location.

Material

Frame and Grate made of 100% Marine Grade 316 Stainless Steel and a base made of ABS plastic.

Accessories included Hair Strainer & Key.



	4 x 4"	88.100.04 ST
	5 3/4 x 5 3/4"	88.100.06 ST
Satin		
	4 x 4"	88.100.04 PS
Polished	5 3/4 x 5 3/4"	88.100.06 PS
10 4 6	4 x 4"	88.100.04 BK
Black	5 3/4 x 5 3/4"	88.100.06 BK
	4 x 4"	88.100.04 GD
	5 3/4 x 5 3/4"	88.100.06 GD
Gold		
	4 x 4"	88.100.04 BZ
Bronze	5 3/4 x 5 3/4"	88.100.06 BZ





LagosSeries Square Drain VEIL (TILE-IN)



Outlet

2" Center Location.

Material

Trims made of 100% Marine Grade 316 Stainless Steel and a base made of ABS plastic.

Accessories included Hair Strainer & Key.







Made entirely of **Stainless Steel 304** for excellent corrosion resistance.

The Bay series offers a highly innovative 2-in-1 reversible grate system linear drain, Ria linear drain and Ria center drain.

Our export line Ria center drain is designed and created for the plumbing requirements of Latin America and the Caribbean.







Bay Series 2-IN-1 REVERSIBLE LINEAR DRAIN



Base

Plain Edge pre-sloped low profile.

Outlet

2" Center Location.

Material

Stainless Steel 304.


Accessories included

Plastic Legs, Threaded Nipple, Anti Odor / Hair Strainer & Key.





24"	4" 38.100.24 ST	
36"	38.100.36 ST	
48"	38.100.48 ST	





Bay Series RIA LINEAR DRAIN



Base

Plain Edge pre-sloped low profile.

Outlet

2" Center Location.

Material

Stainless Steel 304.

Accessories included

Plastic Legs, Threaded Nipple, Anti Odor / Hair Strainer & Key.



	24"	38.200.24 ST
	36"	38.200.36 ST
Satin	48"	38.200.48 ST
	24"	38.200.24 PS
eq	36"	38.200.36 PS
Polished	48"	38.200.48 PS
1000	24"	38.200.24 BK
250	36"	38.200.36 BK
Black	48"	38.200.48 BK
	24"	38.200.24 GD
	36"	38.200.36 GD
Gold	48"	38.200.48 GD





Bay Series RIA



Outlet

2" Center Location.

Material

Stainless Steel 304.

Accessories included
Anti Odor & Key.








4" 4" x 4"

38.100.04R ST 38.100.04 ST 5 3/4 x 5 3/4" 38.100.06 ST

38.100.04 PS 38.100.06 PS 4" 5 3/4 x 5 3/4"































TRULY INVISIBLE DRAIN

Embark on a journey of modern luxury with the extraordinary "Invisible Drain" shower tray. Witness the revolution of design and functionality as this innovative tray creates a flawlessly seamless and sophisticated shower floor. With its hidden slopes and water elegantly channeled through tile joints, immerse yourself in a visually captivating shower experience that effortlessly merges practicality and efficiency.

MAXIMUM COMFORT

Step into a world of seamless modernity with our square and linear invisible drains. Embrace the hidden drain system, where water gracefully cascades through tile joints, creating a strikingly contrast-free floor. Elevate your bathroom to new heights of sophistication and elegance. Experience the perfect fusion of style and function with our invisible drains, transforming your space into a haven of aesthetic bliss.

MODULAR DRAIN SYSTEM

Unleash the potential of your outdoor oasis with our Prefabricated Modular Outdoor Invisible Drain. Embrace the power of seamless design and uncompromising functionality as it effortlessly handles surface water, transforming your outdoor space into a captivating masterpiece. With its seamless integration and timeless aesthetic, our invisible drain system harmonizes with your tiles, allowing your outdoor area to shine in all its natural beauty.



SHOWER TRAY • LINEAR • SQUARE • OUTDOOR




\Shower Tray

Introducing the "Invisible Drain" shower tray - a revolutionary system that brings modern design and functionality to your bathroom. With this innovative tray, your shower floor will be totally flat and level with the rest of your bathroom, creating a seamless and sophisticated look.

The "Invisible Drain" is covered by your choice of tiling, which means that the slopes of the shower tray remain hidden, and the water is channeled through the joints to the outlet. This makes for a visually stunning shower that is also highly practical and efficient.

Our system is incredibly versatile and can be adapted to any style or design, making it the perfect choice for anyone who wants to add a touch of elegance to their bathroom. Plus, with our easy-to-install system, you can enjoy your new shower tray in no time.


With the "Invisible Drain," you'll experience a new level of luxury and style in your bathroom. Don't settle for an ordinary shower - upgrade to the "Invisible Drain" and transform your space.







\Shower Tray



Width	Length	SKU
32"	36"	55.100.32.36 VO
32"	40"	55.100.32.40 VO
32"	48"	55.100.32.48 VO
32"	55"	55.100.32.55 VO
36"	36"	55.100.36.36 VO
36"	40"	55.100.36.40 VO
36"	48"	55.100.36.48 VO
36"	55"	55.100.36.55 VO
40"	40"	55.100.40.40 VO
40"	48"	55.100.40.48 VO
40"	55"	55.100.40.55 VO

KIT INCLUDES



Installation Note: Achieve a perfect and easy curbless installation by adding the Bracket Kit recess to the wood subfloor. For those who prefer a curbed shower, simply add the curb(s) to your order. Additionally, to achieve optimal waterproofing for your entire shower and bathroom area, we highly recommend using our Superdry waterproofing membrane. Extend the same level of protection to your shower walls and surrounding areas, ensuring a fully sealed and moisture-resistant space.




HOW DO I KNOW WHAT SIZE INVISIBLE SHOWER TRAY DO I NEED?

The size of the tray must fit the drainage area.

SHOWER WITH WALL SPRAYER UP TO 14"

SHOWER WITH WALL SPRAYER UP TO 36"



We recommend a min. length of 36" x 32"

Some options: 36" x 36" 36" x 40"

36" x 48" 36" x 55"

We recommend a min. length of 40" 40" x 32" Some options: 40" x 36"

40" x 40" 40" x 48"

40" x 55"

WHAT IS MY DRAINAGE AREA?

It is the area corresponding to the direct fall of the water column; the surface can vary in size depending on the type, size, and position of the showerhead. Water column + Clearance zone = DRAINAGE AREA.

SHOWER WITH ONE OR DOUBLE CEILING SPRAYER.



We recommend a min. length of 48" 48" x 40"

Some options: 48" x 48"

48" x 55"

55" x 32"

WIDTH OF THE TRAY

The measurement of the width of the shower tray must fit the width of the shower.

If the width of the shower is different than the standard sizes, a customized floor can be requested or place a fixed area to complete that space: see special cases (next page)

104 105

WHAT SIZE OF TILE I CAN USE WITH INVISIBLE SHOWER TRAY?

You can use any tile with a minimum width of 3.15". The length will depend on the shower tray selected (see table).

Shower	Tray Size	Tile Lenght		
Floor width	Floor length	Horizontal layout	Vertical layout	
32"	36"	30"	33.94"	
32"	40"	30"	37.87"	
32"	48"	30"	45.75"	
32"	55"	30"	53.62"	
36"	36"	33.94"	33.94"	
36"	40"	33.94"	37.87"	
36"	48"	33.94"	45.75"	
36"	55"	33.94"	53.62"	
39"	40"	37.87"	37.87"	
39"	48"	37.87"	45.75"	
39"	55"	37.87"	53.62"	





Horizontal layout Vertical layout

SPECIAL CASES

Free space


In remodeling, when the area that is available for installation is greater than the measurements of your shower tray, and there is free space, you can place a fixed area of tiling with a slight slope of 0.5% to fill that space.

- 1. Shower width 34.25"
- 2. Select a 32" x 36" shower tray and add a 2.25" fixed area of tile.


Overcoming an obstacle

When you have an obstacle on the area of the installation, such as a column or any other obstacle, place a fixed area of tiling with a slight slope of 0.5% around the edges of the shower floor.

- 1. Obstructing column.
- 2. Install shower tray and add two fixed areas of tile.











SPECIFICATIONS

Sizes: 32" x 36" | 32" x 40" | 36" x 36" | 36" x 40" | 40" x 40"


Height: 0.78"

Material: high performance polyurethane GPM: 8 / 7.92


Side View



Transversal Section



Top view



Sizes: 32" x 48" | 32" x 55 " | 36" x 48" | 36" x 55" | 40" x 48" | 40" x 55" **Top view**


Height: 1.02"


Material: high performance polyurethane GPM: 8 / 7.92

Side View



Transversal Section





108


HOW MANY WAYS I CAN LAYOUT TILES ON THE SHOWER TRAY?

Given the weight of the tiling for easy elevation when cleaning the shower tray, you might need to have one or more accesses, depending on the shower tray size and the size and layout of the tiles.

Depending on the tile size you can create one or more layouts/accesses. Examples of layout for your reference:



WHAT ARE THE BEST WAY TO LIFT THE TILES?




1. SUPPORT POSITION.

Lift the tile with the aid of the key and support it against the wall TURNING it 90°.

2. SAFETY POSITION.

Then separate from the wall the bottom of the tile the until reaches safety position TURNING it 92°.








Linear & Square


The square and linear invisible drain offers a unique and stylish way to achieve a contrast-free shower floor. With a hidden drain located under the tile piece, this innovative system receives water from one, two or four slopes and drains it seamlessly through the perimeter joints of the tile until it reaches the base level and the drain hole. This design is ideal for those who want a sleek and modern look in their bathroom without any obtrusive elements or steps, and for those who appreciate the aesthetic value of a clean and seamless shower floor.







Linear & Square





	Width	Length	SKU
	4"	24"	55.100.04.24 VO
	4"	28"	55.100.04.28 VO
	4"	32"	55.100.04.32 VO
	4"	36"	55.100.04.36 VO
	4"	40"	55.100.04.40 VO
	4"	44"	55.100.04.44 VO
	4"	48"	55.100.04.48 VO
	8"	24"	55.100.08.24 VO
	8"	28"	55.100.08.28 VO
	8"	32"	55.100.08.32 VO
	8"	36"	55.100.08.36 VO
	8"	40"	55.100.08.40 VO
	8"	44"	55.100.08.44 VO
	8"	48"	55.100.08.48 VO


KIT INCLUDES







Installation Note: Achieve a perfect and easy curbless installation by adding the Bracket Kit recess to the wood subfloor. For those who prefer a curbed shower, simply add the curb(s) to your order. Additionally, to achieve optimal waterproofing for your entire shower and bathroom area, we highly recommend using our Superdry waterproofing membrane. Extend the same level of protection to your shower walls and surrounding areas, ensuring a fully sealed and moisture-resistant space.





Width	Length	SKU
8"	8"	55.100.08.08 VO
12"	12"	55.100.12.12 VO
16"	16"	55.100.16.16 VO

KIT INCLUDES








Installation Note: Achieve a perfect and easy curbless installation by adding the Bracket Kit recess to the wood subfloor. For those who prefer a curbed shower, simply add the curb(s) to your order. Additionally, to achieve optimal waterproofing for your entire shower and bathroom area, we highly recommend using our Superdry waterproofing membrane. Extend the same level of protection to your shower walls and surrounding areas, ensuring a fully sealed and moisture-resistant space.

114 115





LOW PROFILE DESIGN

DRAIN

The invisible drain has a low profile, with a minimum thickness of 0.78" = 20mm, making it suitable for installation on both wooden and concrete floors. It does not increase the bathroom height and ensures a sleek and streamlined look.

> **MAXIMUM CLEANING** The invisible drain boasts a self-cleaning surface with antibacterial and fungicidal sanitary treatment, and as there are no joints, it prevents the typical **INVISIBLE**




HIDDEN DRAIN

The square and linear invisible drain is installed beneath a ceramic piece to provide a seamless, contrast-free look that blends in with the surrounding floor. It can receive water from one, two, or four slopes and drain it effortlessly through the perimeter joints of the ceramic until it reaches the base level and the drain hole.



STEP-FREE SHOWERS

With this innovative drain system, you can create a stepfree, obstacle-free shower that allows for maximum movement and a sense of freedom in a space that features homogeneous tiling.



EASY INSTALLATION

With the included superdry50 waterproof membrane and modern waterproofing installation methods, installation is a breeze. The sloped mud floor ensures proper drainage, and all the components needed for installation are included in the kit.

118 119


efflorescence that appears between joints. The profiling system allows for easy lifting of the tiling, which provides access to the interior of the drain for

thorough cleaning and maintenance.

SLOPES

Single Slope

Pitch at a 1/4" per foot slope in direction towards the shower base





Double Slope


Pitch at a $\frac{1}{4}$ " per foot slope in two direction towards the shower base.








Four Slope


Pitch at a 1/4" per foot slope in four directions towards the shower base.

















\Modular Outdoor

Introducing our Prefabricated Modular Outdoor Invisible Drain - a versatile and stylish drainage system that's designed to handle surface water in any outdoor space. The unique aesthetic of the drain blends seamlessly with tile, making it an ideal choice for customers who want a drainage system that doesn't detract from the overall look of their outdoor area.

The modular design of the drain allows for easy installation and customization to fit any space, whether it be on concrete or wood surfaces, or even high-traffic areas. And with its 100% watertight design, customers can rest assured that the drain will withstand exposure to sun, rain, snow, and other weather conditions.

Whether you're looking to add functionality to your outdoor space, or simply want to enhance the overall look, our Prefabricated Modular Outdoor Invisible Drain is the perfect solution for both internal high flow and external use.












- Prefabricated Modular drainage channel system designed for use with tile, providing a seamless, integrated look that blends with your outdoor space.
- 100% watertight design ensures effective evacuation of surface water, preventing water accumulation and potential slip hazards.
- Suitable for both internal and external use, making it a versatile solution for a variety of settings such as terraces, pools, health and wellness centers, and sports facilities
- Thermo-sealed waterproofing on all sides of the channel ensures complete sealing, providing extra protection against water infiltration and moisture damage.
- Easy assembly and joint between pieces for fast, hassle-free installation that saves time and effort.
- Perfect tightness between channels using our adhesive to further enhance water-tightness and prevent leaks.
- High-performance polyurethane material with UV protection for added durability and long-lasting performance.
- Low profile design, pre-sloped in V for easy and fast water flow, effectively preventing water from stagnating in the channel and ensuring efficient drainage.











CHANNEL


Available in several different lengths ensuring versatility and flexibility to suit various project requirements. They feature an internal V-shaped slope and incorporate a heat-sealed Superdry waterproofing sheet on the channel frame.



Available in two options, inside and outside corners, these components are designed to connect channels at 90-degree angles while maintaining the internal V-shaped slope for efficient water flow and incorporate a heat-sealed Superdry waterproofing sheet on the channel frame.




Note: To ensure comprehensive waterproofing of the entire area, we strongly recommend adding extra Superdry waterproofing membrane to your order. This additional layer of protection will provide complete coverage and peace of mind.





DRAINS_

Choose between our vertical or side outlet drains for efficient water flow. With a discharge capacity of 22 gpm. They feature an internal V-shaped slope and incorporate a heat-sealed Superdry waterproofing sheet on the channel frame.




END CAP

These components are designed to serve as the initial or terminal pieces when the drain channel takes on either a linear or an open shape. They feature an internal V-shaped slope and incorporate a heat-sealed Superdry waterproofing sheet on the channel frame.

3"

3"



Note: To ensure comprehensive waterproofing of the entire area, we strongly recommend adding extra Superdry waterproofing membrane to your order. This additional layer of protection will provide complete coverage and peace of mind.





\Shower Pan System

Our prefabricated shower trays are designed to seamlessly integrate with Superdry waterproofing, making them an ideal solution for mortar-free tiled showers. They are quick and easy to install, and eliminate the risk of incorrect slope measurement.



GREEN BUILDING COMMITMENT

We are committed to sustainable construction and ensuring a healthy environment. All of our products, including our shower trays and waterproofing membranes, are 100% recyclable.



ADJUSTABLE SIZE

Our trays can be shortened to the desired length and width, and their wider drain support gives you greater flexibility to accommodate the shower pan with existing pipe locations.



MATERIAL

Made from 100% post-consumer recycled PET, a strong and lightweight material that is chemically stable and UV resistant, making it suitable for interior and exterior use. Our trays have a compressive strength of 140 psi (pounds per square foot).



INTEGRATED WITH SUPERDRY50 WATERPROOFING

Our flexible membrane is 100% waterproof and solves humidity problems that occur in less reliable applications like rubber paint or waterproof cement. Additionally, it is antibacterial and antimicrobial, creating a dry environment that prevents the proliferation of microorganisms.




EASY INSTALLATION

Our shower trays allow you to create a perfect shower floor quickly and easily, saving you time and labor.



SUITABLE FOR ANY TYPE OF SUBFLOOR


Our shower trays are suitable for both concrete and wood subfloors, making them ideal for both new and renovation projects. that prevents the proliferation of microorganisms.





Square Kit 32"


OFF CENTER OUTLET



- Superdry: Band, 4 inside corners, 2 outside corners
- Curb*
- Sealant

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.


When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.





Square Kit 32"


CENTER OUTLET



- Drain
- Superdry: Band, 4 inside corners, 2 outside corners
- Curb*
- Sealant

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.

When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.




	-
	-
	-
Δ	-
7	_


Curb SKU* SPCC.33.200.04 ST SPCC.33.200.04 PS SPCC.33.200.04 BK SPCC.33.200.04 GD SPCC.33.200.04 BZ



Odbic33 Orto
SPC.33.200.04 ST
SPC.33.200.04 PS
SPC.33.200.04 BK
SPC.33.200.04 GD
SPC.33.200.04 BZ



1		
30/		



SPC.33.300.04 ST	
SPC.33.300.04 PS	
SPC.33.300.04 BK	
SPC.33.300.04 GD	
SPC.33.300.04 BZ	



<>	000		ı
553	2525	333	
3>	5252	2555	
32	<>>	3535	
1	1200	3532	
			Z

SPCC.33.400.04 ST	
SPCC.33.400.04 PS	
SPCC.33.400.04 BK	
SPCC.33.400.04 GD	
SPCC.33.400.04 BZ	

SPC.33.400.04 ST	
SPC.33.400.04 PS	
SPC.33.400.04 BK	
SPC.33.400.04 GD	
SPC.33.400.04 BZ	





CC.33.500.04 ST	SPC.33.500.04 ST
CC.33.500.04 BK	SPC.33.500.04 BK
CC.33.500.04 GD	SPC.33.500.04 GD
CC.33.500.04 BZ	SPC.33.500.04 BZ





SPCC.33.700.04 ST
SPCC.33.700.04 PS
SPCC.33.700.04 BK
SPCC.33.700.04 GD
SPCC.33.700.04 BZ

SPC.33.700.04 S	ST
SPC.33.700.04 F	PS .
SPC.33.700.04 E	3K
SPC.33.700.04 (GD
SPC.33.700.04 E	3Z



SPCC.88.100.04 ST	
SPCC.88.100.04 PS	
SPCC.88.100.04 BK	
SPCC.88.100.04 GD	
SPCC.88.100.04 BZ	

SPC.88.100.04 ST
SPC.88.100.04 PS
SPC.88.100.04 BK
SPC.88.100.04 GD
SPC.88.100.04 BZ



SPCC.88.300.04 PS
SPCC.88.300.04 ST
SPCC.88.300.04 BK
SPCC.88.300.04 GD
SPCC.88.300.04 BZ

SPC.88.300.04 PS
SPC.88.300.04 ST
SPC.88.300.04 BK
SPC.88.300.04 GD
SPC.88.300.04 BZ





\Kit 32"



• Superdry: Band, 4 inside

corners, 2 outside corners

- Curb*
- Sealant
- No-Hub Coupling

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.

When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.

VERTICAL












Curb SKU*	Curbless SKU
SPC32.33.200.24F ST	SP32.33.200.24F ST
SPC32.33.200.24F PS	SP32.33.200.24F PS
SPC32.33.200.24F BK	SP32.33.200.24F BK
SPC32.33.200.24F GD	SP32.33.200.24F GD
SPC32.33.200.24F BZ	SP32.33.200.24F BZ
SPC32.33.300.24F ST	SP32.33.300.24F ST
SPC32.33.300.24F PS	SP32.33.300.24F PS
SPC32.33.300.24F BK	SP32.33.300.24F BK
SPC32.33.300.24F GD	SP32.33.300.24F GD
SPC32.33.300.24F BZ	SP32.33.300.24F BZ
SPC32.33.400.24F ST	SP32.33.400.24F ST
SPC32.33.400.24F PS	SP32.33.400.24F PS
SPC32.33.400.24F BK	SP32.33.400.24F BK
SPC32.33.400.24F GD	SP32.33.400.24F GD
SPC32.33.400.24F BZ	SP32.33.400.24F BZ
SPC32.33.500.24F	SP32.33.500.24F
SPC32.33.500.24F ST	SP32.33.500.24F ST
SPC32.33.500.24F BK	SP32.33.500.24F BK
SPC32.33.500.24F GD	SP32.33.500.24F GD
SPC32.33.500.24F BZ	SP32.33.500.24F BZ
SPC32.33.700.24F ST	SP32.33.700.24F ST
SPC32.33.700.24F PS	SP32.33.700.24F PS
SPC32.33.700.24F BK	SP32.33.700.24F BK
SPC32.33.700.24F GD	SP32.33.700.24F GD
SPC32.33.700.24F BZ	SP32.33.700.24F BZ











Curb Kit SKU	Curbless SKU
SPC32.33.200.24FSO ST	SP32.33.200.24FSO ST
SPC32.33.200.24FSO PS	SP32.33.200.24FSO PS
SPC32.33.200.24FSO BK	SP32.33.200.24FSO BK
SPC32.33.200.24FSO GD	SP32.33.200.24FSO GD
SPC32.33.200.24FSO BZ	SP32.33.200.24FSO BZ
SPC32.33.300.24FSO ST	SP32.33.300.24FSO ST
SPC32.33.300.24FSO PS	SP32.33.300.24FSO PS
SPC32.33.300.24FSO BK	SP32.33.300.24FSO BK
SPC32.33.300.24FSO GD	SP32.33.300.24FSO GD
SPC32.33.300.24FSO BZ	SP32.33.300.24FSO BZ
SPC32.33.400.24FSO ST	SP32.33.400.24FSO ST
SPC32.33.400.24FSO PS	SP32.33.400.24FSO PS
SPC32.33.400.24FSO BK	SP32.33.400.24FSO BK
SPC32.33.400.24FSO GD	SP32.33.400.24FSO GD
SPC32.33.400.24FSO BZ	SP32.33.400.24FSO BZ
SPC32.33.500.24FSO	SP32.33.500.24FSO
SPC32.33.500.24FSO ST	SP32.33.500.24FSO ST
SPC32.33.500.24FSO BK	SP32.33.500.24FSO BK
SPC32.33.500.24FSO GD	SP32.33.500.24FSO GD
SPC32.33.500.24FSO BZ	SP32.33.500.24FSO BZ
SPC32.33.700.24FSO ST	SP32.33.700.24FSO ST
SPC32.33.700.24FSO PS	SP32.33.700.24FSO PS
SPC32.33.700.24FSO BK	SP32.33.700.24FSO BK
SPC32.33.700.24FSO GD	SP32.33.700.24FSO GD
SPC32.33.700.24FSO BZ	SP32.33.700.24FSO BZ



Kit 40"



- Shower floor pan (1) 32" x 48" + (1) 16" x 48"
- Drain Support 40" x 16"
- Drain 32"
- Superdry: Band, 4 inside corners, 2 outside corners.
- Curb*
- Sealant
- No-Hub Coupling

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.

When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.

VERTICAL











Curb SKU*	Curbless SKU
SPC40.33.200.32F ST	SP40.33.200.32F ST
SPC40.33.200.32F PS	SP40.33.200.32F PS
SPC40.33.200.32F BK	SP40.33.200.32F BK
SPC40.33.200.32F GD	SP40.33.200.32F GD
SPC40.33.200.32F BZ	SP40.33.200.32F BZ
SPC40.33.300.32F ST	SP40.33.300.32F ST
SPC40.33.300.32F PS	SP40.33.300.32F PS
SPC40.33.300.32F BK	SP40.33.300.32F BK
SPC40.33.300.32F GD	SP40.33.300.32F GD
SPC40.33.300.32F BZ	SP40.33.300.32F BZ
SPC40.33.400.32F ST	SP40.33.400.32F ST
SPC40.33.400.32F PS	SP40.33.400.32F PS
SPC40.33.400.32F BK	SP40.33.400.32F BK
SPC40.33.400.32F GD	SP40.33.400.32F GD
SPC40.33.400.32F BZ	SP40.33.400.32F BZ
SPC40.33.500.32F	SP40.33.500.32F
SPC40.33.500.32F ST	SP40.33.500.32F ST
SPC40.33.500.32F BK	SP40.33.500.32F BK
SPC40.33.500.32F GD	SP40.33.500.32F GD
SPC40.33.500.32F BZ	SP40.33.500.32F BZ
SPC40.33.700.32F ST	SP40.33.700.32F ST
SPC40.33.700.32F PS	SP40.33.700.32F PS
SPC40.33.700.32F BK	SP40.33.700.32F BK
SPC40.33.700.32F GD	SP40.33.700.32F GD
SPC40.33.700.32F BZ	SP40.33.700.32F BZ










Curb Kit SKU	Curbless SKU
SPC40.33.200.32FSO ST	SP40.33.200.32FSO ST
SPC40.33.200.32FSO PS	SP40.33.200.32FSO PS
SPC40.33.200.32FSO BK	SP40.33.200.32FSO BK
SPC40.33.200.32FSO GD	SP40.33.200.32FSO GD
SPC40.33.200.32FSO BZ	SP40.33.200.32FSO BZ
SPC40.33.300.32FSO ST	SP40.33.300.32FSO ST
SPC40.33.300.32FSO PS	SP40.33.300.32FSO PS
SPC40.33.300.32FSO BK	SP40.33.300.32FSO BK
SPC40.33.300.32FSO GD	SP40.33.300.32FSO GD
SPC40.33.300.32FSO BZ	SP40.33.300.32FSO BZ
SPC40.33.400.32FSO ST	SP40.33.400.32FSO ST
SPC40.33.400.32FSO PS	SP40.33.400.32FSO PS
SPC40.33.400.32FSO BK	SP40.33.400.32FSO BK
SPC40.33.400.32FSO GD	SP40.33.400.32FSO GD
SPC40.33.400.32FSO BZ	SP40.33.400.32FSO BZ
SPC40.33.500.32FSO	SP40.33.500.32FSO
SPC40.33.500.32FSO ST	SP40.33.500.32FSO ST
SPC40.33.500.32FSO BK	SP40.33.500.32FSO BK
SPC40.33.500.32FSO GD	SP40.33.500.32FSO GD
SPC40.33.500.32FSO BZ	SP40.33.500.32FSO BZ
SPC40.33.700.32FSO ST	SP40.33.700.32FSO ST
SPC40.33.700.32FSO PS	SP40.33.700.32FSO PS
SPC40.33.700.32FSO BK	SP40.33.700.32FSO BK
SPC40.33.700.32FSO GD	SP40.33.700.32FSO GD
SPC40.33.700.32FSO BZ	SP40.33.700.32FSO BZ







- Drain 36"
- Superdry: Band, 4 inside corners, 2 outside corners.
- Curb*
- Sealant
- No-Hub Coupling

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.

When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.

VERTICAL











Curb SKU*	Curbless SKU
SPC48.33.200.36F ST	SP48.33.200.36F ST
SPC48.33.200.36F PS	SP48.33.200.36F PS
SPC48.33.200.36F BK	SP48.33.200.36F BK
SPC48.33.200.36F GD	SP48.33.200.36F GD
SPC48.33.200.36F BZ	SP48.33.200.36F BZ
SPC48.33.300.36F ST	SP48.33.300.36F ST
SPC48.33.300.36F PS	SP48.33.300.36F PS
SPC48.33.300.36F BK	SP48.33.300.36F BK
SPC48.33.300.36F GD	SP48.33.300.36F GD
SPC48.33.300.36F BZ	SP48.33.300.36F BZ
SPC48.33.400.36F ST	SP48.33.400.36F ST
SPC48.33.400.36F PS	SP48.33.400.36F PS
SPC48.33.400.36F BK	SP48.33.400.36F BK
SPC48.33.400.36F GD	SP48.33.400.36F GD
SPC48.33.400.36F BZ	SP48.33.400.36F BZ
SPC48.33.500.36F	SP48.33.500.36F
SPC48.33.500.36F ST	SP48.33.500.36F ST
SPC48.33.500.36F BK	SP48.33.500.36F BK
SPC48.33.500.36F GD	SP48.33.500.36F GD
SPC48.33.500.36F BZ	SP48.33.500.36F BZ
SPC48.33.700.36F ST	SP48.33.700.36F ST
SPC48.33.700.36F PS	SP48.33.700.36F PS
SPC48.33.700.36F BK	SP48.33.700.36F BK
SPC48.33.700.36F GD	SP48.33.700.36F GD
SPC48.33.700.36F BZ	SP48.33.700.36F BZ









Curb Kit SKU	Curbless SKU
SPC48.33.200.36FSO ST	SP48.33.200.36FSO ST
SPC48.33.200.36FSO PS	SP48.33.200.36FSO PS
SPC48.33.200.36FSO BK	SP48.33.200.36FSO BK
SPC48.33.200.36FSO GD	SP48.33.200.36FSO GD
SPC48.33.200.36FSO BZ	SP48.33.200.36FSO BZ
SPC48.33.300.36FSO ST	SP48.33.300.36FSO ST
SPC48.33.300.36FSO PS	SP48.33.300.36FSO PS
SPC48.33.300.36FSO BK	SP48.33.300.36FSO BK
SPC48.33.300.36FSO GD	SP48.33.300.36FSO GD
SPC48.33.300.36FSO BZ	SP48.33.300.36FSO BZ
SPC48.33.400.36FSO ST	SP48.33.400.36FSO ST
SPC48.33.400.36FSO PS	SP48.33.400.36FSO PS
SPC48.33.400.36FSO BK	SP48.33.400.36FSO BK
SPC48.33.400.36FSO GD	SP48.33.400.36FSO GD
SPC48.33.400.36FSO BZ	SP48.33.400.36FSO BZ
SPC48.33.500.36FSO	SP48.33.500.36FSO
SPC48.33.500.36FSO ST	SP48.33.500.36FSO ST
SPC48.33.500.36FSO BK	SP48.33.500.36FSO BK
SPC48.33.500.36FSO GD	SP48.33.500.36FSO GD
SPC48.33.500.36FSO BZ	SP48.33.500.36FSO BZ
SPC48.33.700.36FSO ST	SP48.33.700.36FSO ST
SPC48.33.700.36FSO PS	SP48.33.700.36FSO PS
SPC48.33.700.36FSO BK	SP48.33.700.36FSO BK
SPC48.33.700.36FSO GD	SP48.33.700.36FSO GD
SPC48.33.700.36FSO BZ	SP48.33.700.36FSO BZ



\Kit 56"



- Drain Support 56" x 16"
- Drain 48"
- Superdry: Band, 4 inside corners, 2 outside corners.
- Curb*
- Sealant
- No-Hub Coupling

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.

When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.


VERTICAL











Curb SKU*	Curbless SKU
SPC56.33.200.48F ST	SP56.33.200.48F ST
SPC56.33.200.48F PS	SP56.33.200.48F PS
SPC56.33.200.48F BK	SP56.33.200.48F BK
SPC56.33.200.48F GD	SP56.33.200.48F GD
SPC56.33.200.48F BZ	SP56.33.200.48F BZ
SPC56.33.300.48F ST	SP56.33.300.48F ST
SPC56.33.300.48F PS	SP56.33.300.48F PS
SPC56.33.300.48F BK	SP56.33.300.48F BK
SPC56.33.300.48F GD	SP56.33.300.48F GD
SPC56.33.300.48F BZ	SP56.33.300.48F BZ
SPC56.33.400.48F ST	SP56.33.400.48F ST
SPC56.33.400.48F PS	SP56.33.400.48F PS
SPC56.33.400.48F BK	SP56.33.400.48F BK
SPC56.33.400.48F GD	SP56.33.400.48F GD
SPC56.33.400.48F BZ	SP56.33.400.48F BZ
SPC56.33.500.48F	SP56.33.500.48F
SPC56.33.500.48F ST	SP56.33.500.48F ST
SPC56.33.500.48F BK	SP56.33.500.48F BK
SPC56.33.500.48F GD	SP56.33.500.48F GD
SPC56.33.500.48F BZ	SP56.33.500.48F BZ
SPC56.33.700.48F ST	SP56.33.700.48F ST
SPC56.33.700.48F PS	SP56.33.700.48F PS
SPC56.33.700.48F BK	SP56.33.700.48F BK
SPC56.33.700.48F GD	SP56.33.700.48F GD
SPC56.33.700.48F BZ	SP56.33.700.48F BZ











01 000.00.700.101 B2	01 00.00.700.101 B2
Curb Kit SKU	Curbless SKU
SPC56.33.200.48FSO ST	SP56.33.200.48FSO ST
SPC56.33.200.48FSO PS	SP56.33.200.48FSO PS
SPC56.33.200.48FSO BK	SP56.33.200.48FSO BK
SPC56.33.200.48FSO GD	SP56.33.200.48FSO GD
SPC56.33.200.48FSO BZ	SP56.33.200.48FSO BZ
SPC56.33.300.48FSO ST	SP56.33.300.48FSO ST
SPC56.33.300.48FSO PS	SP56.33.300.48FSO PS
SPC56.33.300.48FSO BK	SP56.33.300.48FSO BK
SPC56.33.300.48FSO GD	SP56.33.300.48FSO GD
SPC56.33.300.48FSO BZ	SP56.33.300.48FSO BZ
SPC56.33.400.48FSO ST	SP56.33.400.48FSO ST
SPC56.33.400.48FSO PS	SP56.33.400.48FSO PS
SPC56.33.400.48FSO BK	SP56.33.400.48FSO BK
SPC56.33.400.48FSO GD	SP56.33.400.48FSO GD
SPC56.33.400.48FSO BZ	SP56.33.400.48FSO BZ
SPC56.33.500.48FSO	SP56.33.500.48FSO
SPC56.33.500.48FSO ST	SP56.33.500.48FSO ST
SPC56.33.500.48FSO BK	SP56.33.500.48FSO BK
SPC56.33.500.48FSO GD	SP56.33.500.48FSO GD
SPC56.33.500.48FSO BZ	SP56.33.500.48FSO BZ
SPC56.33.700.48FSO ST	SP56.33.700.48FSO ST
SPC56.33.700.48FSO PS	SP56.33.700.48FSO PS
SPC56.33.700.48FSO BK	SP56.33.700.48FSO BK
SPC56.33.700.48FSO GD	SP56.33.700.48FSO GD
SPC56.33.700.48FSO BZ	SP56.33.700.48FSO BZ





\Kit 64"



- Drain Support 64" x 16"
- Drain 58"
- Superdry: Band, 4 inside corners, 2 outside corners.
- Curb*
- Sealant
- No-Hub Coupling

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.

When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.

VERTICAL











Curb SKU*	Curbless SKU
SPC64.33.200.58F ST	SP64.33.200.58F ST
SPC64.33.200.58F PS	SP64.33.200.58F PS
SPC64.33.200.58F BK	SP64.33.200.58F BK
SPC64.33.200.58F GD	SP64.33.200.58F GD
SPC64.33.200.58F BZ	SP64.33.200.58F BZ
SPC64.33.300.58F ST	SP64.33.300.58F ST
SPC64.33.300.58F PS	SP64.33.300.58F PS
SPC64.33.300.58F BK	SP64.33.300.58F BK
SPC64.33.300.58F GD	SP64.33.300.58F GD
SPC64.33.300.58F BZ	SP64.33.300.58F BZ
SPC64.33.400.58F ST	SP64.33.400.58F ST
SPC64.33.400.58F PS	SP64.33.400.58F PS
SPC64.33.400.58F BK	SP64.33.400.58F BK
SPC64.33.400.58F GD	SP64.33.400.58F GD
SPC64.33.400.58F BZ	SP64.33.400.58F BZ
SPC64.33.500.58F	SP64.33.500.58F
SPC64.33.500.58F ST	SP64.33.500.58F ST
SPC64.33.500.58F BK	SP64.33.500.58F BK
SPC64.33.500.58F GD	SP64.33.500.58F GD
SPC64.33.500.58F BZ	SP64.33.500.58F BZ
SPC64.33.700.58F ST	SP64.33.700.58F ST
SPC64.33.700.58F PS	SP64.33.700.58F PS
SPC64.33.700.58F BK	SP64.33.700.58F BK
SPC64.33.700.58F GD	SP64.33.700.58F GD
SPC64.33.700.58F BZ	SP64.33.700.58F BZ











Curb Kit SKU	Curbless SKU
SPC64.33.200.58FSO ST	SP64.33.200.58FSO ST
SPC64.33.200.58FSO PS	SP64.33.200.58FSO PS
SPC64.33.200.58FSO BK	SP64.33.200.58FSO BK
SPC64.33.200.58FSO GD	SP64.33.200.58FSO GD
SPC64.33.200.58FSO BZ	SP64.33.200.58FSO BZ
SPC64.33.300.58FSO ST	SP64.33.300.58FSO ST
SPC64.33.300.58FSO PS	SP64.33.300.58FSO PS
SPC64.33.300.58FSO BK	SP64.33.300.58FSO BK
SPC64.33.300.58FSO GD	SP64.33.300.58FSO GD
SPC64.33.300.58FSO BZ	SP64.33.300.58FSO BZ
SPC64.33.400.58FSO ST	SP64.33.400.58FSO ST
SPC64.33.400.58FSO PS	SP64.33.400.58FSO PS
SPC64.33.400.58FSO BK	SP64.33.400.58FSO BK
SPC64.33.400.58FSO GD	SP64.33.400.58FSO GD
SPC64.33.400.58FSO BZ	SP64.33.400.58FSO BZ
SPC64.33.500.58FSO	SP64.33.500.58FSO
SPC64.33.500.58FSO ST	SP64.33.500.58FSO ST
SPC64.33.500.58FSO BK	SP64.33.500.58FSO BK
SPC64.33.500.58FSO GD	SP64.33.500.58FSO GD
SPC64.33.500.58FSO BZ	SP64.33.500.58FSO BZ
SPC64.33.700.58FSO ST	SP64.33.700.58FSO ST
SPC64.33.700.58FSO PS	SP64.33.700.58FSO PS
SPC64.33.700.58FSO BK	SP64.33.700.58FSO BK
SPC64.33.700.58FSO GD	SP64.33.700.58FSO GD
SPC64.33.700.58FSO BZ	SP64.33.700.58FSO BZ





- Shower floor pan (2) 32" x 48" + (1) 16" x 48"
- Drain Support 80" x 16"
- Drain 58³
- Superdry: Band, 4 inside corners, 2 outside corners.
- Curb*
- Sealant
- No-Hub Coupling

Important: if you are installing a Linear Drain Shower Pan Kit and the waste pipe is coming from the wall above the subfloor, you will need to add two Flat Shower Panel Risers and one or two Curbs (60" x 5"), which is the ideal size when a flat shower floor is needed.

When a curbless shower is the desired design, we advise adding the Bracket Kit to recess the wood subfloor for a perfect and easy curbless installation.

VERTICAL











SPC80.33.700.58F BZ

Curb SKU*	Curbless SKU
SPC80.33.200.58F ST	SP80.33.200.58F ST
SPC80.33.200.58F PS	SP80.33.200.58F PS
SPC80.33.200.58F BK	SP80.33.200.58F BK
SPC80.33.200.58F GD	SP80.33.200.58F GD
SPC80.33.200.58F BZ	SP80.33.200.58F BZ
SPC80.33.300.58F ST	SP80.33.300.58F ST
SPC80.33.300.58F PS	SP80.33.300.58F PS
SPC80.33.300.58F BK	SP80.33.300.58F BK
SPC80.33.300.58F GD	SP80.33.300.58F GD
SPC80.33.300.58F BZ	SP80.33.300.58F BZ
SPC80.33.400.58F ST	SP80.33.400.58F ST
SPC80.33.400.58F PS	SP80.33.400.58F PS
SPC80.33.400.58F BK	SP80.33.400.58F BK
SPC80.33.400.58F GD	SP80.33.400.58F GD
SPC80.33.400.58F BZ	SP80.33.400.58F BZ
SPC80.33.500.58F	SP80.33.500.58F
SPC80.33.500.58F ST	SP80.33.500.58F ST
SPC80.33.500.58F BK	SP80.33.500.58F BK
SPC80.33.500.58F GD	SP80.33.500.58F GD
SPC80.33.500.58F BZ	SP80.33.500.58F BZ
SPC80.33.700.58F ST	SP80.33.700.58F ST
SPC80.33.700.58F PS	SP80.33.700.58F PS
SPC80.33.700.58F BK	SP80.33.700.58F BK
SPC80.33.700.58F GD	SP80.33.700.58F GD

SP80.33.700.58F BZ









Curb Kit SKU	Curbless SKU
SPC80.33.200.58FSO ST	SP80.33.200.58FSO ST
SPC80.33.200.58FSO PS	SP80.33.200.58FSO PS
SPC80.33.200.58FSO BK	SP80.33.200.58FSO BK
SPC80.33.200.58FSO GD	SP80.33.200.58FSO GD
SPC80.33.200.58FSO BZ	SP80.33.200.58FSO BZ
SPC80.33.300.58FSO ST	SP80.33.300.58FSO ST
SPC80.33.300.58FSO PS	SP80.33.300.58FSO PS
SPC80.33.300.58FSO BK	SP80.33.300.58FSO BK
SPC80.33.300.58FSO GD	SP80.33.300.58FSO GD
SPC80.33.300.58FSO BZ	SP80.33.300.58FSO BZ
SPC80.33.400.58FSO ST	SP80.33.400.58FSO ST
SPC80.33.400.58FSO PS	SP80.33.400.58FSO PS
SPC80.33.400.58FSO BK	SP80.33.400.58FSO BK
SPC80.33.400.58FSO GD	SP80.33.400.58FSO GD
SPC80.33.400.58FSO BZ	SP80.33.400.58FSO BZ
SPC80.33.500.58FSO	SP80.33.500.58FSO
SPC80.33.500.58FSO ST	SP80.33.500.58FSO ST
SPC80.33.500.58FSO BK	SP80.33.500.58FSO BK
SPC80.33.500.58FSO GD	SP80.33.500.58FSO GD
SPC80.33.500.58FSO BZ	SP80.33.500.58FSO BZ
SPC80.33.700.58FSO ST	SP80.33.700.58FSO ST
SPC80.33.700.58FSO PS	SP80.33.700.58FSO PS
SPC80.33.700.58FSO BK	SP80.33.700.58FSO BK
SPC80.33.700.58FSO GD	SP80.33.700.58FSO GD
SPC80.33.700.58FSO BZ	SP80.33.700.58FSO BZ



Waterproofing Membrane

The Superdry! Made from high-performance thermoplastic polyolefins CPE (EVA-based Circular Polymer), this eco-responsible membrane is designed to provide maximum protection and durability for both interior and exterior wet areas, such as bathrooms, walls, floors, balconies, and terraces.



SUPERDRY MEMBRANE: LIGHTWEIGHT

At a thickness of 0.52 mm and a weight of 335 g/m2, our Superdry membrane is flexible and easy to install with a thin layer of tile adhesive (thinset), making it the perfect solution for direct tile installation.



NO MORE HUMIDITY ISSUES

Say goodbye to humidity problems and unreliable applications like rubber paint or waterproof cement. Our Superdry membrane is 100% waterproof and resistant to alkaline mediums produced by tile adhesive,



SUPERIOR ADHESION

With polyester fibers providing four times greater grip on surfaces than polypropylene fibers, our Superdry membrane offers superior adhesion and is suitable for any type of subfloor, including concrete and wood.



OUR SUSTAINABILITY COMMITMENT

Our commitment to sustainability is at the heart of our product. Made from circular economy raw materials, our Superdry membrane is 100% recyclable, making it a perfect choice for eco-conscious construction projects.



ANTIMICROBIAL & ANTIBACTERIAL

Not only does our Superdry membrane offer unbeatable protection, it is also antimicrobial and antibacterial, creating a completely dry environment that prevents the growth of microorganisms.



CHOOSE SUPERDRY

Choose the Superdry membrane for your new construction or renovation project, and enjoy peace of mind knowing that you have selected the best waterproofing solution available.





\Superdry Membrane



BAND.

The Superdry waterproof band is a versatile solution for waterproofing joints between horizontal and vertical surfaces. Made from the same high-performance thermoplastic polyolefins CPE (EVA-based Circular Polymer) as the Superdry membrane, this band offers superior waterproofing protection and durability. Measuring 5" x 16', it can be easily cut to size and adhered with a thin layer of tile adhesive for direct tile installation. Use the Superdry waterproof band for unbeatable protection against water damage in any interior or exterior wet area.



5" x 16' 55.110.BAND.16

CORNERS_

Our Superdry waterproof inside and outside corners are the perfect solution for reinforcing and waterproofing inside shower corners. Made from the same high-performance thermoplastic polyolefins CPE (EVA-based Circular Polymer) as the Superdry membrane and waterproof band, these inside corners offer unbeatable protection against water damage. Designed to be used in conjunction with the Superdry membrane and band, they create a fully waterproof system that ensures a watertight seal. Easy to install with a thin layer of tile adhesive, the Superdry inside corners are a versatile solution for any interior or exterior wet area.

Each package includes two units.



Inside Corners



Inside Corners 55.110.COR.IN
Outside Corners 55.110.COR.OUT





Installation Components



ABS/PVC CLAMP DRAIN 2"

83.FLG.2.ABS

83.FLG.2.PVC

- Clamp down floor drain.
- 2" throat, 2" outlet.
- 6 1/4" overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.



3" X 4" HIGH FLOR CLAMP DRAIN

83.FLG.3.PVC

- Clamp down floor drain.
- 3.5" throat, 4" outlet.
- 8.58" overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.



CAST IRON CLAMP DRAIN 2"

83.FLG.2.Cl (No hub)

83.FLG.2.CI.IP

- Clamp down floor drain.
- 2" throat, 2" outlet.
- 6 1/4" overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Hot mop, Rubber liner, Fiberglass.



ADAPTOR FOR 2" BONDED DRAIN FLANGE

83.ADAPT.2BF

 QM Drain Adaptor allows you to use QM drains instead of Schluter® Grate when using their integrated bounding flange (Residential 2" Drain Outlet) or Wedi® Drain Grate with shower systems.



SQUARE CLAMP DRAIN 2"

83.SQFLG.2.PVC

83.SQFLG.2.ABS

83.SQFLG.2.CI

- Allows easy installation of linear drains in close proximity to the wall.
- 4" x 3-1/2" x 2-3/4" Overall Dimensions.
- Fits Shower Drains with 2" IPS Thread.
- Clamp down floor drain.
- 2" hub outlet 2" throat.
- Has Weep Holes.



ADAPTOR REDUCER

83.ADAPT.2R

Allows easy connection between a QM threaded drain outlet to the waste pipe.

- 3.15" x 2" Overall Dimensions.
- No Hub Outlet Connection.
- Made in ABS plastic.

160 161




BONDED FLANGE

83.BFLG.4.PVC

83.BFLG.4.ABS


QM Drain bonded floor drain is the ultimate solution for your tiled shower floor needs. Made specifically for use with our Superdry membranes and QM pre-sloped shower pan, this floor drain is exclusively designed to be compatible with our 4" QM Square Drain. The bonded flange features a narrow shape that enables it to fit into tight corners and close to walls. With its no-hub outlet, this floor drain can easily connect to 2", 3", or 4" pipes, making installation a breeze.




CURBLESS BRACKET KIT

Up to 15 sa.ft. 44.RR.SSP Up to 28 sq.ft. 44.RR.LSP

Make your curbless shower dreams a reality with the QM Recess Subfloor Lowering Kit, the perfect solution for building curbless showers in new constructions or remodels. Unlike most curbless shower installations which can be difficult to achieve, our kit simplifies the process for both construction professionals and DIYers.



Our product is specifically designed to provide the necessary depth required to install a true, zero-entry curbless shower. With our bracket kit, you can easily achieve this without compromising the structural integrity of the joists or interfering with plumbing and other obstacles between the joists. Additionally, our kit can be used with different types, widths, and orientations of floor joists, whether they are parallel or perpendicular to the shower entry.



Say goodbye to the hassle of framing ledger boards or cross-bracing, as our kit eliminates the need for these. With the lowered area recessed by 11/16 inches, our kit is compatible with both point and linear drains and shower pans. And you can rest assured that our product fully complies with ICC standards and codes.



The first step to building a curbless shower is to recess the subfloor, and our Subfloor Lowering Kit simplifies this process with just four simple steps. First, expose the joists, then attach the bracket system, recess the subfloor, and finish with a shower pan and tile.



CURB

60" x 3.5" 44.CURB.3 60" x 5" 44.CURB.5

Make your shower installation a breeze with our prefabricated Curb, designed for easy installation and integrated with our proprietary Superdry waterproofing membrane. This ensures that your shower remains leak-free and water damage-free for years to come.

Our prefabricated curb is versatile and can be added to any shower design. It's easily cut to the specific size you need, and features the same great benefits as our Shower Pan.



FLAT PANEL RISER

30" x 30" 44.FP

If you have a wall side outlet drain and the waste pipe is coming from the wall above the floor, our Flat Shower Pan panel riser is essential for your shower installation. Can be easily placed under the shower pan to elevate it and connect to the wall side outlet drain. Our Flat Shower Pan panel riser is specifically designed for use with our pre-sloped Shower Pan and Superdry waterproofing system. It's easy to install and each panel is 30" x 30", use as many as necessary to cover your shower area. Make your shower installation process stress-free.



ADHESIVE

83.SEALANT

QM Bond Sealant: Fast curing, high modulus one component PU adhesive ideal for a wide variety of bonding applications. This high-quality product cures on exposure to atmospheric moisture to form a tough, resilient, elastic rubber compound




NO-HUB COUPLING

83.COUPLING1.5

83.COUPLING2

Shielded pipe Coupling that allows you to make pipe connections that are resistant to shear forces, while creating a rigid, long-lasting pipe joint. Connects Cast Iron, plastic, steel, copper drain waste.

162 163





- Oficinas Corporativas Artexa
 Cañón Grande 7720, Col. La Estanzuela
 Monterrey, N.L. 64984
 T: (81) 8625 5000 info@artexa.com
- Artexa Experience & Design Center Mexico City
 Homero 1433 Mezzanine Col. Polanco II Secc.
 Delegación Miguel Hidalgo, Ciudad de México 11540
 T: (81) 8625 5090 / 5091 citas@artexa.com
- Rubén Darío 1533 Piso 6B Col. Providencia Sección 4 C.P. 44639 Guadalajara, Jalisco.













