



J-300™

COMFORT
COLLECTION



J-300™

COMFORT COLLECTION



J-345™

J-335™

J-325™

J-315™

SEATING CAPACITY	6-7 seats	5-6 seats	4-5 seats	2-3 seats
DIMENSIONS	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm	84 in x 76 in x 34 in 214 cm x 193 cm x 87 cm	66 in x 76 in x 32 in 168 cm x 193 cm x 81 cm
DRY WEIGHT	777 lbs. (352 kg.)	764 lbs. (347 kg.)	619 lbs. (281 kg.)	531 lbs. (241 kg.)
TOTAL FILLED WEIGHT	4,488 lbs. (2,036 kg.)	4,684 lbs. (2,125 kg.)	4,372 lbs. (1,983 kg.)	2,866 lbs. (1,300 kg.)
AVERAGE SPA VOLUME	345 gallons (1,306 liters)	350 gallons (1,325 liters)	335 gallons (1,268 liters)	210 gallons (795 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 1.5 cont hp (2.5 bhp*)	1 speed, 1.5 cont hp (2.5 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	-	-
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	-	-
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL JETS	41	42	23	23
POWERPRO® MX	3	2	-	-
POWERPRO® FX LARGE ROTATIONAL	3	4	5	3
POWERPRO® FX DIRECTIONAL	2	2	2	2
POWERPRO® FX LARGE	2	2	4	2
POWERPRO® FX ROTATIONAL	4	4	2	2
POWERPRO® FX	19	16	6	8
POWERPRO® BX	-	12	-	6
POWERPRO® FX SMALL	8	-	4	-
MASSAGE SELECTORS	2	2	1	1
LOUNGE SEATING	-	Yes	-	-
FILTERS	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights
PILLOWS	4	4	4	3
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	120VAC 15A or 240VAC 60Hz 30/40A	120VAC 60Hz 15A or 240VAC 60Hz 30A/40A
ELECTRICAL INTERNATIONAL	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A	230VAC 50Hz 10A/13A	230VAC 50Hz 10A/13A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-300™ COMFORT COLLECTION



J-385™

J-375™

J-365™

J-355™

SEATING CAPACITY	6-7 seats	5-6 seats	6-7 seats	5-6 seats
DIMENSIONS	91 in x 91 in x 38 in 231 cm x 231 cm x 97 cm	91 in x 91 in x 38 in 231 cm x 231 cm x 97 cm	84 in x 91 in x 38 in 214 cm x 231 cm x 97 cm	84 in x 91 in x 38 in 214 cm x 231 cm x 97 cm
DRY WEIGHT	850 lbs. (386 kg.)	830 lbs. (376 kg.)	805 lbs. (365 kg.)	813 lbs. (369 kg.)
TOTAL FILLED WEIGHT	5,771 lbs. (2,618 kg.)	5,667 lbs. (2,571 kg.)	4,975 lbs. (2,257 kg.)	4,900 lbs. (1,855 kg.)
AVERAGE SPA VOLUME	460 gallons (1,741 liters)	445 gallons (1,685 liters)	395 gallons (1,495 liters)	360 gallons (1,363 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL JETS	51	52	46	44
POWERPRO® MX	3	5	3	5
POWERPRO® FX LARGE ROTATIONAL	4	3	3	3
POWERPRO® FX DIRECTIONAL	2	2	2	2
POWERPRO® FX LARGE	4	2	3	2
POWERPRO® FX ROTATIONAL	4	6	4	4
POWERPRO® FX	20	18	19	14
POWERPRO® BX	2	12	-	12
POWERPRO® NX2	4	4	4	2
POWERPRO® FX SMALL	8	-	8	-
MESSAGE SELECTORS	2	2	2	2
LOUNGE SEATING	-	Yes	-	Yes
FILTERS	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights
PILLOWS	4	4	4	3
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
ELECTRICAL INTERNATIONAL	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



Cañón Grande 7720,
Col. La Estanzuela
Monterrey, N.L. 64984

T. (81)8625 5000
info@artexa.com

**Artexa Experience
& Design Center Mexico City**

Homero 1433 Mezzanine
Col. Polanco II Secc.
Delegación Miguel Hidalgo,
Ciudad de México 11540
citas@artexa.com

Oficina de proyectos

*Dakota 204, 3er piso, desp. 302
Col. Napoles
Ciudad de México 03810*

T. (55)5256 5373