



J-400™

DESIGNER
COLLECTION



J-400™

DESIGNER COLLECTION



J-435™



J-425™

SEATING CAPACITY	5-6 seats	4-5 seats
DIMENSIONS	84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110 cm back	76 in x 87 in x 34 in - 40 in back 193 cm x 221 cm x 86 cm - 101.6 cm
DRY WEIGHT	822 lbs (373 kg)	776 lbs. (352 kg)
TOTAL FILLED WEIGHT	4,492 lbs (2,037 kg)	4,279 lbs. (1,941 kg)
AVERAGE SPA VOLUME	360 US gal (1,363 liters)	320 gallons (1,211 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 continuous hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 continuous hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 continuous hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 continuous hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes
TOTAL JETS	47	35
POWERPRO® MX	3	3
POWERPRO® FX SMALL	10	-
POWERPRO® RX	8	4
POWERPRO® FX DIRECTIONAL	-	-
POWERPRO® NX2	6	2
POWERPRO® FX ROTATIONAL	6	4
POWERPRO® FX	9	15
POWERPRO® FX LARGE ROTATIONAL	3	2
POWERPRO® PX	2	4
POWERPRO® FX LARGE	-	1
MASSAGE SELECTORS	2	1
LOUNGE SEATING	1	-
FILTERS	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag + ProClear® pleated filter 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 Sq ft filter (circ) 1- ProClear® 60 Sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft. filter (circ) 1- ProClear® 60 sq ft. filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARRAY® water management system	CLEARRAY® water management system
LIGHTING	One waterfall with light, one underwater light, cupholder, massage selector lights, indicator light, and optional exterior lights	One waterfall with light, pillows, indicator light, and optional exterior lights
PILLOWS	3	4
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC @ 40A/50A/60A	240VAC 60Hz 40A/50A/60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 32A, 20A/16A, 16A/16A/16A	230VAC 50Hz 17A/13A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ system CLEARRAY® PROTECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer	SmartTub™ system CLEARRAY® PROTECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-400™ DESIGNER COLLECTION



J-475™



J-445™

SEATING CAPACITY	6-7 seats	6 seats
DIMENSIONS	91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110 cm back	84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110.5 cm back
DRY WEIGHT	925 lbs. (419 kg.)	855 lbs. (388 kg.)
TOTAL FILLED WEIGHT	5,387 lbs. (2,444 kg.)	4,525 lbs. (2,052 kg.)
AVERAGE SPA VOLUME	440 gallons (1,666 liters)	440 gallons (1,666 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes
TOTAL JETS	55	45
POWERPRO® MX	3	3
POWERPRO® FX SMALL	8	8
POWERPRO® RX	6	8
POWERPRO® FX DIRECTIONAL	-	-
POWERPRO® NX2	6	4
POWERPRO® FX ROTATIONAL	8	8
POWERPRO® FX	10	12
POWERPRO® FX LARGE ROTATIONAL	1	2
POWERPRO® PX	2	-
POWERPRO® FX LARGE	5	-
MASSAGE SELECTORS	2	2
LOUNGE SEATING	Yes	-
FILTER	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft. filter (circ) 1- ProClear® 60 sq ft. filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag + ProClear® pleated filter 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft. filter (circ) 1- ProClear® 60 sq ft. filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARRAY® water management system	CLEARRAY® water management system
LIGHTING	Waterfall light, massage selectors, cupholders, underwater, indicator light, and optional exterior lights	One waterfall with light, one underwater light, cupholders, massage selector lights, indicator light, and optional exterior lights
PILLOWS	4	4
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 30A/50A/60A	240VAC @ 30A/50A/60A
ELECTRICAL INTERNATIONAL	230 VAC 50Hz 20A (2breakers required)	230-240VAC 50Hz 32A, 20A/I16A, 16A/I16A/I16A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ system CLEARRAY® PRO ₃ TECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer	SmartTub™ system CLEARRAY® PRO ₃ TECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-400™ DESIGNER COLLECTION



J-495™



J-485™

SEATING CAPACITY	8-9 seats	6-7 seats
DIMENSIONS	91 in x 110 in x 37.5 in - 43.5 in back 231 cm x 279 cm x 95 cm - 110.5 cm back	91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110.5 cm back
DRY WEIGHT	1,091 lbs. (495 kg.)	916 lbs. (415 kg.)
TOTAL FILLED WEIGHT	6,679 lbs. (3,030 kg.)	5,336 lbs. (2,421 kg.)
AVERAGE SPA VOLUME	500 gallons (1,893 liters)	435 gallons (1,647 liters)
PUMP 1 NORTH AMERICA PUMP 1 INTERNATIONAL	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA PUMP 2 INTERNATIONAL	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 3 NORTH AMERICA PUMP 3 INTERNATIONAL	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)	- -
CIRCULATION PUMP	Yes	Yes
TOTAL JETS	71	49
POWERPRO® MX	3	3
POWERPRO® FX SMALL	14	8
POWERPRO® RX	15	8
POWERPRO® FX DIRECTIONAL	4	-
POWERPRO® NX2	8	6
POWERPRO® FX ROTATIONAL	4	6
POWERPRO® FX	16	12
POWERPRO® FX LARGE ROTATIONAL	3	1
POWERPRO® PX	-	2
POWERPRO® FX LARGE	-	3
MASSAGE SELECTORS	2	2
LOUNGE SEATING	-	-
FILTERS	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch® bag with ProClear® 60 Sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch® bag with ProClear® 60 Sq ft filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARRAY® water management system	CLEARRAY® water management system
LIGHTING	Waterfall light, massage selectors, cupholders, underwater, indicator light, and optional exterior lights	Waterfall light, massage selectors, cupholders, underwater, indicator light, and optional exterior lights
PILLOWS	4	4
WATERFALLS	2	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 30A/50A/60A
ELECTRICAL INTERNATIONAL	230VAC 50Hz 1x32A	230 VAC 50Hz 20A (2breakers required)
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Silver Pearl, Sahara, Desert Sand, Monaco Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ system CLEARRAY® PRO ₃ TECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer	SmartTub™ system CLEARRAY® PRO ₃ TECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



Cañón Grande 7720,
Col. La Estanzuela
Monterrey, N.L. 64984

T. (81)8625 5000
info@artexa.com

**Artexa Experience
& Design Center Mexico City**

Homero 1433 Mezzanine
Col. Polanco II Secc.
Delegación Miguel Hidalgo,
Ciudad de México 11540
citas@artexa.com

Oficina de proyectos

*Dakota 204, 3er piso, desp. 302
Col. Napoles
Ciudad de México 03810*

T. (55)5256 5373